

08 / 09

SITEBOX LIMITED

UK Sales Tel: 01737 783101

Fax: 01737 783102

London: 0208 7639800

TRADE CATALOGUE ISSUE 1

BUILDING PRODUCTS & INDUSTRIAL SUPPLIES

- ✓ Unbelievable Trade Prices
- ✓ Free Shipping Over £50
- ✓ Quality Branded Products
- ✓ Large Stockholding
- ✓ Nationwide Next Day Delivery
- ✓ No Minimum Order Value
- ✓ Direct Delivery To Site
- ✓ Credit Facilities Available

All prices exclude VAT

www.sitebox.ltd.uk



DELIVERING SITE SUPPLIES NATIONWIDE

WELCOME

Sitebox Ltd. Catalogue

2008 - 2009

This 2008/09 Trade Issue offers our largest range of site essentials yet at extremely competitive prices making us your one stop tool and equipment shop. Just place your order before 3pm (Monday - Friday) and as long as it is in stock, we can deliver next working day.

Please note: This brochure offers only a fraction of the products that we stock. For the full range of products, please visit Sitebox ONLINE at www.sitebox.ltd.uk

Four Simple Ways to Order

- 1) Order online at www.sitebox.ltd.uk. We accept all major credit cards and now also payment via Paypal
- 2) Fax your order through to 01737 783102
- 3) Email your order to sales@sitebox.ltd.uk
- 4) Phone us on 01737 783101

If you hold a credit account with us, and use options 2, 3 or 4 and your order will be processed immediately. If you do not have an account with us we can send you a proforma invoice.

For quotations on larger orders, or for items that you cannot find in this brochure or on our website, please email your details to sales@sitebox.ltd.uk and our sales team will deal with your query quickly and efficiently.

Alternatively you can visit our main trade counter at the address below.



Sitebox Ltd.

Unit 19 Ormside Way,
Holmethorpe Industrial Estate,
Redhill,
Surrey,
RH1 2QA

Tel: 01737 783 101

Fax: 01737 783 102

email: sales@sitebox.ltd.uk

Web: www.sitebox.ltd.uk

Sat Nav: 51:15:7N 0:9:24W

SECTION GUIDE

- | | | |
|------------|-----------------------------------|----------------|
| 1. | ACCESS EQUIPMENT | 4 - 8 |
| 2. | BITS & BLADES | 9 - 12 |
| 3. | CORPORATE CLOTHING | 13 - 14 |
| 4. | FIRST AID & JANITORIAL | 15 - 15 |
| 5. | FIXINGS | 16 - 21 |
| 6. | TRAFFIC MANAGEMENT | 22 - 22 |
| 7. | HAND TOOLS | 23 - 26 |
| 8. | LIGHTING AND ELECTRICAL | 27 - 28 |
| 9. | NAILERS & STAPLERS | 29 - 30 |
| 10. | PAINTING & SEALANTS | 31 - 33 |
| 11. | POWER TOOLS | 34 - 38 |
| 12. | PROTECTIVE CLOTHING | 39 - 45 |
| 13. | SECURITY & HARDWARE | 46 - 46 |
| 14. | SITE EQUIPMENT | 47 - 51 |
| 15. | STORAGE | 52 - 53 |
| 16. | TAPES & SHEETING | 54 - 56 |
| 17. | FOR HIRE | 57 - 57 |

sales@sitebox.ltd.uk

01737 783101

Titan Aluminium Builders Steps Class1



BS2037 Quality aluminium steps for trade + industrial use. Large non-slip step treads, locking stays, broad base + rubber feet.

| Code | Size | Open Height | Price (£) |
|--------|----------|-------------|-----------|
| APS04T | 4 tread | 0.85m | 44.25 |
| APS06T | 6 tread | 1.35m | 54.95 |
| APS08T | 8 tread | 1.75m | 64.45 |
| APS10T | 10 tread | 2.24m | 77.75 |
| APS12T | 12 tread | 2.63m | 99.85 |

Titan Fibreglass Industrial Steps



Fine quality heavy duty steps with wide serrated aluminium steps + non-slip rubber feet. **EN131 Trade Duty Rating 150Kg**

| Code | Size | Open Height | Price (£) |
|---------|----------|-------------|-----------|
| F740 04 | 4 tread | 1.14m | 49.79 |
| F740 06 | 6 tread | 1.55m | 62.90 |
| F740 08 | 8 tread | 2.05m | 79.95 |
| F740 10 | 10 tread | 2.90m | 99.99 |

Everbuild Hop-Up Platforms



Lightweight work platform with a compact design for easy storage.

Sturdy aluminium construction with secure locking mechanism and non slip feet.

Platform size (1HOP80): 80cm x 30cm. Height: 60cm.

Platform size (1HOP90): 90cm x 60cm. Height: 60cm.

Max Load: 150kg. Manufactured to EN131: 1993 - Part 2 with BS2037 certificate

| Code | Price (£) |
|--------|-----------|
| 1HOP80 | 37.95 |
| 1HOP90 | 49.95 |

Titan Industrial Aluminium Extension Ladders



Rectangular box section stiles for extra strength and rigidity. Large 'D' shaped rungs positioned at the correct working angle for maximum comfort. Perfect twist-proof rung joint. Non-slip feet fitted top and bottom of each section. Conforms to Trade EN131 Maximum Load 150kg. Other sizes available to order at www.sitebox.ltd.uk

2 SECTION PUSH UP / EXTENSION LADDERS

| Code | Closed Height (m) | Extended Height (m) | Weight (kg) | Price (£) |
|--------|-------------------|---------------------|-------------|-----------|
| CLA30D | 3.0 | 5.1 | 12 | 79.75 |
| CLA35D | 3.5 | 6.1 | 13 | 95.45 |
| CLA40D | 4.0 | 7.1 | 17 | 107.95 |

3 SECTION PUSH UP/ EXTENSION LADDERS

| Code | Closed Height (m) | Extended Height (m) | Weight (kg) | Price (£) |
|--------|-------------------|---------------------|-------------|-----------|
| CLA25T | 2.5 | 5.6 | 18 | 108.95 |
| CLA30T | 3.0 | 7.1 | 21 | 129.05 |

Mark1 Podium Steps with Extending Guard Rail

Designed to go through standard doorway without the need to dismantle (Mk1 Only).

Made under ISO9001 quality assurance system and provides a safe anti-slip platform deck offering 360 degrees access. Capacity Weight 150kg.

Specifically designed HSE coated rubber anti-slip castors.

Folds flat for ease of handling and transportation.

Weight 23kg
 Platform Heights 0.8m, 1m or 1.2m
 Overall Height 1.99m
 Overall Height with Guardrail Extended 2.19m
 Overall Length 1.25m
 Overall Width 0.68m

| Code | Price (£) |
|-------|-----------|
| PSMK1 | 325.00 |

Mark 2 Podium Steps

Weight 35kg
 Max Platform Height 1.55m
 Overall Height 2.55m
 Overall Length 1.25m
 Overall Width 0.9m

| Code | Price (£) |
|-------|-----------|
| PSMK2 | 679.00 |

Mark 3 Podium Steps

Weight 45kg
 Max Platform Height 1.9m
 Overall Height 2.9m
 Overall Length 1.3m
 Overall Width 0.9m (without stabilisers)

| Code | Price (£) |
|-------|-----------|
| PSMK3 | 949.00 |



Mk 1

Mk 2

Mk 3

BoSS Aluminium Industrial Quality Modular Access Towers

All the BoSS towers combine new heights of performance with outstanding safety features. Patented colour coded brace hook for the most secure grip. Integral ladders built into the end frames for safe access. Ribbed tubing for non-slip grip. Rugged stabilisers for outstanding rigidity. Compliant with the 3T and Advanced Guardrail methods of assembly.



Boss Double Width (1450mm) Towers

Boss Single Width (850mm) Towers

When ordering please replace ** on the product code with the corresponding length e.g. /18 for a 1.8m long tower and /25 for a 2.5m long tower

| Code | Platform Height | Price (£) 1.8m length | Price (£) 2.5m length | Code | Platform Height | Price (£) 1.8m length | Price (£) 2.5m length |
|-----------|-----------------|--------------------------|--------------------------|-----------|-----------------|--------------------------|--------------------------|
| 301218/** | 1.2m | 749.25 | 809.26 | 301217/** | 1.2m | 637.19 | 676.17 |
| 301718/** | 1.7m | 882.06 | 944.37 | 301717/** | 1.7m | 759.29 | 800.56 |
| 301523/** | 2.2m | 922.38 | 984.69 | 301522/** | 2.2m | 896.29 | 965.56 |
| 302523/** | 2.7m | 1222.62 | 1308.27 | 302522/** | 2.7m | 1096.03 | 1155.41 |
| 303523/** | 3.2m | 1377.46 | 1470.91 | 303522/** | 3.2m | 1227.48 | 1299.32 |
| 304523/** | 3.7m | 1510.86 | 1606.02 | 304522/** | 3.7m | 1330.14 | 1423.71 |
| 305523/** | 4.2m | 1571.26 | 1668.72 | 305522/** | 4.2m | 1403.56 | 1479.99 |
| 306523/** | 4.7m | 1699.39 | 1820.20 | 306522/** | 4.7m | 1627.96 | 1722.49 |
| 307523/** | 5.2m | 1854.81 | 1982.84 | 307522/** | 5.2m | 1759.41 | 1866.41 |
| 308523/** | 5.7m | 1987.62 | 2117.95 | 308522/** | 5.7m | 1881.51 | 1998.80 |
| 309523/** | 6.2m | 2048.03 | 2180.65 | 309522/** | 6.2m | 1921.09 | 2047.08 |
| 310523/** | 6.7m | 2269.82 | 2452.78 | 310522/** | 6.7m | 2170.89 | 2325.78 |
| 311523/** | 7.2m | 2425.23 | 2588.42 | 311522/** | 7.2m | 2327.54 | 2469.72 |
| 312523/** | 7.7m | 2558.05 | 2684.66 | 312522/** | 7.7m | 2449.64 | 2594.09 |
| 313523/** | 8.2m | 2618.45 | 2786.23 | 313522/** | 8.2m | 2503.62 | 2650.36 |
| 315523/** | 9.2m | 2902.00 | 3100.35 | 315522/** | 9.2m | 2635.96 | 2813.26 |
| 317523/** | 10.2m | 3095.22 | 3298.16 | 317522/** | 10.2m | 2941.89 | 3123.79 |
| 319523/** | 11.2m | 3378.77 | 3612.28 | 319522/** | 11.2m | 3204.09 | 3416.55 |
| 321523/** | 12.2m | 3551.90 | 3787.70 | 321522/** | 12.2m | 3380.16 | 3597.22 |

Boss Tower Spare Components

| Code | Description | Price (£) |
|--------|------------------------------|-----------|
| 333513 | Castor 125mm | 18.61 |
| 328423 | Castor 150mm | 25.97 |
| 335513 | Adjustable Leg Assembly MED | 16.29 |
| 308513 | Ladder Frame 850 2 Rung | 82.85 |
| 302513 | Span Frame 850 2 Rung | 58.71 |
| 307513 | Ladder Frame 850 3 Rung | 97.66 |
| 301513 | Span Frame 850 3 Rung | 71.69 |
| 306513 | Ladder Frame 850 4 Rung | 116.75 |
| 300513 | Span Frame 850 4 Rung | 87.90 |
| 311513 | Ladder Frame 1450 2 Rung | 95.75 |
| 305513 | Span Frame 1450 2 Rung | 63.67 |
| 310513 | Ladder Frame 1450 3 Rung | 123.29 |
| 304513 | Span Frame 1450 3 Rung | 79.74 |
| 309513 | Ladder Frame 1450 4 Rung | 148.01 |
| 303513 | Span Frame 1450 4 Rung | 96.74 |
| 304511 | Trapdoor Deck 1.8m | 87.48 |
| 305511 | Trapdoor Deck 2.5m | 103.94 |
| 301511 | Fixed Deck 1.8m | 69.21 |
| 302511 | Fixed Deck 2.5m | 91.13 |
| 312513 | Horizontal Brace 1.8m | 20.18 |
| 348513 | Horizontal Brace 2.5m | 22.82 |
| 313513 | Diagonal Brace 2.1m | 20.93 |
| 314513 | Diagonal Brace 2.7m | 23.32 |
| 304509 | Side Toeboard 1.8m | 9.14 |
| 305509 | Side Toeboard 2.5m | 10.87 |
| 302509 | End Toeboard 0.6m | 5.04 |
| 303509 | End Toeboard 1.2m | 8.75 |
| 301509 | Toeboard Clip | 2.84 |
| 317513 | Stabiliser SP7 (Fixed) | 44.81 |
| 318513 | Stabiliser SP10 (Telescopic) | 69.21 |

Youngman MiniMax Trade Tower System

An Entry Level trade tower offering a lightweight access system that is easy to transport and store. Designed to be transported in a family car.



Fold out base unit working height of 2.9m, with add on packs heights of 3.7m, 5.7m and 7.8m can be reached.

Platform Area: 1830 x 700mm

Scafftag Scaffold Management System



Internationally used and recognised as the safety system to assist with the control of scaffolding from first build to dismantle. Kit comprises of 10 holders, 20 reversible inserts, 2 pens.

Replacement Registration Cards for Scafftag Scaffold System available (STSH/SPI)

| Code | Price (£) |
|----------|--------------|
| STSH | 54.99 |
| STSH/SPI | 14.95 per 10 |

Laddertag Management System

Widely used ladder management system comprising of 10 holders, 10 reversible inserts, 1 pen.

Regulations require ladders to be checked for damage, faults and wear before use by any authorised user.

| Code | Price (£) |
|----------|-----------|
| EITH/L12 | 44.99 |

Microtag Registration Cards



Microtag is a safety system which is particularly useful for identifying small plant, equipment (including safety harnesses and lanyards) and lifting gear. Inserts available in blue, green or red, please specify when ordering.

| Code | Description | Price (£) |
|-------|-------------|-------------|
| MTH01 | Holders | 1.98 ea |
| MTH10 | Inserts | 5.58 per 10 |

MiniMax Pricing Structure

| Code | | Price (£) |
|--------|------------------------|-----------|
| 370518 | Base Pack | 295.00 |
| 371518 | Extension Pack (2m) | 355.75 |
| 372518 | Guardrail Pack | 198.15 |
| 373518 | Stab. Pack (S) 2 items | 109.50 |
| 374518 | Stab. Pack (M) 2 items | 199.99 |
| 379518 | Adj. Leg Pack 4 items | 95.44 |

Working Heights (WH) and Packs Required

| WH | 370518 | 371518 | 372518 | 373518 | 379518 |
|------|--------|--------|--------|--------|--------|
| 2.9m | 1 | - | - | - | - |
| 3.7m | 1 | 1 | - | 2 | - |
| 5.7m | 1 | 1 | 1 | 2 | - |
| 7.8m | 1 | 1 | 2 | - | 2 |

Telesteps Telescopic Ladder 3.3m



The worlds first telescopic ladder. Conforms to Trade EN131, Maximum load 150kg. Available in **Redline**: Manual Locking or **Blackline**: Automatic Locking (Blackline more suited to on-site use)
 Weight: 10.0kg
 Length: 78cm closed 3.3m extended
 Width: 49cm
 Number of steps: 11
 Tread width: 40

For the full range please visit www.sitebox.ltd.uk

| Code | Description | Price (£) |
|-------|-------------|-----------|
| 50133 | Redline | 129.00 |
| 50134 | Blackline | 149.00 |

Telesteps Carrying Bag

| Code | Price (£) |
|------|-----------|
| 9129 | 27.00 |

Marshalltown Skywalker Stilts



The most tried and tested stilts you can buy. Max Load 102kg

Height Adjustment
 18"-30" / 350-760mm

| Code | Price (£) |
|--------|-----------|
| MTSS01 | 199.00 |

Titan Basemate Professional Ladder Stabiliser



Helps to make any extension ladder safer and easier to use. Wide stance increases stability on even ground, and quickly adjusts to uneven terrain. For professionals and homeowners who value safety, time and convenience

| Code | Price (£) |
|------|-----------|
| LA22 | 29.99 |

Titan Ractite Roof Clamps

Strong clamps to secure ladders to vehicle roof racks. Supplied with 2 padlocks.

| Code | Price (£) |
|-------|-----------|
| LOK02 | 24.95 ea |

Scaffold Bumper

260mm diameter fibre bumpers (No Nocs Bumper) for edge protection on Podiums and Towers

| Code | Price (£) |
|------|-----------|
| SB1 | 8.75 ea |

Handrail Bumper

2m length fibre bumpers (No Nocs Bumper) for handrail protection on Podiums and Towers

| Code | Price (£) |
|------|-----------|
| HB1 | 5.75 ea |

Popup Electric Scissor Platform 12 volt DC

The Popup is the most competitively priced scissor lift on the market ideal for low level electric access. No formal training required. Tested to EN280

| Code | Price (£) |
|--------|-----------|
| POPUP1 | 2975.00 |



TECHNICAL SPECIFICATIONS

| | |
|----------------------------|-------------|
| Safe working load (SWL) | 240kg |
| Maximum platform height | 1.63 metres |
| Approximate working height | 3.63 metres |
| Platform length | 1.01 metres |
| Platform width | 0.52 metres |
| Platform guard rail height | 1.10 metres |

Electrical system

| | |
|----------|---------|
| Voltage | 12 volt |
| DC Motor | 0.7kW |
| Battery | 80Ah |

ITW Heller Prefix SDS+ Drill Bits



High quality, twin fluted SDS+ carbide drill bit that fits all SDS+ rotary hammers (sold per pack at unbeatable prices)

| Code | Size | Pack Size | Price (£) |
|--------|-------------|-----------|-----------|
| 253406 | 4 x 160mm | 25 | 22.25 |
| 253413 | 5 x 110mm | 25 | 19.95 |
| 253420 | 5 x 160mm | 25 | 21.95 |
| 253437 | 5.5 x 110mm | 25 | 19.95 |
| 253444 | 5.5 x 160mm | 25 | 21.95 |
| 253451 | 5.5 x 210mm | 25 | 26.95 |
| 253468 | 6 x 110mm | 25 | 19.95 |
| 253475 | 6 x 160mm | 25 | 22.95 |
| 253482 | 6 x 210mm | 25 | 27.50 |
| 253499 | 6.5 x 160mm | 25 | 21.95 |
| 253505 | 6.5 x 210mm | 25 | 34.95 |
| 253529 | 7 x 160mm | 25 | 25.95 |
| 253543 | 8 x 110mm | 25 | 26.95 |
| 253550 | 8 x 160mm | 25 | 28.95 |
| 253604 | 10 x 160mm | 10 | 12.95 |
| 253611 | 10 x 210mm | 10 | 15.95 |
| 253659 | 12 x 160mm | 10 | 15.95 |
| 253666 | 12 x 210mm | 10 | 17.95 |
| 253703 | 14 x 210mm | 10 | 23.95 |
| 253741 | 16 x 210mm | 10 | 27.95 |
| 186896 | 18 x 300mm | 1 | 6.75 |
| 186902 | 20 x 300mm | 1 | 11.74 |
| 156509 | 22 x 450mm | 1 | 14.45 |
| 156547 | 26 x 450mm | 1 | 18.54 |

PH2 Screwdriver Bits (per 100)

No. 2 Phillips Stub Screwdriver Bit - 1/4" Drive. Overall Length: 25mm

| Code | Price (£) |
|--------|-----------|
| DIBPH2 | 14.50 |

PZ2 Screwdriver Bits (per 100)

No. 2 Pozzi Stub Screwdriver Bit - 1/4" Drive. Overall Length: 25mm

| Code | Price (£) |
|--------|-----------|
| DIBPO2 | 14.50 |

ITW Heller HSS Twist Drill Bits



High quality HSS drill bit for use in wood, plastic and metal. (sold per pack at unbeatable prices)

| Code | Size | Pack Size | Price (£) |
|--------|--------|-----------|-----------|
| 184601 | 2.0mm | 10 | 2.20 |
| 184656 | 2.5mm | 10 | 2.50 |
| 184700 | 3.0mm | 10 | 2.90 |
| 184755 | 3.5mm | 10 | 3.70 |
| 184809 | 4.0mm | 10 | 3.90 |
| 184854 | 4.5mm | 10 | 4.30 |
| 184908 | 5.0mm | 10 | 4.80 |
| 184953 | 5.5mm | 10 | 5.10 |
| 185004 | 6.0mm | 10 | 5.40 |
| 185059 | 6.5mm | 10 | 7.40 |
| 185103 | 7.0mm | 10 | 8.70 |
| 185202 | 8.0mm | 10 | 9.10 |
| 185400 | 10.0mm | 10 | 11.40 |
| 185486 | 12.0mm | 5 | 8.60 |
| 185561 | 14.0mm | 5 | 12.50 |
| 185646 | 16.0mm | 5 | 17.45 |

ITW Heller Tile and Glass Drill Bits



Ceramic bit with 1/4" hexagonal quickbit shank for accurate drilling into sensitive materials.

| Code | Size | Price (£) |
|--------|--------|-----------|
| 500913 | 3.0mm | 2.36 |
| 500920 | 4.0mm | 2.36 |
| 500937 | 5.0mm | 2.51 |
| 500944 | 6.0mm | 2.82 |
| 500951 | 6.5mm | 2.94 |
| 500968 | 8.0mm | 3.33 |
| 500975 | 10.0mm | 4.55 |
| 500982 | 13.0mm | 5.99 |

ITW Heller Flat Wood Milling Bits



Premium wood drilling bit with hardened wings and 1/4" hexagonal quickbit shank.

| Code | Size | Price (£) |
|--------|--------|-----------|
| 190534 | 6.0mm | 1.62 |
| 190541 | 8.0mm | 1.99 |
| 190558 | 10.0mm | 2.45 |
| 190572 | 14.0mm | 3.08 |
| 190596 | 18.0mm | 3.94 |
| 190626 | 24.0mm | 4.65 |
| 190657 | 30.0mm | 5.27 |
| 217903 | 40.0mm | 5.99 |

ITW Heller Rebar Cutter Reinforcement Drill Bit



Drills fast without problems in all standard reinforcement. Recessed and individually soldered tungsten carbide teeth for durability and quick advance. Surface treated using the Heller HST process. To be used in conjunction with the SDS Plus adaptor

| Code | Size | Total Length | Price (£) |
|--------|-------|--------------|-----------|
| 246002 | 12 mm | 230 mm | 45.19 |
| 246026 | 16 mm | 230 mm | 58.01 |
| 246033 | 18 mm | 230 mm | 63.46 |
| 246040 | 20 mm | 230 mm | 68.81 |
| 246057 | 25 mm | 230 mm | 75.36 |
| 246071 | 30 mm | 230 mm | 85.04 |

SDS Plus Ratio Adaptor for Rebar Bits



Tool Holder: SDS+ / 18mm
Other sizes available

| Code | Price (£) |
|---------|-----------|
| RRA2260 | 19.95 |

Rebar Cutter Drill Bit Set

Set Includes: 14, 16 and 18mm x 230mm Rebar Drill bits plus 1 adaptor in a case

| Code | Price (£) |
|--------|-----------|
| 245999 | 119.95 |

ITW Heller Bi-Metal Holesaws



HSS Bi-metal Holesaw with variable depth teeth for fast and clean cutting. Ideal for cutting clean holes in steel, stainless steel, die cast metals, nail embedded wood etc.

| Code | Size | Price (£) |
|--------|---------|-----------|
| 119030 | 14.0mm | 2.24 |
| 119047 | 16.0mm | 2.26 |
| 190718 | 19.0mm | 2.45 |
| 190732 | 22.0mm | 2.91 |
| 199087 | 27.0mm | 3.84 |
| 190763 | 32.0mm | 4.94 |
| 199117 | 37.0mm | 5.05 |
| 190794 | 40.0mm | 5.11 |
| 190800 | 44.0mm | 5.39 |
| 199155 | 48.0mm | 5.47 |
| 190824 | 54.0mm | 5.50 |
| 190831 | 57.0mm | 5.69 |
| 190848 | 60.0mm | 5.85 |
| 190855 | 64.0mm | 6.08 |
| 190862 | 68.0mm | 6.15 |
| 190886 | 76.0mm | 6.30 |
| 190909 | 89.0mm | 7.24 |
| 190916 | 102.0mm | 10.29 |
| 199285 | 114.0mm | 12.10 |
| 199308 | 127.0mm | 14.76 |
| 199322 | 152.0mm | 19.85 |
| 199680 | 168.0mm | 47.00 |
| 199677 | 177.0mm | 57.66 |
| 199210 | 210.0mm | 68.50 |

Arbors with HSS Pilot Bit to suit Holesaws



| Code | Size | Price (£) |
|--------|--------------|-----------|
| 190930 | 14-30mm Hex | 5.83 |
| 100700 | 14-30mm SDS | 5.83 |
| 190947 | 32-152mm Hex | 7.85 |
| 100717 | 32-152mm SDS | 7.85 |
| 100899 | 32-210mm SDS | 19.85 |

ITW Heller Jigsaw Blades



High quality Bayonet Mount jigsaw blades. See table below for details. Priced in packs of 5. * Universal Mount (T118G = Steel / T118BF = Bi-Metal)

| Bosch Code | TPI | Toothed Length | Price (£) |
|------------|-------|----------------|-----------|
| T119B | 13TPI | 50mm | 2.53 |
| U111C* | 8TPI | 75mm | 2.60 |
| T144D | 6TPI | 75mm | 3.50 |
| T118G | 36TPI | 50mm | 4.32 |
| T118BF | 13TPI | 50mm | 5.75 |
| T101BA | 10TPI | 75mm | 6.89 |

ITW Heller Recip Saw Blades



High quality recip saw blades. See table below for details. Priced in packs of 5. (* Bi-metal)

| Bosch Code | TPI | Toothed Length | Price (£) |
|------------|-------|----------------|-----------|
| S644D | 6TPI | 150mm | 5.08 |
| S1531L | 5TPI | 250mm | 7.56 |
| S1344D | 6TPI | 300mm | 8.79 |
| S922BF* | 14TPI | 150mm | 6.25 |
| S1122BF* | 14TPI | 200mm | 8.74 |
| S1211H* | 10TPI | 300mm | 9.75 |

Trend CraftPro TCT Wood & Wood Based Materials Sawblades



A complete range of Tungsten Carbide Tipped Circular saw blades for a professional finish in wood, MDF, Particle board, hardboard and plywood. Used by professional tradesmen. Blade sizes from 125 to 350mm catering for cordless trim saws to bench saws. All blades have a bore of 30mm unless otherwise stated.

* Bore is 20mm

** Bore is 16mm

Less Teeth:

- Preferred for ripping along the grain of hard and soft wood and other wood based materials.

- Coarser finish

- Faster feed rate.

More Teeth:

- Preferred for cutting across grain of hard and soft wood.

- Finer finish

- Slower feed rate.

| Code | Teeth | Dia. | Price (£) |
|-------------|-------|-------|-----------|
| CSB/12512* | 12 | 125mm | 9.10 |
| CSB/13424* | 24 | 134mm | 9.80 |
| CSB/14024* | 24 | 140mm | 10.15 |
| CSB/15012A | 12 | 150mm | 10.50 |
| CSB/15324* | 24 | 153mm | 11.20 |
| CSB/16024* | 24 | 160mm | 11.20 |
| CSB/18024 | 24 | 180mm | 11.55 |
| CSB/18040 | 40 | 180mm | 11.90 |
| CSB/18424** | 24 | 184mm | 12.25 |
| CSB/18430A | 30 | 184mm | 12.95 |
| CSB/18458 | 58 | 184mm | 13.30 |
| CSB/19012 | 12 | 190mm | 13.30 |
| CSB/19040 | 40 | 190mm | 13.30 |
| CSB/20024 | 24 | 200mm | 15.40 |
| CSB/21048 | 48 | 210mm | 15.75 |
| CSB/21548 | 48 | 215mm | 16.10 |
| CSB/23024 | 24 | 230mm | 16.10 |
| CSB/23040 | 40 | 230mm | 17.15 |
| CSB/23540 | 40 | 235mm | 17.15 |
| CSB/24024 | 24 | 240mm | 17.50 |
| CSB/25048 | 48 | 250mm | 19.95 |
| CSB/25080 | 80 | 250mm | 24.35 |
| CSB/30032 | 32 | 300mm | 22.75 |
| CSB/31524 | 24 | 315mm | 24.15 |
| CSB/35064 | 64 | 350mm | 29.30 |

Trend CraftPro TCT Aluminium/Plastic Blades



Reamed bore. Front bevel tooth form. Silverbrazed. Microgranular Tungsten Carbide Tipped. Body is hardened and tempered to maintain trueness. High grade alloy steel plate body precision ground to maintain flatness. Blades have a negative hook angle. Alternate top

bevel tooth form. Fine finish for plastic and aluminium. Anti-kickback with thin kerf for cordless saws.

| Code | Teeth | Dia. | Price (£) |
|----------------|-------|-------|-----------|
| CSB/AP13630T* | 30 | 136mm | 17.25 |
| CSB/AP13636TB* | 36 | 150mm | 17.63 |
| CSB/AP16536TA* | 36 | 165mm | 18.38 |
| CSB/AP18458** | 58 | 184mm | 18.75 |
| CSB/AP18458A | 58 | 184mm | 18.75 |
| CSB/AP21564 | 64 | 215mm | 25.50 |
| CSB/AP25084 | 84 | 250mm | 33.00 |
| CSB/AP25480 | 80 | 254mm | 31.50 |
| CSB/AP25496 | 96 | 254mm | 36.00 |
| CSB/AP30096 | 96 | 300mm | 39.00 |
| CSB/AP30584 | 84 | 305mm | 39.00 |
| CSB/AP31596 | 96 | 315mm | 39.00 |
| CSB/AP350108 | 108 | 350mm | 47.25 |

Flat Cutting Discs for Metal



Blades must be used in accordance with the Abrasive Wheels Regulations 1970 and Amendments and the Health and Safety at Work Act 1974.

Using extra pressure to cut can cause overheating damage to the blade and is a safety risk.

| Code | Dia. | Bore | Price (£) |
|----------|-------|--------|-----------|
| TAMF100C | 100mm | 16mm | 0.52 |
| TAMF115C | 115mm | 22mm | 0.55 |
| TAMF125C | 125mm | 22mm | 0.63 |
| TAMF180C | 180mm | 22mm | 0.78 |
| TAMF230C | 230mm | 22mm | 0.83 |
| TAMF300C | 300mm | 22mm | 1.40 |
| TAMF350C | 350mm | 25.4mm | 3.02 |

Depressed Centre Grinding Discs for Stone and Concrete



Blades must be used in accordance with the Abrasive Wheels Regulations 1970 and Amendments and the Health and Safety at Work Act 1974.

Assorted disc types

| Code | Dia. | Bore | Price (£) |
|-----------|-------|------|-----------|
| TACDC110G | 110mm | 16mm | 0.62 |
| TACDC115G | 115mm | 22mm | 0.75 |
| TACDC125G | 125mm | 22mm | 0.81 |
| TACDC180G | 180mm | 22mm | 1.22 |
| TACDC230G | 230mm | 22mm | 1.85 |

Flat Cutting Discs for Stone and Concrete



Blades must be used in accordance with the Abrasive Wheels Regulations 1970 and Amendments and the Health and Safety at Work Act 1974.

Using extra pressure to cut can cause overheating damage to the blade and is a safety risk.

| Code | Dia. | Bore | Price (£) |
|------------|-------|------|-----------|
| TACF110C | 100mm | 16mm | 0.54 |
| TACF115C | 115mm | 22mm | 0.57 |
| TACF125C | 125mm | 22mm | 0.67 |
| TACF180C | 180mm | 22mm | 0.81 |
| TACF230C | 230mm | 22mm | 0.88 |
| TACF300C | 300mm | 22mm | 1.44 |
| TACF30020C | 300mm | 20mm | 1.44 |
| TACF350C | 350mm | 22mm | 3.29 |

We also stock a large range of **Diamond Blades** at extremely competitive prices for example:

TX10R Superior Diamond Blade 9" = £27.50 + VAT or the DS12 Double Six Diamond Blade at £18.95 +VAT!!!

Helly Hansen Uppsala Jacket

An extremely hard wearing jacket with good freedom of movement for working in very cold conditions, a very stylish, smart and versatile jacket.

Colour: Black

Sizes: S-XL

| Code | Price (£) |
|-------|-----------|
| 76301 | 56.50 |

Helly Hansen Ashford Service Trousers

A modern stylish traditional tradesman pant. Designed and built to look good and last through the toughest working conditions.

65% Polyester, 35% Cotton

Colour: Black, Navy Blue

Sizes: C44-C62 Regular Leg
- C144-C162 Longer Leg

| Code | Price (£) |
|-------|-----------|
| 76447 | 24.93 |

Helly Hansen Hannover Jacket

A stylish versatile, thin-lined, lightweight jacket. Suitable for those that are working in environments that change from indoor to outdoor.

Colour: Black

Sizes: S-XL

| Code | Price (£) |
|-------|-----------|
| 71110 | 41.00 |

Helly Hansen Ashford Kneepad Trousers

Cordura has been used for the knee pad and tool pockets, this along with the use of bartacks at weak points results in a high performance garment.

Colour: Black, Navy Blue

Sizes: C44-C62 Regular Leg
- C144-C162 Longer Leg
Supplied with knee pads

| Code | Price (£) |
|-------|-----------|
| 76438 | 32.50 |

Helly Hansen Ashford Tool Vest

A modern stylish version of the traditional tradesman tool vest. Strategically bartacked for maximum strength with the added benefit of Cordura on all pockets.

Colour: Navy Blue, Black

Sizes: M-XXL

| Code | Price (£) |
|-------|-----------|
| 76354 | 33.50 |

Fristads Profile BKP-237 Cargo Shorts

Practical and functional, these shorts are exactly what you need for hot working conditions where you still need to look smart and professional

Colour: Navy, Black and Khaki
Sizes: C44 - C62 (Waist 30" - 47")

| Code | Price (£) |
|---------|-----------|
| BKP-237 | 19.90 |

Poly/Cotton Stud Front Boilersuit

65/35 : poly/cotton. Concealed stud fastening front closure. Two breast pockets with stud fastening flap. Two hip swing pockets with access to undergarments. Available in Navy Blue, Bottle Green

Sizes: M-XXL

Disposable boilersuits also available (Code: DBS-P01) in Red, Blue and White.

| Code | Price (£) |
|---------|-----------|
| S999 | 12.30 |
| DBS-P01 | 1.75 |

Helly Hansen Kingston Sweater - Micro Fleece

A lightweight casual micro fleece sweater, ideal for cooler days

Colour: Black

Sizes: S-XXL

| Code | Price (£) |
|-------|-----------|
| 72042 | 26.00 |

Bolton Painters Bib & Brace Suit



Bib pocket with zip. One large front pocket. Knee pad pockets. Hip and rule pockets. Elasticated straps. Plastic buckles.

Fabric: 100% cotton

Sizes: M - XXL

| Code | Price (£) |
|------|-----------|
| S810 | 14.50 |

Painters Trousers



Two side pockets. Multi-layered thigh pocket with mobile phone pocket. Knee pad pockets. Hip and rule pockets. Elasticated back waist for comfort.

Fabric: 100% cotton

Sizes: M - XXL

| Code | Price (£) |
|------|-----------|
| S817 | 12.50 |

Turin Premium T-Shirt

Taped neckline. Full cut styling.

Fabric: 100% cotton 195g

Sizes: M - XXL

Colours: Royal blue, Black, White.



| Code | Price (£) |
|------|-----------|
| B195 | 2.75 |

Naples Polo Shirt

Pique Knit fabric. Three button placket. Rib knit collar and cuffs.

Fabric: 65% polyester 35% cotton 210g

Sizes: M - XXL

Colours: Royal blue, Black, Grey, Bottle Green.



| Code | Price (£) |
|------|-----------|
| B210 | 6.75 |

Disposable Overshoes - per 100



| Code | Price (£) |
|-------|-----------|
| DOS10 | 5.99 |

Class 3 Lightweight Gore-Tex Jacket



Conforms to EN343 Class 3 for water penetration and breathability. Concealed fold away hood, double storm flap with 2 way zip, mesh lined, large front pockets with flaps, inner map/mobile pocket with zip.

Colours: Yellow, Orange

Sizes: S - XXL

| Code | Price (£) |
|---------|-----------|
| FRGTJ03 | 129.50 |

EN471 Executive Breathable Jacket



Zip front with chin guard, double storm flap, attached mesh lined hood in collar, internal patch pocket, sleeve pockets with zip, studded side vents, Welt pocket with concealed ID holder, radio pocket and D-ring, fleece lined collar and inner cuffs. High Quality Jacket well priced.

Colours: Yellow / Navy, Orange / Navy

Sizes: M - XXL

Fabric: 100% Polyester, 300D Oxford Weave, stain resistant finish, PU Coated Breathable EN471 certified.

| Code | Price (£) |
|------|-----------|
| S760 | 49.95 |

Standard HiVis Rucksack



Multiple pockets, re-inforced adjustable straps, waist straps, 5cm reflective tape, padded back panel, mobile phone pocket, weatherproof mp3 CD and mobile phone outlet. Certified to EN471

Size: L28 x W21 x H43cm

Colours: Yellow, Orange

| Code | Price (£) |
|------|-----------|
| B905 | 18.25 |

For all High Visibility clothing see Pages 39-40

Travel and Holdall Bags



Id holder, studded base, 2 zipped compartments and adjustable shoulder strap.

| Code | Size | Price (£) |
|------|------------|-----------|
| B903 | 48x23x32xm | 9.95 |
| B900 | 68x25x39xm | 13.85 |

First Aid Kits



HSE approved first aid kits supplied in a plastic box. Available in 1-10 person (SBFK10), 1-20 person (SBFK20), 1-50 person kits (SBFK50).

| | SBFK10 | SBFK20 | SBFK50 |
|----------------------------|--------|--------|--------|
| First Aid Guidance Leaflet | 1 | 1 | 1 |
| Adhesive Plasters | 20 | 40 | 60 |
| N016 Sterile Eye Pad | 2 | 4 | 6 |
| Triangular Bandages | 2 | 4 | 6 |
| Safety Pins | 6 | 12 | 12 |
| Sterile Dressing 12 x 12cm | 6 | 9 | 10 |
| Sterile Dressing 18 x 18cm | 2 | 3 | 4 |
| Alcohol Free wipes | 6 | 10 | 20 |
| Disposable Gloves (pair) | 1 | 2 | 3 |
| Price (£) | 9.75 | 16.56 | 28.50 |

JSP Sterile Eyewash Wall Station



A wall mounted mirror dispenser holding two 500ml bottles, Easy to deploy/use in emergencies

Code **Price (£)**

ASE010 17.90

JSP 30 Litre Oil Spill Kit



Kit Contents: 20 Pads to soak up oil, 4 Socks to contain and adsorb oil, 4 Disposable bags and ties, 1 Instruction sheet

Code **Price (£)**

PKQ060 26.75

JSP 90 Litre Oil Spill Kit



Kit Contents: 1 Container with lid, 1 Caution tape, 12 Oil socks to contain and adsorb oil, 3 Pillows to adsorb oil, 35 Pads to adsorb oil, 5 Disposable bags and ties, 1 Instruction sheet, 1 Wall mounting bracket

Code **Price (£)**

PKQ110 77.85

JSP 30 Litre Chemical Spill Kit



Kit Contents: 25 Pads to soak up chemical, 4 Socks to contain and absorb chemical, 4 Disposable bags and ties, 1 Instruction sheet

Code **Price (£)**

PKC060 29.95

JSP 90 Litre Chemical Spill Kit



Quick response spill kit for use anywhere a chemical spillage of up to 90 litres might occur. Packed in weather-proof, yellow, moulded container manufactured from UV Stabilised material, with wall mounting bracket, cord to secure lid, labels and instructions.

Code **Price (£)**

PKC110 96.45

ABX10 Treated Wood Fibre Absorbent Granules



Absorbent Granules - Fire Retardant to BS476 Pt7, Easy to Clean up, leaves no residue, Environmentally Friendly, Ideal For use in factories, laboratories, workshops etc. Adsorbs oil, grease, and other liquid spillages 3-5 times more absorbent than clay granules, price per 30 ltr bag


Code **Price (£)**

ABX10 7.79

Janitorial Accessories

| Code | Description | Price (£) |
|--------|--------------------------------|-----------|
| JDC10 | Dish Cloths - 10 pack | 1.95 |
| JJC10 | J Cloths - 10 Pack | 1.95 |
| JHT10 | Hand Towels - per 2500 box | 17.50 |
| JTR36 | Toilet Roll - 36 Rolls | 7.50 |
| JTB5L | Thick Bleach - 5L | 3.75 |
| JWL5L | Washing Up Liquid - 5L | 3.25 |
| JMC75 | Multi-Purpose Cleaner - 750ml | 2.50 |
| JAF20 | Air Freshener Aerosol | 2.20 |
| JAB500 | Anti-Bacterial Handwash -500ml | 2.50 |

Zinc Drywall Screws - Point



* wafer head screws

| Code | Size | Price (£) / 1000 |
|---------|-------------|------------------|
| DW13WH* | 4.2 x 13mm | 3.54 |
| DW25 | 3.5 x 25mm | 1.99 |
| DW32 | 3.5 x 32mm | 2.33 |
| DW38 | 3.5 x 38mm | 2.80 |
| DW42 | 3.5 x 42mm | 3.25 |
| DW50 | 3.5 x 50mm | 3.97 |
| DW65 | 4.2 x 65mm | 6.37 |
| DW75 | 4.2 x 75mm | 8.49 |
| DW100 | 4.2 x 100mm | 19.72 |
| DW125 | 4.2 x 125mm | 38.07 |

Zinc Drywall Screws - Self Drilling



* wafer head screws

| Code | Size | Price (£) / 1000 |
|----------|------------|------------------|
| SDW13WH* | 4.2 x 13mm | 3.99 |
| SDW25WH* | 4.2 x 25mm | 8.50 |
| SDW25 | 3.5 x 25mm | 3.60 |
| SDW32 | 3.5 x 32mm | 3.93 |
| SDW38 | 3.5 x 38mm | 4.27 |
| SDW42 | 3.5 x 42mm | 5.08 |
| SDW50 | 3.5 x 50mm | 5.51 |
| SDW65 | 4.2 x 65mm | 8.70 |
| SDW75 | 4.2 x 75mm | 10.32 |

Zinc Collated Drywall Screws Fine Thread



* self drilling screws

| Code | Size | Price (£) / 1000 |
|---------|------------|------------------|
| CDW25 | 3.5 x 25mm | 5.99 |
| CDW32 | 3.5 x 32mm | 6.59 |
| CDW38 | 3.5 x 38mm | 7.99 |
| CDW42 | 3.5 x 42mm | 8.29 |
| CDW50 | 3.5 x 50mm | 8.99 |
| CDW75 | 4.2 x 75mm | 15.29 |
| CSDW25* | 3.5 x 25mm | 8.75 |
| CSDW35* | 3.5 x 35mm | 10.55 |
| CSDW50* | 3.5 x 50mm | 12.79 |

Plastic Hammer Fixings



* large head

| Code | Size | Price (£) / 100 |
|----------|------------|-----------------|
| HF530 | M5 x 30mm | 1.63 |
| HF550 | M5 x 50mm | 1.71 |
| HF640 | M6 x 40mm | 1.86 |
| HF640LH* | M6 x 40mm | 2.49 |
| HF650 | M6 x 50mm | 2.31 |
| HF660 | M6 x 60mm | 2.89 |
| HF680 | M6 x 80mm | 3.15 |
| HF860 | M8 x 60mm | 2.92 |
| HF880 | M8 x 80mm | 4.61 |
| HF8100 | M8 x 100mm | 5.51 |
| HF8120 | M8 x 120mm | 7.09 |
| HF8140 | M8 x 140mm | 8.88 |

Buildex Hex Head Tek Screws



| Code | Size | Cut Depth | Price (£) / 100 |
|-------|-------------|--------------|-----------------|
| TC16 | 4.8 x 16mm | 1.2 - 3.5mm | 1.99 |
| TC25 | 5.5 x 25mm | 1.2 - 3.5mm | 2.55 |
| TC32 | 5.5 x 32mm | 1.2 - 3.5mm | 2.97 |
| TC38 | 5.5 x 38mm | 1.2 - 3.5mm | 3.45 |
| TC50 | 5.5 x 50mm | 1.2 - 3.5mm | 3.84 |
| TC62 | 5.5 x 62mm | 1.2 - 3.5mm | 4.78 |
| TC75 | 5.5 x 75mm | 1.2 - 3.5mm | 5.57 |
| TC100 | 5.5 x 100mm | 1.2 - 3.5mm | 6.99 |
| TL32 | 5.5 x 32mm | 4.0 - 12.5mm | 5.09 |
| TL38 | 5.5 x 38mm | 4.0 - 12.5mm | 5.81 |
| TL50 | 5.5 x 50mm | 4.0 - 12.5mm | 6.95 |
| TL75 | 5.5 x 75mm | 4.0 - 12.5mm | 7.57 |
| TL100 | 5.5 x 100mm | 4.0 - 12.5mm | 9.88 |

Standard Wall Plugs - per 1000



Tough, high density polythene plugs provide a secure wall fixing. Supplied in a box of 1000. Available in 6-8ga Red and 8-10ga Brown

| Code | Description | Price (£) |
|--------|-------------|-----------|
| SBXWPR | Red | 3.91 |
| SBXWPB | Brown | 5.31 |

Timberfix Countersunk Screws



| Code | Size | Price (£) / 100 |
|--------|-------------|-----------------|
| TBF38 | 4.2 x 38mm | 2.19 |
| TBF45 | 4.8 x 45mm | 2.92 |
| TBF50 | 5.5 x 50mm | 3.97 |
| TBF62 | 5.5 x 62mm | 4.55 |
| TBF80 | 5.5 x 80mm | 5.91 |
| TBF100 | 5.5 x 100mm | 7.48 |
| TBF120 | 5.5 x 120mm | 12.89 |

Metal Nailins and Ceiling Anchors



* ceiling anchors

**wirehanger nailins

| Code | Size | Price (£) / 100 |
|-----------|-----------|-----------------|
| MN630 | M6 x 30mm | 3.78 |
| MN640 | M6 x 40mm | 4.49 |
| MN650 | M6 x 50mm | 5.21 |
| MN665 | M6 x 65mm | 8.99 |
| EVDBZ640* | M6 x 40mm | 4.89 |
| EVDBZ665* | M6 x 65mm | 9.05 |
| WH6** | M6 x 60mm | 4.25 |

Decking Screws - Square Drive



* Stainless steel

| Code | Size | Price (£) / 200 |
|----------|------------|-----------------|
| DSFHC40 | 4.2 x 40mm | 2.59 |
| DSFHC50 | 4.2 x 50mm | 2.91 |
| DSFHC63 | 4.2 x 63mm | 3.49 |
| DSFHC75 | 4.2 x 75mm | 4.79 |
| DSFHC90 | 4.2 x 90mm | 7.99 |
| DSSSC50* | 4.2 x 50mm | 7.75 |
| DSSSC63* | 4.2 x 63mm | 8.45 |

Plasterboard Anchors inc Screws



| Code | Size | Max Fixture Thickness | Price (£) / 100 |
|--------|------------|-----------------------|-----------------|
| PA1232 | 12 x 32mm | 12mm | 6.75 |
| PA1238 | 12 x 38mm | 12mm | 7.95 |
| PA1243 | 12 x 43mm | 12mm | 8.75 |
| TF30 | 5.5 x 62mm | 30mm | 19.75 |

Setting Tools for Drop in Anchors



| Code | Size | Price (£) |
|-------|------|-----------|
| 62090 | M6 | 5.29 |
| 62100 | M8 | 5.45 |
| 62110 | M10 | 5.74 |
| 62120 | M12 | 6.95 |
| 62130 | M16 | 7.75 |

Drop in Anchors



| Code | Size | Price (£) / 100 |
|--------|------------|-----------------|
| DA625 | M6 x 25mm | 4.75 |
| DA830 | M8 x 30mm | 5.89 |
| DA1040 | M10 x 40mm | 6.95 |
| DA1250 | M12 x 50mm | 11.99 |
| DA1665 | M16 x 65mm | 24.55 |
| DA2080 | M20 x 80mm | 49.77 |

Brackets and Connectors



| Code | Size | Price (£) / 100 |
|------|----------------------------|-----------------|
| CB1 | Ceiling Bracket 25 x 25mm | 2.49 |
| GL2 | 29.5 x 195mm GL2 Bracket | 6.99 |
| GL9 | 29.5 x 295mm GL9 Bracket | 8.99 |
| GL3 | GL3 Channel Connector | 8.75 |
| MF9 | MF9 Furring Channel Clips | 4.49 |
| GL5 | GL5 Timber Connector | 7.99 |
| VFC1 | Vertical Flange Clip 1-5mm | 8.74 |
| VFC5 | Vertical Flange Clip 5-7mm | 32.75 |

If you cannot find what you are looking for, please visit our online store at www.sitebox.ltd.uk for our full range of fixings.

Pozi Roofing Nuts and Bolts



Machine Screws also available, please replace RF with MS in the product code.

| Code | Size | Price (£) / 100 |
|-----------|------------|-----------------|
| RFNBM612 | M6 x 12mm | 1.95 |
| RFNBM616 | M6 x 16mm | 1.99 |
| RFNBM620 | M6 x 20mm | 2.25 |
| RFNBM625 | M6 x 25mm | 2.39 |
| RFNBM640 | M6 x 40mm | 2.60 |
| RFNBM6100 | M6 x 100mm | 2.80 |
| RFNBM820 | M8 x 20mm | 3.95 |
| RFNBM840 | M8 x 40mm | 5.62 |
| RFNBM870 | M8 x 70mm | 7.70 |
| RFNBM8100 | M8 x 100mm | 8.81 |

Full Hexagon Nuts



| Code | Size | Price (£) / 100 |
|-------|------|-----------------|
| HNM4 | M4 | 0.34 |
| HNM6 | M6 | 0.65 |
| HNM8 | M8 | 0.99 |
| HNM10 | M10 | 1.96 |
| HNM12 | M12 | 3.32 |
| HNM16 | M16 | 4.94 |
| HNM20 | M20 | 9.15 |

Channel Nuts



| Code | Size | Price (£) / 100 |
|--------|------------------|-----------------|
| PCN6 | M6 Plain | 6.75 |
| PCN8 | M8 Plain | 7.48 |
| PCN10 | M10 Plain | 7.82 |
| SSCN6 | M6 Short Spring | 7.47 |
| SSCN8 | M8 Short Spring | 7.75 |
| SSCN10 | M10 Short Spring | 8.83 |
| LSCN6 | M6 Long Spring | 7.99 |
| LSCN8 | M8 Long Spring | 8.37 |
| LSCN10 | M10 Long Spring | 9.45 |

Square Plate and Penny Washers



| Code | Size | Price (£) / 100 |
|-------|---------------------|-----------------|
| PWM6 | M6 x 25mm Penny | 0.97 |
| PWM8 | M8 x 25mm Penny | 1.12 |
| PWM10 | M10 x 25mm Penny | 1.27 |
| SWM8 | M8 x 40mm Sq Plate | 6.70 |
| SWM10 | M10 x 40mm Sq Plate | 7.20 |
| SWM12 | M12 x 40mm Sq Plate | 7.70 |

Hex Set Screws



| Code | Size | Price (£) / 100 |
|-------------|------------|-----------------|
| HEXSETM612 | M6 x 12mm | 1.69 |
| HEXSETM616 | M6 x 16mm | 1.83 |
| HEXSETM620 | M6 x 20mm | 1.89 |
| HEXSETM625 | M6 x 25mm | 2.11 |
| HEXSETM630 | M6 x 30mm | 2.20 |
| HEXSETM640 | M6 x 40mm | 2.25 |
| HEXSETM650 | M6 x 50mm | 2.99 |
| HEXSETM680 | M6 x 80mm | 3.95 |
| HEXSETM6100 | M6 x 100mm | 4.45 |
| HEXSETM825 | M8 x 25mm | 2.95 |
| HEXSETM840 | M8 x 40mm | 3.25 |
| HEXSETM860 | M8 x 60mm | 5.69 |
| HEXSETM8100 | M8 x 100mm | 8.99 |
| HEXSETM1025 | M10 x 25mm | 5.25 |
| HEXSETM1040 | M10 x 40mm | 6.95 |
| HEXSETM1080 | M10 x 80mm | 8.50 |
| HEXSETM1225 | M12 x 25mm | 6.99 |
| HEXSETM1260 | M12 x 60mm | 10.10 |
| HEXSETM1660 | M16 x 60mm | 17.99 |

Wedge Nuts



| Code | Size | Price (£) / 100 |
|------|------|-----------------|
| WN06 | M6 | 9.75 |
| WN08 | M8 | 10.25 |
| WN10 | M10 | 10.75 |

Grippe Packs

| Code | Size | Price (£) |
|--------|-------------------|-----------|
| GR0101 | No.1 x 1m Loopend | 1.95 |
| GR0102 | No.1 x 2m Loopend | 2.25 |
| GR0201 | No.2 x 1m Loopend | 2.32 |
| GR0202 | No.2 x 2m Loopend | 2.65 |

Threaded Rod - 3m Lengths

| Code | Size | Price (£) |
|-------|----------|-----------|
| TRM6 | M6 x 3m | 1.00 |
| TRM8 | M8 x 3m | 1.40 |
| TRM10 | M10 x 3m | 1.75 |
| TRM12 | M12 x 3m | 2.75 |

2 Part Alpha Wedge Nuts



| Code | Size | Price (£) / 10 |
|-------|------|----------------|
| AWN06 | M6 | 10.89 |
| AWN08 | M8 | 10.89 |
| AWN10 | M10 | 10.89 |

Washed Pins to suit Hilti DX450



| Code | Size | Price (£) / 100 |
|--------|------------|-----------------|
| RHM14K | 3.7 x 14mm | 7.92 |
| RHM16K | 3.7 x 16mm | 8.56 |
| RHM19K | 3.7 x 19mm | 9.17 |
| RHM22K | 3.7 x 22mm | 9.38 |
| RHM27 | 3.7 x 27mm | 9.58 |
| RHM32 | 3.7 x 32mm | 10.19 |
| RHM37 | 3.7 x 37mm | 10.80 |
| RHM42 | 3.7 x 42mm | 11.41 |
| RHM47 | 3.7 x 47mm | 11.62 |
| RHM54 | 3.7 x 54mm | 12.63 |
| RHM62 | 3.7 x 62mm | 13.45 |
| RHM72 | 3.7 x 72mm | 15.08 |
| RHM82 | 3.7 x 82mm | 19.36 |
| RHM97 | 3.7 x 97mm | 21.80 |

ITW Spit P370 Consumables



| Code | Description | Price (£) per 100 |
|-------|---------------------------------|-------------------|
| 11340 | SC9-15C Collated Steel/Concrete | 7.29 |
| 11341 | SC9-20C Collated Steel/Concrete | 8.42 |
| 11342 | SC9-25C Collated Steel/Concrete | 8.96 |
| 11343 | SC9-30C Collated Steel/Concrete | 9.32 |
| 11344 | SC9-35C Collated Steel/Concrete | 9.65 |
| 11345 | SC9-40C Collated Steel/Concrete | 9.81 |
| 11346 | SC9-50C Collated Steel/Concrete | 10.09 |
| 11347 | SC9-60C Collated Steel/Concrete | 10.79 |
| 32580 | C9-70 Single Concrete Pins | 11.52 |
| 32590 | C9-80 Single Concrete Pins | 13.28 |
| 32600 | C9-90 Single Concrete Pins | 14.94 |
| 31740 | Brown Shot (Very Low Power) | 6.95 |
| 31600 | Green Shot (Low Power) | 6.95 |
| 31700 | Yellow Shot (Medium Power) | 6.95 |
| 11658 | Red Shot (High Power) | 6.95 |

H Washed Pins to suit Hilti DXA40/DXA41/DXA460



| Code | Size | Price (£) / 100 |
|--------|------------|-----------------|
| RHP16K | 3.8 x 16mm | 7.45 |
| RHP19K | 3.8 x 19mm | 8.36 |
| RHP22 | 3.8 x 22mm | 8.56 |
| RHP27 | 3.8 x 27mm | 9.17 |
| RHP32 | 3.8 x 32mm | 10.19 |
| RHP37 | 3.8 x 37mm | 10.80 |
| RHP42 | 3.8 x 42mm | 11.21 |
| RHP47 | 3.8 x 47mm | 11.41 |
| RHP52 | 3.8 x 52mm | 12.23 |
| RHP57 | 3.8 x 57mm | 12.63 |
| RHP62 | 3.8 x 62mm | 13.25 |
| RHP72 | 3.8 x 72mm | 14.67 |

Hilti Compatible Strip Cartridges



Suitable for TS750P / TS60P / S75A / S75 / DX450 / DX460 DXA40 and DXA41

| Code | Power | Price (£) / 100 |
|--------|-----------------------|-----------------|
| 920133 | Green - Low | 6.75 |
| 920132 | Yellow - Low / Medium | 6.75 |
| 920131 | Red - Medium / High | 6.75 |
| 920130 | Black - Extra High | 6.75 |

ITW Spit Pulsa 700 Nail and Fuel Kits



Each kit contains 500 nails and 1 fuel cell.

| Code | Size | Price (£) |
|-------|----------|-----------|
| 46300 | SC6-15mm | 49.00 |
| 46310 | SC6-20mm | 49.00 |
| 46320 | C6-25mm | 49.00 |
| 46330 | C6-30mm | 49.00 |
| 46340 | C6-35mm | 49.00 |
| 46350 | C6-40mm | 49.00 |

Pulsa Compatible Kits also available from stock 15mm to 40mm from £35 +VAT (500 nails, 1 fuel cell)

Code: STEK01 please quote size when ordering

ITW Paslode IM65 Nail and Fuel Kits

Each kit contains 2000 nails and 2 fuel cells.



| Code | Size | Price (£) |
|--------|------------------------|-----------|
| 921585 | 16mm Straight Nail Kit | 9.58 |
| 921587 | 25mm Straight Nail Kit | 10.60 |
| 921588 | 32mm Straight Nail Kit | 10.76 |
| 921589 | 38mm Straight Nail Kit | 11.54 |
| 921590 | 45mm Straight Nail Kit | 12.10 |
| 921591 | 50mm Straight Nail Kit | 12.63 |
| 921592 | 63mm Straight Nail Kit | 14.52 |

ITW Paslode IM200 Staple and Fuel Kits



Each kit contains 2100 staples and 3 fuel cells.

| Code | Size | Price (£) |
|--------|------|-----------|
| 921367 | 16mm | 16.85 |
| 921369 | 25mm | 17.91 |
| 921370 | 35mm | 19.41 |
| 921371 | 50mm | 21.32 |

ITW Paslode IM65A Brad and Fuel Kits



Each kit contains 2000 nails and 2 fuel cells.

| Code | Size | Price (£) |
|--------|----------------------|-----------|
| 300270 | 32mm Angled Brad Kit | 11.83 |
| 300271 | 38mm Angled Brad Kit | 12.69 |
| 300272 | 45mm Angled Brad Kit | 13.46 |
| 300273 | 51mm Angled Brad Kit | 13.90 |
| 300274 | 63mm Angled Brad Kit | 15.52 |

ITW Paslode IM350 Nail and Fuel Kits



| Code | Size | Price (£) |
|--------|--|-----------|
| 141202 | 51mm Bright Ring Nail Kit 3300 nails 3 fuel cells | 37.75 |
| 141208 | 63mm Bright Ring Nail Kit 3300 nails 3 fuel cells | 39.75 |
| 141226 | 75mm Bright Ring Nail Kit 2200 nails 2 fuel cells | 33.75 |
| 141233 | 90mm Bright Straight Nail Kit 2200 nails 2 fuel cells | 32.95 |

Pulsa and Paslode tools and accessories on Page 30

Plastic Packing Long Shims - per 1000



Plastic packing shims provide a method of spacing or supporting cladding rails, battens, brackets and other cladding components on surfaces that are uneven or out of line. Size (below) x 50mm x 100mm

| Code | Size | Colour | Price (£) |
|--------|------|--------|-----------|
| PSPL01 | 1mm | Yellow | 30.90 |
| PSPL02 | 2mm | Green | 41.84 |
| PSPL03 | 3mm | Blue | 42.05 |
| PSPL04 | 4mm | Red | 52.00 |
| PSPL05 | 5mm | Brown | 62.42 |
| PSPL10 | 10mm | Grey | 101.85 |

Plastic Packing Horseshoe Shims - per 1000



Horseshoe shims are moulded to fit around a fastener, or can be fixed through the openings in the body.

Plastic packing shims provide a method of spacing or supporting cladding rails, battens, brackets and other cladding components on surfaces that are uneven or out of line Size (below) x 40mm x 45mm

| Code | Size | Colour | Price (£) |
|--------|------|--------|-----------|
| PSPH01 | 1mm | Yellow | 22.95 |
| PSPH02 | 2mm | Green | 22.99 |
| PSPH03 | 3mm | Blue | 33.79 |
| PSPH04 | 4mm | Red | 37.99 |
| PSPH05 | 5mm | Brown | 42.88 |
| PSPH10 | 10mm | Grey | 68.25 |

Trend Biscuits - Box of 1000



The biscuits are made from die cut beech. Beechwood Biscuits expand when in contact with a woodworking adhesive such as PVA glue

| Code | Size | Board Thickness | Price (£) |
|----------|--------|-----------------|-----------|
| TREBSC00 | No. 0 | 8 - 12mm | 26.50 |
| TREBSC10 | No. 10 | 13 - 18mm | 27.75 |
| TREBSC20 | No. 20 | 19mm+ | 29.95 |

ITW Spit Epomax Vinylester Resin - Grey



10:1 Fast curing vinylester resin injection system. M8 - M30 Stud range. Conforms to ETA Option 7 / part 5 for BZP and Stainless steel. Fire tested. Improved formula reducing pumping effort by 30%. Available in either 160ml or 380ml cartridges.

| Code | Size | Price (£) |
|--------|-------|-----------|
| 050883 | 160ml | 9.87 |
| 050885 | 380ml | 14.25 |

ITW Spit Epomax Application Tool



Injection tool for application of Epomax Resin

| Code | Price (£) |
|--------|-----------|
| 077151 | 29.55 |

Rose Head Threaded Studs - Box of 10



Zinc Plated grade A4 45° single cut

| Code | Diameter | Length | Price (£) |
|--------|----------|--------|-----------|
| 050950 | M8 | 110mm | 5.08 |
| 050960 | M10 | 130mm | 6.99 |
| 050970 | M12 | 160mm | 8.45 |
| 050980 | M16 | 190mm | 13.11 |
| 655220 | M20 | 260mm | 28.45 |
| 655240 | M24 | 300mm | 58.50 |

ITW Spit Epomax Vinylester Resin - Box of 10



Measured methacrylate resin, catalytic hardener and quartz aggregate sealed in a glass tube. Styrene free. ETA Option 7 approved.

| Code | Diameter | Length | Price (£) |
|--------|----------|--------|-----------|
| 051500 | M8 | 80mm | 4.97 |
| 051510 | M10 | 90mm | 5.80 |
| 051520 | M12 | 110mm | 6.42 |
| 051530 | M16 | 105mm | 8.91 |
| 051540 | M20 | 170mm | 11.75 |
| 051550 | M24 | 210mm | 15.20 |

Skipper Retractable Barrier Tape - 9m

High visibility retractable tape unit that fits onto most traffic cones. Locking button prevents spooling. Area of 40m² can be cordoned off with three units. Can be permanently attached to the cone
Yellow/Black tape colour is also available.

| Code | Price (£) |
|---------|-----------|
| SKBT/9M | 39.99 |

Skipper LED Warning Light

Attaches directly to the top of the Skipper Unit. Light reflective surfaces. Flashing or permanent light settings. Optional low light activation. Rechargeable. Battery 43 hours flashing / 35 hours constant.

| Code | Price (£) |
|---------|-----------|
| SKTL/01 | 22.50 |

Other Skipper accessories available to order.

JSP Titan Interlockable Safety Barriers

One piece injection moulded stackable barrier with linking facility and swivel feet. Facility to attach road danger lamps. Available in 2m (KBA073) and 1.5m (KBA053) lengths.

| Code | Price (£) |
|--------|-----------|
| KBA053 | 34.50 |
| KBA073 | 39.50 |

Safegate Barrier System - 4 Gate

Chapter 8 barrier system comprises a set of high-visibility, hinged metal gates and is ideal for use around manhole repairs, cable laying and other temporary excavations.

| Code | Price (£) |
|--------|-----------|
| SGBS04 | 48.95 |

JSP Minilite - Traffic Management Lamp

Single battery lamp, 360 degrees lens for all round light visibility. Tough moulded polycarbonate lens resistant to impact damage. (FNPC) Flashing non Photo Cell. Batteries not included

| Code | Price (£) |
|--------|-----------|
| LEH010 | 3.75 |

JSP Road Cones

Various types of cone available. One piece PVC cone - 450mm (CO450), "No Waiting" cones (JAD081), 2 Part heavy duty cone - 750mm (CO750).

| Code | Price (£) |
|--------|-----------|
| CO450 | 3.49 |
| CO750 | 6.75 |
| JAD081 | 7.95 |

JSP Yellow Workgates

Yellow plastic interlocking workgates for sectioning off small areas. Comes with reflective top panels and can be used as a rectangular section as shown or a straight barrier. Panel Size (H x W): 1000 x 840mm. Also available with four gates.

| Code | Size | Price (£) |
|--------|--------|-----------|
| KBB023 | 3 gate | 38.25 |
| KBC023 | 4 gate | 47.41 |

Roadwall Safety Traffic Barrier

Can be filled on site with water or sand for extra stability and is designed to stack very efficiently. Manufactured from UV stabilized polythene. Supplied in red or white. Units measure 1,000mm long, 600mm high and 500mm wide. **Please Note:** Uprights and planks as shown are not included as standard but are available on request.

| Code | Colour | Price (£) |
|----------|--------|-----------|
| OPO9160W | White | 39.75 |
| OPO9160R | Red | 39.75 |

JSP Maxilite - Traffic Management Lamp

360° degrees swivel head, 180mm diameter lens area. Tamper proof zinc plated security bolt. (FNPC) Flashing non Photo Cell. Batteries not included = £1.25 x 2no

| Code | Price (£) |
|--------|-----------|
| LAA010 | 7.75 |

JSP J-Flash Xenon Revolving Signal Light

Runs off 12V cigarette lighter fitting. Strong base magnet with PVC cover for vehicle roof.

| Code | Price (£) |
|--------|-----------|
| LMP000 | 27.00 |

Arrow T50 Heavy Duty Tacker Gun

Choice of home owners and professionals alike. All steel construction. Patented jam proof mechanism. Over 50 years of tested durability. Uses all T50 type staples.

| Code | Price (£) |
|--------|-----------|
| ARRT50 | 19.95 |

Arrow Staples to suit T50 Tacker Gun

Supplied in packs of 1250. Can be used with the following: ET50, ETC50, ETF50BN, ETF50PBN, ETFX50, ETN50, HT50, T50, T50OC, T50PBN, T55, T55C.

| Code | Size | Price (£) |
|--------|------|-----------|
| ARR506 | 10mm | 2.49 |
| ARR508 | 12mm | 3.29 |
| ARR509 | 14mm | 3.59 |

Gyproc Wallboard Saw - 375mm

Blade Length: 375mm - Tooth Pitch: 5mm

| Code | Price (£) |
|-------|-----------|
| WBS01 | 16.95 |

Hardpoint Saw - 375mm

Blade Length: 375mm - Tooth Pitch: 5mm

| Code | Price (£) |
|-------|-----------|
| HPS01 | 5.75 |

Everbuild 300mm Hacksaw

Heavy duty with stable action for straight cuts. SoftGrip handle. 24tpi bi-metal universal fit blade which can be adjusted to cut at 45°

| Code | Price (£) |
|---------|-----------|
| EVBHS30 | 6.99 |

Gyproc Hammer Head Jointing Knives

Top Quality tool with ground and polished steel blades and hardwood handles with hammerhead feature. The SoftGrip handles feature metallic end caps for knocking back protruding nail heads

| Code | Size | Price (£) |
|-------|-------|-----------|
| 15669 | 100mm | 6.73 |
| 15308 | 125mm | 7.68 |
| 15196 | 150mm | 8.13 |

Gyproc Plastering Hawk

Premium quality light aluminium alloy with detachable SoftGrip handle and rubber callous guard. 325mm x 325mm

| Code | Size | Price (£) |
|-------|-------------|-----------|
| 09383 | 325 x 325mm | 11.43 |

Thistle Stainless Steel Finishing Trowels

The blades are 'gold' treated to prevent staining and are centre ground to produce an extra smooth face. SoftGrip Handle

| Code | Size | Price (£) |
|-------|-------------|-----------|
| 09378 | 305 x 125mm | 14.91 |
| 09379 | 330 x 125mm | 15.13 |
| 09380 | 355 x 125mm | 15.52 |

Everbuild Gauging Trowel

180mm Gauging trowel with a SoftGrip handle and a tempered and hardened carbon steel blade

| Code | Price (£) |
|---------|-----------|
| EVBGT04 | 2.15 |

Everbuild Pointing Trowel

150mm Pointing trowel with a SoftGrip handle and a tempered carbon steel blade.

| Code | Price (£) |
|---------|-----------|
| EVBPT04 | 1.95 |

Gyproc Heavy Duty Crimping Tool



Punch and lock 2 metal sections of up to 0.7mm. Drop forged

| Code | Price (£) |
|-------|-----------|
| 75109 | 65.50 |

Gyproc Crimping Tool



Angled head, cantilever action and spring return. Crimp metal sections up to 0.5mm

| Code | Price (£) |
|-------|-----------|
| 15294 | 49.43 |

Everbuild Hand Sander



Ergonomic Softgrip handle. Takes Tradesman sanding papers (Page31).

| Code | Price (£) |
|--------|-----------|
| EVBP23 | 6.25 |

Everbuild Universal Pole Sander



Die cast metal head with universal swivel joint. supplied with alloy shaft. Takes Tradesman sanding papers (Page31).

| Code | Price (£) |
|--------|-----------|
| EVBP24 | 9.75 |

Gyproc Mixing Tubs and Buckets



Polyethylene mixing tubs with moulded handles for easier lifting and carrying. Ideal for all types of plaster, jointing compounds and mortars.

SXTGB03: Standard black bucket for use on sites.

| Code | Size | Price (£) |
|---------|----------|-----------|
| SXTGB03 | 3 gal | 0.98 |
| 15436 | 25 Litre | 7.90 |
| 15438 | 40 Litre | 9.90 |

Measuring Tapes Metric / Imperial Scale

With self locking blade and brake retraction. The tapes also have magnetic tips for ease of use



| Code | Size | Price (£) |
|----------|-------|-----------|
| SBXTM50 | 5m | 1.95 |
| SBXTM75 | 7.5m | 2.95 |
| SBXTM100 | 10.0m | 4.50 |

Everbuild Surveyors Tape Measure - 30m



Robust fibreglass tape with easy to clean surface. Heavy duty ABS case. Quick rewind with lock away handle

| Code | Price (£) |
|----------|-----------|
| EVBSTM30 | 8.10 |

Everbuild Professional Spirit Levels



Professional quality, high accuracy levels with a heavy ribbed section for extra strength. The 600mm, 1mtr. 1.2mtr and 1.8mtr spirit levels all have welded vials and milled top and bottom faces. The 250mm Scaffolders Spirit Level has strong magnets in a milled base.

| Code | Size | Price (£) |
|---------------|-------|-----------|
| EVBSPIRIT250 | 250mm | 5.90 |
| EVBSPIRIT600 | 600mm | 6.38 |
| EVBSPIRIT1000 | 1m | 8.18 |
| EVBSPIRIT1200 | 1.2m | 9.79 |
| EVBSPIRIT1800 | 1.8m | 14.99 |

Everbuild Combination Pliers



Made from chrome vanadium steel with induction hardened cutting edges and jaws. Softgrip handle

| Code | Size | Price (£) |
|---------|------|-----------|
| EVBCP07 | 7" | 3.09 |
| EVBCP08 | 8" | 3.89 |

Everbuild Knives

**Pro Knife (EVBPK12):**

Ergonomically designed handle with quick blade release and auto re-loading, contains 5 spare blades.

Standard Knife (EVBSK12): Sturdy zinc alloy construction with simple retractable blade system.

Replacement blades (EVBRB50): Pack of 100 blades

| Code | Price (£) |
|---------|-----------|
| EVBPK12 | 5.69 |
| EVBSK12 | 2.79 |
| EVBRB50 | 7.65 |

Everbuild Fibreglass Claw Hammer



Mirror polished head claw hammer with ergonomic soft grip handle and durable fibreglass shaft

| Code | Size | Price (£) |
|----------|------|-----------|
| EVBFCH16 | 16oz | 4.40 |
| EVBFCH20 | 20oz | 4.75 |

Everbuild All Steel Claw Hammer



Mirror polished all steel construction claw hammer with built in anti-vibration gel system for cushioned action.

| Code | Size | Price (£) |
|----------|------|-----------|
| EVBSCH16 | 16oz | 9.35 |
| EVBSCH20 | 20oz | 10.95 |

Everbuild Lump Hammer



Specially hardened and heat treated to withstand high impact applications. Soft grip handle and tough fibreglass shaft

| Code | Size | Price (£) |
|---------|-------|-----------|
| EVBLH25 | 2.5lb | 4.89 |
| EVBLH40 | 4lb | 5.95 |

Everbuild Black Rubber Mallet



Tough durable semi hard rubber head. Soft grip handle

| Code | Price (£) |
|---------|-----------|
| EVBRM01 | 4.35 |

Everbuild Brick Bolster Chisel Set - 3pce



Hardened and tempered high carbon steel blade. Softgrip handle supplied in a heavy duty carrying case. Set comprises 1 x 2" Bolster, 1 x 3" Bolster, 1 x 4" Bolster

| Code | Price (£) |
|----------|-----------|
| EVBBCS03 | 17.81 |

Everbuild 6 Piece Screwdriver Set



Comprises of: Pozi Drive - PZ0x75, PZ1x75, PZ2x100. Slotted - 6x100, 6x150, 3x100. Softgrip handles. Chrome vanadium blades with hardened magnetic tips.

| Code | Price (£) |
|---------|-----------|
| EVBSD06 | 6.50 |

Everbuild 150mm Speedy Clamp



Sturdy metal one handed clamp with a quick release ratchet, 150mm jaws

| Code | Price (£) |
|---------|-----------|
| EVBSC15 | 4.05 |

Dustpan and Brush



Standard size dustpan with hand brush

| Code | Price (£) |
|--------|-----------|
| HAR652 | 2.89 |

Site Brooms c/w handles



Quality brooms in various sizes and head types.

| Code | Size | Head Type | Price (£) |
|---------|-------|-----------|-----------|
| SXSB300 | 300mm | Soft | 3.25 |
| SXHB300 | 300mm | Hard | 3.75 |
| SXSB450 | 450mm | Soft | 4.55 |
| SXHB450 | 450mm | Hard | 4.95 |

Everbuild Floor Scrapers



Cuts through plaster and cement droppings, robust, lightweight pole and interchangeable blades. Replacement blades priced in packs of 4 (/REP)

| Code | Size | Price (£) |
|--------------|-------|-----------|
| EVBFSS30 | 300mm | 8.00 |
| EVBFSS45 | 450mm | 9.50 |
| EVBFSS30/REP | 300mm | 3.85 |
| EVBFSS45/REP | 450mm | 4.99 |

Square Mouth Builders Shovel



Square mouth shovel with wooden shaft, metal D-shaped handle and wooden grip.

| Code | Price (£) |
|---------|-----------|
| SBXSS02 | 9.95 |

Everbuild Gel Filled Knee Pads



Pair of comfortable gel filled pads with rugged hard caps to protect against rough surfaces. Loop straps offer an extra secure fit and one size fits all

| Code | Price (£) / pair |
|---------|------------------|
| EVBKP06 | 11.85 |

Everbuild 5 Pocket Tool Pouch



Tool pouch with 5 large pockets for tools and fixings.

| Code | Price (£) |
|---------|-----------|
| EVBTP05 | 6.80 |

Everbuild Drill Holder



Drill holder pouch with four pockets for drill bits

| Code | Price (£) |
|----------|-----------|
| EVB DH01 | 3.99 |

Everbuild Hammer Holder



Hammer holder with metal hammer loop fixed with four rivets

| Code | Price (£) |
|---------|-----------|
| EVBHH01 | 2.99 |

Gyproc Plasterers Water Brush 125mm

Tolerates prolonged exposure to water. Genuine pig bristles. Handle of close-grained treated hardwood. Code 15661 Price (£) 7.72

Trend KWJ900 900mm Worktop Jig



Female cut, male cut, connector bolt recess, curved peninsular, 45° end cut, R40mm corner radius, R100 corner radius, 22.5° mitre joint, 35mm circular hinge and 3/4" BSP hole

| Code | Price (£) |
|----------|-----------|
| TRKWJ900 | 119.00 |

Trend COMBI66 Worktop Jig



Female cut, male cut, bolt recess and curved peninsular. Accessories available include 12.7mm (1/2") diameter straight cutter, carry case and F-Clamp (2 required).

| Code | Description | Price (£) |
|-------------|---------------|-----------|
| TRCOMBI666 | Jig | 79.50 |
| TR17DX1/2TC | Router Cutter | 18.00 |
| TRCASE/65 | Carry Case | 11.75 |
| TRFC/200 | F-Clamp | 9.25 |

Trend H/JIG/A Two Piece Hinge Jig



For recessing hinges in wooden doors and frames. Includes 4 x apertures, 2 x bradawls, 16mm guide bush, T-Handle Hex key, 4mm spacing gauge and fabric storage case. Accessories include a long reach cutter and corner chisel for squaring corners on hinge recesses.

| Code | Description | Price (£) |
|------------|---------------|-----------|
| TRH/JIG/A | Jig | 157.50 |
| TR12X1/4TC | Long Cutter | 15.75 |
| TRC/CHISEL | Corner Chisel | 8.50 |

Trend T10ELK 2000W Router - 110V to suit Jigs



Electronic speed control, Soft start, precision base, spindle lock, adjustable side fence, 3 position depth stop, adjustable inner plate. **Includes:** 1/2" collet, 35mm dust spout, 30mm guide bush, side fence, storage case.

Technical Specifications

| | |
|-----------------|---------------|
| Plunge stroke | 0 - 80mm |
| Power Input | 2000W |
| Collet Diameter | 1/2" |
| No Load speeds | 8 - 20000 rpm |
| Weight | 6.3kg |

| Code | Price (£) |
|--------|-----------|
| T10ELK | 217.50 |

Extension Cables



Quality extension cables with plugs and sockets.

| Code | Description | Price (£) |
|----------|------------------------|-----------|
| EXC1415 | 14m x 1.5mm 16Amp 110V | 7.95 |
| EXC1425 | 14m x 2.5mm 16Amp 110V | 9.99 |
| EXC1415B | 14m x 1.5mm 13Amp 240V | 10.95 |
| EXC1415 | 14m x 4.0mm 32Amp 110V | 32.80 |

Arctic Cable Rolls



100m rolls of extension cable available in blue or yellow. Sockets and plugs not included.

| Code | Description | Price (£) |
|---------|---------------------|-----------|
| ACR153B | 1.5mm 3 Core Blue | 45.90 |
| ACR153Y | 1.5mm 3 Core Yellow | 45.90 |
| ACR154Y | 1.5mm 4 Core Yellow | 59.95 |
| ACR253B | 2.5mm 3 Core Blue | 68.75 |
| ACR253Y | 2.5mm 3 Core Yellow | 68.75 |
| ACR403B | 4.0mm 3 Core Blue | 99.50 |
| ACR403Y | 4.0mm 3 Core Yellow | 99.50 |

Spare 110V Plugs and Couplers



Spare 16A plugs (TS16AP) and couplers (TS16AS) for 110V electrical systems



| Code | Price (£) |
|--------|-----------|
| TS16AP | 1.75 |
| TS16AS | 1.95 |

4 Way 110V Splitter Boxes



Four Way splitter boxes with 16A sockets. Supplied with a 5m cable and plug. Glass Reinforced Plastic body for added safety. Also available with a metal body (SB416AM)

| Code | Price (£) |
|---------|-----------|
| SB416AG | 23.50 |
| SB416AM | 17.90 |

6 Way Splitter Box with MCB



Splitter Box with 6 x 16A sockets. 5m x 4.0mm 110 Volt 32A input lead. 3 x MCB (Miniature Circuit Breakers) for added safety and equipment longevity.

| Code | Price (£) |
|-------|-----------|
| 6WSPL | 57.50 |

25m Cable Reel with 3 x 13A sockets (240V)



240 Volt 13A cassette cable reel, comes with 3 x 13 Amp sockets.

| Code | Price (£) |
|---------|-----------|
| 25240CR | 19.90 |

25m Cable Reel with 2 x 16A sockets (110V)



Cable Reel with 2 x 16A sockets. Metal frame with ergonomic rubber handle. Available with either 1.5mm or 2.5mm 3 core cable

| Code | Cable Size | Price (£) |
|-----------|------------|-----------|
| 25110CR15 | 1.5mm | 26.90 |
| 25110CR25 | 2.5mm | 29.90 |

Site Transformers



240 Volt to 110 Volt Transformers for use on site. 1.5kVA and 3.3kVA transformers have 2 x 16A sockets. 5 kVA has 2 x 16A sockets and 1 x 32A socket.

| Code | Description | Price (£) |
|--------|-------------|-----------|
| TSTR15 | 1.5kVA | 36.95 |
| TSTR30 | 3.3kVA | 39.99 |
| TSTR50 | 5kVA | 97.99 |

10kVA Site Transformers



10 KVA Continuously Rated Single Phase Site Transformer (BS4363). MCB protection on input and output circuits

| Code | Description | Price (£) |
|---------|--------------|-----------|
| TS10TR1 | Single Phase | 299.99 |
| TS10TR3 | Three Phase | 379.99 |

Encapsulated Fluorescent Task Light on A Frame

2 foot double encapsulated task light on a sturdy A frame. Non corrosive, contractors task light complete with 5m cable, 110 Volt plug and double 16 Amp socket box.

Supplied with 2 x 2ft task light bulbs

| Code | Price (£) |
|--------|-----------|
| AFTL02 | 29.95 |

Double Encapsulated Fluorescent Task Lights

110 Volt task lights available with either a 2 (DEFL02) foot or 5 (DEFL05) foot head. (DEFL05 version is single light). Polycarbonate fluorescent lamps on tripod with 5m cable and plug + double 16 Amp socket box. Supplied with 2 x bulbs.

| Code | Price (£) |
|--------|-----------|
| DEFL02 | 39.95 |
| DEFL05 | 49.95 |

Defender Fluorescent Uplights

2' and 4' Fluorescent Uplights with 5m cable, plug and single 16 amp power takeoff point. Ideal for plastering. Can be used in both 110 Volt and 240 Volt systems. Tough robust construction. Self righting when knocked. Suitable for use both indoors and out.

| Code | Price (£) |
|--------|-----------|
| DFUL02 | 59.90 |
| DFUL04 | 69.00 |

500W Halogen Telepod Site Lights - 110V

110 Volt IP54 Rated Head 2 metre cable complete with 16amp plug. Available in single (TS251) or double (TS253) head. 0.9m to 2m adjustable stand.

| Code | Price (£) |
|-------|-----------|
| TS251 | 14.75 |
| TS253 | 19.75 |

110V Gripper Inspection Lamp

Complete with glass shroud and wire cage. Tough gripper handle for hands free use. Self aligning clamps.

| Code | Price (£) |
|---------|-----------|
| GRP110L | 6.97 |

MINIPOD 500W Enclosed Head Floodlight (110V)

Secured on a carry frame with rubber foam handle. Supplied complete with 3m cable, bulb and 16 Amp plug. Superb Value for Money

| Code | Price (£) |
|----------|-----------|
| SBXMP500 | 9.95 |

2D MiniMax 110V Task Light

Portable 110 Volt task light complete with a 28W 2D fluorescent tube. Includes 3m cable and 16 Amp plug

Can be free standing, hooked up or held. Intended for indoor use only

| Code | Price (£) |
|--------|-----------|
| 2DMMTL | 19.95 |

ES Festoon Lighting Kits - 110V

Festoon Kits available in 25m or 100m lengths.
25m Kit: 10 lamp holders, 10 guards, 10 bulbs, lead and plug

100m Kit: 33 lamp holders, 33 guards, 33 bulbs, lead and plug

Bulbs are screw fitting.

| Code | Price (£) |
|---------|-----------|
| TSFK025 | 29.95 |
| TSFK100 | 97.90 |

Chargepak 1 - Onsite Portable Charging

This unit connects to a 110 Volt site supply and provides a restricted low output 240 Volt source suitable for charging battery operated power tools and running low power 240 Volt equipment (radios etc.) safely on site. BSI approved and CE marked.

BS EN 61558.



| Code | Price (£) |
|--------|-----------|
| CPACK1 | 69.95 |

ITW Spit Pulsa 700E Nail Gun for Electrical Contractors



The Pulsa 700E is a lightweight, robust, tool with a multitude of uses but mainly used in the electrical industry for fixing conduit, trunking, steel channel and cabling systems plus much more!! Kit includes Pulsa 700E, high impact lightweight carry case, 2 x battery, battery charger, safety goggles, allen key, dust cover and instruction manual.

Power: Battery and Gas
Nail Size: 15mm - 40mm

| Code | Price (£) |
|--------|-----------|
| 010327 | 449.00 |

ITW Spit Pulsa 700P Nail Gun for Drywall Contractors



The fastest method of fixing for drywall contractors - a secure and fast solution for fixing to concrete and steel. Applications include fixing drywall track systems, timber, angles, fire protection systems and EML to concrete and structural steel. Kit includes 700P with magazine, high impact lightweight carry case, 2 x battery, battery charger, safety goggles, allen key, dust cover and instruction manual.

Power: Battery and Gas
Nail Size: 15mm - 40mm

| Code | Price (£) |
|--------|-----------|
| 010328 | 449.00 |

ITW Paslode IM350 Gas Strip Nailer with 2nd battery FOC



Professionals choice for cordless first fix nailing applications. High performance gas technology without the need for compressors. Drives up to a maximum of 2 nails per second and 1,000 per hour.

Power: Battery and Gas
Nail Size: 51mm - 90mm
Magazine: 55 Nails
Weight: 3.1kg

| Code | Price (£) |
|--------|-----------|
| 085010 | 329.00 |

ITW Paslode IM65 F16 & IM65A F16 Gas Brad Nailers with 2nd battery FOC



Professional 16 Gauge straight brad nailer. Smaller lighter shell with nail lockout, improved depth of drive and easy jam clearance. Suitable for fixing door stops, panelling, architraves, window casing, skirting boards, beading, MDF Fixing. IM65A is angled for working in tight spaces and corners

| Code | Price (£) |
|--------|-----------|
| 013321 | 299.00 |
| 013311 | 299.00 |

ITW Spitfire P370 Powder Actuated Disc Cartridge Tool with Magazine



Fully Automatic Spitfire P370 suitable for applications such as sheeting, steel mesh, cladding, waterproofing / drainage, metal lathing, general fixing. Supplied with high impact lightweight carrycase, safety goggles, cleaning cloth, cleaning brushes, lubricating oil, push rod, stabiliser and instruction manual.

Power: Powder Disc cartridge
Magazine: 10 Nails
Weight: 2.7kg

| Code | Price (£) |
|--------|-----------|
| 011071 | 265.00 |

For ITW Consumables please see our **Fixings** section on **Page 20**

ITW Paslode Impulse IM200 / 50 S16 Cordless Gas Stapler with 2nd battery FOC



Used for medium to heavy duty stapling applications. Kit contains IM200 / 50 S16 Stapler, carry case, 2 x batteries, charger, cleaning solution, impulse lubricant, safety glasses to EN166:F and instruction manual.

Power: Battery and fuel cell

Magazine: 150

Weight: 2.94kg

Code

900078

Price (£)

379.00

ITW Paslode Accessories

| Code | Description | Price (£) |
|--------|--|-----------|
| 404717 | ITW Paslode Impulse / Spit Pulsa Cleaner - 300ml | 3.75 |
| 401482 | ITW Paslode Impulse Lubricating Oil | 6.29 |
| 300341 | Paslode IM65 Gas Fuel Cell | 8.45 |
| 300346 | Paslode IM350 Gas Fuel Cell | 8.45 |
| 035460 | Paslode / Pulsa Battery Charger Shoe | 14.50 |
| 900506 | Paslode / Pulsa Battery Charger AC/DC Adaptor | 18.45 |
| 404717 | Impulse Battery Cell | 22.50 |
| 013060 | ITW Paslode Impulse Cleaning Kit | 23.50 |

ITW Pulsa Accessories

| Code | Description | Price (£) |
|--------|---|-----------|
| 011771 | Fuel Cell for Spit Pulsa 700E / 700P | 9.75 |
| 334000 | Spare Battery for Spit 700E / 700P | 58.75 |
| 013061 | Spit Pulsa Cleaning Kit | 23.50 |
| 336800 | Electrical Nail Guide | 29.79 |
| 333700 | Magnetic Nail Guide | 75.00 |
| 064320 | 12mm x 10m All Purpose Steel Band | 4.95 |
| 011204 | 12mm Steel Washers for use with 333700 - Box of 100 | 6.85 |
| 565032 | Pulsa 700E Grey Conduit E Clip - 20mm - Box of 100 | 7.46 |
| 565033 | Pulsa 700E Grey Conduit E Clip - 25mm - Box of 100 | 8.79 |
| 565082 | Single Grey P Clips for Conduit and Pipe Work - 20mm - Box of 100 | 7.46 |
| 565084 | Single Grey P Clips for Conduit and Pipe Work - 25mm - Box of 100 | 8.79 |
| 011203 | Pulsa Clip Elec All Purpose Cable Tie Clips 9mm - Box of 100 | 6.95 |
| 565508 | Grey Cable Tie Clip 16 - 32mm - Box of 100 | 8.29 |
| 565915 | Single 8 Cable Bow Fixing - Box of 50 | 16.30 |
| 565916 | Double 16 Cable Bow Fixing - Box of 25 | 9.99 |
| 011430 | M6 - M8 Threaded Rod Hanger for Spit 700E - Box of 100 | 19.85 |
| 011431 | M8 - M10 Threaded Rod Hanger for Spit 700E - Box of 100 | 25.85 |
| 921623 | Pirelli Prysmian FP Firefix Double Red Cable Clips - 02 Size - Box of 200 | 129.00 |
| 921624 | Pirelli Prysmian FP Firefix Double Red Cable Clips - 04 Size - Box of 200 | 129.00 |
| 921622 | Pirelli Prysmian FP Firefix Single Red Cable Clips - Box of 500 | 258.13 |

We can also provide you with ITW Paslode and Pulsa fuel & nail kits, and other ITW consumables please see our fixings section on Page 19 - 20.

Harris Premier Paint Brushes



A high performance pure and synthetic bristle paint brush for use with all paints and varnishes. Design includes an attractive, ergonomically designed handle for extra comfort.

| Code | Head Size | Price (£) |
|--------|-----------|-----------|
| H20204 | 0.5" | 1.79 |
| H20210 | 1.0" | 1.99 |
| H20220 | 2.0" | 2.95 |
| H20230 | 3.0" | 4.89 |
| H20240 | 4.0" | 5.95 |

Harris 9" Premium Complete Roller Kit



9" Roller set designed to offer performance with value. EasyClean rollers feature microfibre fabric for enhanced paint capacity and an extra smooth finish.

| Code | Price (£) |
|---------|-----------|
| HAR9KIT | 5.45 |

Harris 12" Roller Frame & Medium Pile Sleeve



Harris Delta 12" Double arm frame with a high quality knitted fabric, medium pile sleeve.

| Code | Price (£) |
|---------|-----------|
| HAR9KIT | 10.36 |

Harris 2 Litre Paint Scuttle



Strong rigid plastic paint scuttle suitable for holding 2 litres. A must for any professional decorator

| Code | Price (£) |
|------|-----------|
| H434 | 4.89 |

Harris 12" Plastic Paint Tray



Extra strong professional quality paint tray with unique design that offers improved paint dispersion for even paint loading. Corner ridges to remove residual paint from brushes, and two deep channels for temporary brush storage

| Code | Price (£) |
|--------|-----------|
| H80999 | 3.79 |

Harris Ultima Double Click Extension Poles



Interchangeable zinc plated screw thread tips for easy frame change. Supplied with push on adaptor. Exclusive double-click locking mechanism. Fibre-glass outer, and lightweight aluminum inner tube for durability.

| Code | Locking Range | Price (£) |
|--------|---------------|-----------|
| H80042 | 4' x 8' | 14.75 |
| H80043 | 6' x 12' | 17.75 |

2m Steel Extension Pole - 2 Section

| Code | Price (£) |
|-------|-----------|
| SEP2M | 5.99 |

Tradesman Sanding Papers - 100 x 280mm



High performance sanding pads in packs of 25. For use by hand or universal sanders. Available in 80, 100 and 120 Grit. Please quote grit required when ordering in place of *** in the product code.

| Code | Price (£) / 25 |
|------------|----------------|
| TMSP25/*** | 3.95 |

Everbuild Professional and DIY Sealants



The Everbuild range of products is one of the most popular among both professionals and DIY'ers alike.

The following best sellers are just a small sample of what is available so if you cannot find what you are looking for, do not hesitate to contact us.

For more product information see www.sitebox.ltd.uk

| Code | Description | Price (£) |
|---------|--|-----------|
| EPC310 | 125 One Hour Painters Caulk 310ml | 0.95 |
| PG350 | Pinkgrip Grab Adhesive Gripfill 350ml | 1.89 |
| IN310 | Instant Nails Solvent Free Gripfill 310ml | 1.25 |
| F310 | Fire Mate Intumescent & Acoustic Mastic 310ml | 0.99 |
| BS500 | 500 Bath and Sanitary Silicone 310ml | 1.74 |
| BUS450 | 450 Builders Silicone 310ml | 1.67 |
| MM310 | Mirror Mate Sealant and Adhesive 310ml | 4.65 |
| WM310 | Weather Mate Sealant 310ml | 3.38 |
| LM310 | Lead Mate Sealant 310ml | 3.45 |
| GPS310 | General Multi-Purpose Silicone 310ml | 1.75 |
| AC95900 | AC95 Intumescent & Acoustic Mastic 900ml | 2.95 |
| FWBS310 | Forever White Anti-Mould Bathroom Silicone 310ml | 3.25 |
| RGS310 | Roof and Gutter Sealant 310ml | 1.69 |
| STX310 | Stixall Grab Adhesive White 290ml | 3.79 |

Standard Sealant Gun 400ml



| Code | Price (£) |
|-------|-----------|
| SG400 | 2.97 |

Everbuild Click 'N' Seal Gun



Unique sealant gun with patented method of holding the cartridge. Allows for quick cartridge change and easy rotation for hard to get to places. Holds 310ml and 400ml cartridges as well as 290ml thick wall cartridges.

| Code | Price (£) |
|---------|-----------|
| CNSG001 | 8.15 |

Jumbo Sealant Gun 1L



| Code | Price (£) |
|---------|-----------|
| JSG1000 | 14.79 |

Everbuild 501 PVA Bond Glue



Multi purpose bonding agent, primer, sealer, cement and plaster admixture that adheres to most common building and DIY materials. Fully conforms to BS5270

| Code | Price (£) |
|-------|-----------|
| PVA1L | 2.95 |
| PVA5L | 7.85 |

Everbuild 502 Weatherproof Wood Adhesive 1L



Quality resin based wood adhesive for all wood bonding. Can be used internally and externally and provides a high strength impact resistant bond. Dries clear, fast cure. Conforms to EN 204 and BS 4071 for creep resistance

| Code | Price (£) |
|-------|-----------|
| WWA1L | 4.75 |

Everbuild Non-Slip Tile Adhesive - 2.5L



Acrylic based formula for extra slip resistance and grab. Designed for general use in bathroom and kitchen areas. Conforms to BS 5980 as a type 2, Class B adhesive and EN12004 type DIT

| Code | Price (£) |
|-------|-----------|
| NSTA1 | 3.65 |

Everbuild Stick 2 Spray Contact Adhesive



Sprayable glue which bonds to most common materials. Ideal for securing most carpets/floor coverings. Suitable for internal and external use, giving permanent or temporary adhesion. 500ml Aerosol

| Code | Price (£) |
|--------|-----------|
| SCA500 | 4.50 |

ITW Spit Expanding Polyurethane Foam



B2 Fire Rated expanding foam for use with mounting sealing, filling and insulation in building applications. Excellent thermal and acoustic insulation. B2 Fire Rating (DIN 4102), produced according to ISO 9001. 750ml Aerosol.

| Code | Price (£) |
|-----------|-----------|
| RAM921731 | 4.15 |

Everbuild Mitre Fast Bonding Kit



Two part instant adhesive system comprising a cyanoacrylate adhesive and aerosol activator. Suitable for timber plastics and metals including bonding of MDF, rubber, PVCu etc. Standard kit:
1 x 50gm Adhesive
1 x 200ml Activator.

| Code | Price (£) |
|---------|-----------|
| MFBK001 | 9.99 |

White Spirit - 2L

| Code | Price (£) |
|------|-----------|
| WS2L | 3.05 |

Flex Sanding Discs - 25 Pack



Sanding discs suitable for the Flex Giraffe, Flex Okapi and Fox FDW 450 Sanders. Available in 40, 80, 100 and 120 Grit. Please replace *** with grit required when ordering.

| Code | Price (£) |
|-----------|-----------|
| FLXSD/*** | 57.95 |


Everbuild All Jobs Hand Cleaner - 1ltr tub



Powerful gelled citrus based handcleaner with polychips. Specially formulated for the building and allied trades to clean wet and semi-cured paints, sealants, silicones, adhesives, grease, oil, petrol and bitumens from hands

| Code | Price (£) |
|--------|-----------|
| AJHC1L | 4.75 |

Surveyline Marking Spray Paint 700ml



| Code | Price (£) |
|-----------|-----------|
| SP750/YEL | 3.99 |
| SP750/ORA | 3.99 |
| SP750/GRN | 3.99 |
| SP750/BLK | 3.99 |
| SP750/WHT | 3.99 |
| SP750/BLU | 3.99 |
| SP750/RED | 3.99 |

Everbuild Wonder Wipes - 100 Wipe Trade Tub



Specially formulated to clean hands, tools and surfaces from wet and semi-cured paint, sealant, adhesive, bitumen, expanding foam, oil, grease and even silicone. Particularly useful when there is no water on site.

| Code | Price (£) |
|------|-----------|
| WW80 | 5.49 |

Milwaukee V18PD Cordless Percussion Drill



LokTor Motor - Clip-Lok - FIXTEC - Hammer drill mode - Motorbrake - Softgrip handle - Keyless chuck - Synchromesh 2 speed gearbox - Electronic variable speed - Li-Ion 3.0Ah Batteries - High Torque - 2way flex battery pack insertion.

Includes: 2 x 3.0Ah V18 Li Ion Batteries, charger, side handle, PZ2 driver, bit holder, belt clip and carry case

Code

4933401361

Price (£)

259.95

Technical Specifications

| | |
|---|-------------------|
| Battery Voltage / Capacity | 18V / 3.0Ah |
| No Load Speed | 0-500 / 0-1600rpm |
| Drilling Capacity in Steel / Wood / Stone | 13 / 38 / 16mm |
| Max Torque - Soft joint / hard Joint | 32 / 71Nm |
| Keyless Chuck | 1.5 - 13mm |
| Weight | 2.6kg |
| Wood Screws to | 12mm |
| Static Stalling Torque | 47 / 19 Nm |

Milwaukee V18IW Cordless Impact Wrench



Heavy Duty 1/2" impact wrench - Softgrip handle - Variable speed - 18V Li-Ion 3.0Ah Batteries - High Torque - 2way flex battery pack insertion - Forward/Lock/Reverse

Code

4933401400

Price (£)

298.91

Technical Specifications

| | |
|----------------------------|--------------|
| Battery Voltage / Capacity | 18V / 3.0Ah |
| No Load Speed | 0-1400 1/min |
| Hammer Rate | 0-2200 1/min |
| Torque | 325Nm |
| Tool Reception | 1/2 inch |
| Weight | 3.9kg |

Includes: 2 x 3.0Ah V18 Li Ion Batteries, charger, hanger bracket and carry case

Milwaukee V18CS Cordless Circular Saw



Li-Ion 3.0Ah Batteries - Softgrip handle - Compact and Lightweight - Excellent visibility of cutting line - Aircraft aluminium shoe - Electronic motor brake - 50° bevel capacity - Spindle Lock

Code

4933401423

Price (£)

299.99

Technical Specifications

| | |
|----------------------------|-------------------|
| Battery Voltage / Capacity | 18V / 3.0Ah |
| No Load Speed | 3200rpm |
| Cutting Depth at 90° / 45° | 0 - 54 / 0 - 39mm |
| Number of teeth | 24 |
| Keyless Chuck | 1.5 - 13mm |
| Weight | 4kg |
| Saw Blade Dimensions | 165mm |
| Arbor Size | 15.87mm (5/8") |

Includes: 2 x 3.0Ah V18 Li Ion Batteries, charger, 24 tooth blade, rip fence and carry case

Milwaukee V18HX Cordless Rotary Hammer Drill



Li-Ion 3.0Ah Batteries - Softgrip handle - Corded tool performance - L-Shape Design - FIXTEC - Variable Speed - Safety Clutch - Reverse Function - Roto-stop - Variolock - Hammer Stop - Depth Gauge - Softgrip side handle. Includes all standard accessories

Code

4933400382

Price (£)

329.35

Technical Specifications

| | |
|--------------------------------|---------------|
| Battery Voltage / Capacity | 18V / 3.0Ah |
| Drill dia. in Concrete / Stone | 24mm |
| Drill dia. in steel / wood | 13 / 28mm |
| Drill dia. with core cutter | 50mm |
| No load speed | 0 - 1200rpm |
| Tool Reception | SDS+ / Fixtec |
| Weight | 4.2kg |
| Blow rate (full load) | 0 - 4500bpm |
| Blow Energy | 3 J |

Milwaukee V28PD Cordless Percussion Drill

Li-Ion 3.0Ah Batteries with power gauge - Softgrip handle - Corded tool performance - Clip-loc - FIXTEC - 20 stage torque adjustment - Hammer drill mode - Reverse Function - 2 speed variable - 2 way flex battery pack.

Includes: 2 x 3.0Ah V28 Li Ion Batteries, charger, clip-loc, bit holder, 2 x bits and carry case

Code

4933390735

Price (£)

319.95

Technical Specifications

| | |
|---|--------------------------------|
| Battery Voltage / Capacity | 28V / 3.0Ah |
| No Load Speed | 0 - 600 / 0 - 1800rpm |
| Hammer Rate | 27000bpm |
| Drill capacity in steel / soft wood / masonry | 16 / 65 (self feed bit) / 20mm |
| Max Torque - soft joint / hard joint | 32 / 75 Nm |
| Weight | 3.1kg |

Milwaukee V28SX Cordless Sabre Saw

Li-Ion 3.0Ah Batteries with power gauge - Variable speed trigger - Corded tool performance - Low vibration - Quick shoe adjustment - FIXTEC - Gear protection system

Includes: 2 x 3.0Ah V28 Li Ion Batteries, charger, 2 X Super Sawzall blades and carry case

Code

4933393078

Price (£)

379.35

Technical Specifications

| | |
|----------------------------|-------------------------|
| Battery Voltage / Capacity | 28V / 3.0Ah |
| No Load Speed | 0 - 2000 / 0 - 3000 spm |
| Stroke | 29mm |
| Weight | 4.0kg |

Milwaukee PDD12X Cordless Drill

Excellent weight/performance ratio - Softgrip handle - 1/4" hex direct bit reception - Keyless chuck - FIXTEC - 20 stage torque adjustment - Quickstop motorbrake - Reverse Function - Electronic variable speed - PBS 3000

Includes: 2 x 3.0 Ah Li-Ion Batteries, RCA Charger, Keyless Chuck 1.5 - 13m, Carrying Case

Code

4933401468

Price (£)

129.49

Technical Specifications

| | |
|--------------------------------------|-----------------------|
| Battery Voltage / Capacity | 12V / 2.0Ah |
| No Load Speed | 0 - 400 / 0 - 1300rpm |
| Keyless Chuck | 1.5 / 13mm |
| Drill capacity in steel / wood | 13 / 34mm |
| Wood screws to | 8 mm |
| Max Torque - soft joint / hard joint | 22 / 50 Nm |
| Weight | 2.2kg |

Milwaukee LokTor P14.4TXC Cordless Combi Drill

Heavy Duty LokTor Motor - Softgrip handle - Hammer Drill Mode - All metal Keyless chuck - FIXTEC - Synchromesh 2 speed gearbox - Quickstop motorbrake - Forward/Lock/Reverse - Electronic

variable speed - PBS 3000 - 2 way flex battery pack insertion - Large capacity battery packs

Includes: 2 x 3.0Ah NiMH Batteries, charger, Clip-LOK belt clip, 2 screwdriver bits and carry case

Code

4933401053

Price (£)

189.94

Technical Specifications

| | |
|--|-----------------------|
| Battery Voltage / Capacity | 14.4V / 3.0Ah |
| No Load Speed | 0 - 480 / 0 - 1500rpm |
| Keyless Chuck | 1.5 / 13mm |
| Drill capacity in steel / wood / stone | 13 / 36 / 14mm |
| Wood screws to | 10mm |
| Max Torque - soft joint / hard joint | 26 / 59 Nm |
| Torque Settings | 20 + 1 |
| Static stalling torque | 35 / 16 Nm |
| Weight | 2.6kg |

Milwaukee TKSE 2500 Q Screwdriver 110v



High torque - Lightweight and well balanced - Softgrip - 'Snap-on' depth setting nose - QUIK-LOK cable - Quiet snap-action clutch. **Includes:** 4m cable, 6/8/10mm socket set, belt clip. 240v available to order!

| Code | Price (£) |
|--------|-----------|
| 679055 | 119.00 |

Technical Specifications

| | |
|----------------------------|--------------|
| Power Input | 725 W |
| Self-tapping / wood screws | 6.5 / 6mm |
| No Load speed | 0 - 2500 rpm |
| Static stalling torque | 25 Nm |
| Bit reception | 1/4" |
| Working radius | 23mm |
| Weight | 1.4kg |

Milwaukee T-TEC 201 Percussion Drill 110v



750W motor - Removable main handle - Synchronmesh 2 speed gearbox - Metal Keyless chuck - Electronic variable speed - Reversible - Hammer action stop - FIXTEC - QUIK-LOK -

Service hatches for carbon brushes. **Includes:** 4m cable, side handle with depth gauge and carry case

| Code | Price (£) |
|------------|-----------|
| 4933380700 | 119.00 |

Technical Specifications

| | |
|--------------------------------|-------------------------|
| Power Input | 750 W |
| Drill Dia. in Concrete / Stone | 20 / 22mm |
| Drill Dia. in Steel / Wood | 13 / 40mm |
| Drilling speed (full load) | 0 - 750 / 0 - 2200 rpm |
| No load speed | 0 - 1200 / 0 - 3400 rpm |
| Tool Reception | 1.5 - 13mm |
| Static stalling torque | 58 / 30 Nm |
| Weight | 2.7kg |

Milwaukee DD 2-160 XE Diamond Drill 110v



Metal 2 Speed Gearbox - Friction clutch - Softstart - Motor overload protection - High-spindle torque - Soft percussion mechanism - Long AVS handle - FIXTEC system. **Includes:** 4m

cable, long AVS handle, 3 jaw chuck, carry case

| Code | Price (£) |
|------------|-----------|
| 4933368700 | 258.99 |

Technical Specifications

| | |
|----------------------------|-------------------------|
| Power Input | 1500 W |
| No load speed | 0 - 1500 / 0 - 3000 rpm |
| Drilling speed (full load) | 0 - 890 / 0 - 1770 rpm |
| Impacts | 24000 / 48000 bpm |
| Spindle Dia. and Thread | M 18 |
| Chuck capacity | 3 - 16mm |
| Gear neck dia. | 57mm |
| Weight | 4.2kg |

Milwaukee PPH30X2E SDS+ Hammer Drill 110v



Anti vibration system - Electronic softstart - 2 speed switch - variable speed - Speed preselection - Reverse - Roto-stop - Variolock - Hammer stop -

Depth gauge - Softgrip. Inc all standard accessories!

| Code | Price (£) |
|------------|-----------|
| 4933384092 | 199.00 |

Technical Specifications

| | |
|------------------------------------|------------------------|
| Power Input | 1010 W |
| Drill dia. concrete / wood / steel | 30 / 66 / 20mm |
| Drill dia. with core cutter | 82mm |
| Full Load speed | 0 - 680 / 0 - 2200 rpm |
| Hammer Rate | 4000 bpm |
| Tool reception | FIXTEC / SDS+ |
| Weight | 2.9kg |

Milwaukee Kango 900 K Hammer / Breaker 110v



Kango HEX - Inline design - Anti vibration system - Digitronic full wave electronics - Electronic softstart - No load speed limitation - Variable Speed - Speed preselection - Service display - Power display - Metal gearcase

- Spade handle - Straight Handle - Lockon function - Softgrip handle and additional handle. **Includes:** 6m cable, front spade handle, carry case, dust shield.

Technical Specifications

| | |
|------------------------|----------------|
| Power Input | 1600 W |
| Single Blow energy | 7 - 27 J |
| Hammer rate under load | 975 - 1950 bpm |
| Tool reception | K-HEX |
| Weight | 11.0 kg |

| Code | Price (£) |
|------------|-----------|
| 4933375670 | 529.99 |

Milwaukee CS 75 Circular Saw 110v

Powerful motor - 75mm Max cutting depth - Variable mitre angle to 45° - Spindle lock - Additional handle - Suitable for left hand use - Lockable safety switch - Low vibration - Adaptor for sawdust bag or suction hose.

Code **Price (£)**

4933383750 157.00

Technical Specifications

| | |
|----------------------------|-------------------|
| Power Input | 1400 W |
| Cutting depth at 90° / 45° | 0 - 75 / 0 - 50mm |
| Saw blade dimension | 210 / 30mm |
| No load speed | 5500 rpm |
| Weight | 6.8 kg |

Includes: 4m cable, TCT 16 tooth blade, parallel guide, spanner

Milwaukee JSPE 90 X Jigsaw 110v

Slim body grip with Softgrip - FIXTEC base and blade adjustment / change - aluminium base plate - IMB - 4 stage pendulum adjustment - Electronic variable speed with preselection - Strong blower - Integrated dust extraction adaptor. 240 Volt available to order!

Code **Price (£)**

4933383635 99.00

Technical Specifications

| | |
|---|----------------------|
| Power Input | 710 W |
| Cutting depth wood / aluminium / steel / ceramics | 110 / 30 / 10 / 10mm |
| Mitre cutting angle to | 45° |
| No load stroke rate | 550 - 2700 rpm |
| Stroke | 26mm |
| Weight | 2.3 kg |

Includes: 4m cable, 5 saw blades, anti splintering device, sliding shoe and carry case

Milwaukee AG 8-115 Angle Grinder 110v - 115mm

Protector motor - Lightweight, slim and compact - Flat metal gear head - Low vibration running - Dust protected bearings and switch - Quick release guard - Spindle lock.

Includes: cable, handle, guard, spanner.

Code **Price (£)**

4933403215 58.50

Technical Specifications

| | |
|-------------------------|----------|
| Power Input | 750 W |
| Disc diameter | 115 mm |
| No load speed | 10000rpm |
| Spindle dia. and thread | M 14 |
| Cutting depth | 28.4mm |
| Weight | 1.8 kg |

Milwaukee AG 23-230 Angle Grinder 110v - 230mm

Powerful motor - Flat metal gear head - Cooling fan - Automatic cut off carbon brushes - Quick release guard - Spindle lock - 3 position additional handle - Adjustable motor casing.

Includes: Cable, guard, handle, flange nut, spanner. 240 Volt available to order!

Code **Price (£)**

4933383975 78.50

Technical Specifications

| | |
|-------------------------|----------|
| Power Input | 2300 W |
| Disc diameter | 230 mm |
| No load speed | 6600 rpm |
| Spindle dia. and thread | M 14 |
| Cutting depth | 68mm |
| Weight | 5.6 kg |

Milwaukee PR3 82 KIT Planer 110v- 82mm

Variable planing - Reversible blade - V-groove - Milled diecast plane base - Balanced plane shaft - Toothed belt drive - Automatic swing guard - Lockable safety switch - Carbon brushes with automatic shutoff - Direct connection for dust extraction. 240 Volt available to order!

Code **Price (£)**

4933383790 135.34

Technical Specifications

| | |
|---------------|----------|
| Power Input | 800 W |
| Planing Width | 82 mm |
| Rebate Depth | 0 - 22mm |
| Planing Depth | 0 - 3mm |
| Weight | 2.5 kg |

Includes: 4m cable, Tungsten carbide blades, parallel guide, rebate depth guide, dust bag and spanner

Milwaukee POS 13 Orbital Palm Sander 240v

DUO attachment system for velcro or clamp type papers - Integrated dust extraction - Connection for external dust extractor - Lightweight - Aluminium baseplate - 4m cable

Includes: cable, sandpaper sheets and dust bag

Code**Price (£)**

4933391680

89.99

Milwaukee JSR1218 Job Site Radio

Variable digital tuner - LCD digital clock - 20 AM/FM station presets - 3-Level punch EQ Bass Boost - Operates on mains or PBS battery packs - 14cm weather resistant speakers with separate tweeters - Impact resistant

base - Steel speaker grills - Softgrip on handle - Flexible 360° antenna - Cord wrap - 12V power output port - AUX jack - Impact bumpers - Detachable storage bag.

Technical Specifications

| | |
|----------------------|------------|
| Power Input | 200 W |
| No load speed | 13000 rpm |
| Oscillation rate | 26000 rpm |
| Oscillation dia. | 2.0mm |
| Sandpaper sheet size | 80 x 133mm |
| Sandpaper sheet size | 80 x 166mm |
| Holes in baseplate | 8 |
| Weight | 2.5 kg |

Code**Price (£)**

49240285

109.99

Collomix CX20 Power Mixer

2 speed gearbox. Powerful machine for mixing batches up to 40 litres. Adjustable speed from 400 to 700rpm. Supplied with MK120

negative mixing paddle.

Code**Voltage****Price (£)**

19526

110v

199.00

19522

240v

199.00

Collomix CX60 Power Mixer

2 speed gearbox. Heavy Duty machine for mixing batches up to 90 litres. Ideal for high viscosity mixing. Supplied with MK160

negative mixing paddle.

Code**Voltage****Price (£)**

19524

110v

289.00

19534

240v

289.00

Collomix MK Paddles

All paddles are steel with a powder-coated finish and strong welded joints. 3 mixing blades. Suitable for highly viscous materials such as plaster, mortar and screeds. M14 Thread

Negative Paddles (top to bottom mixing action)

Code**Diameter****Price (£)**

19514

120mm

19.75

19515

140mm

21.20

19516

160mm

22.75

Negative Paddles (bottom to top mixing action)

Code**Diameter****Price (£)**

19532

140mm

21.20

19533

160mm

22.85

Collomix has a large range of paddles for various applications, please contact us or go to www.sitebox.ltd.uk for details.

Fox FDW550 Drywall Sander 110v**Specifications:**

Length - 1520mm

Voltage - 110V

No load speed - 650 ~ 1600rpm

Full load speed - 280 ~ 950rpm

Power input - 550W

Disc Dia - 225mm

Weight - 4.6kg

Comes with 4m cable and 4m vacuum hose. Double insulated Class II. CE Certificated.

Fox F50-801 Wet/Dry Vacuum Dust Extractor, also available for use with this tool. For more information please contact us.

Code**Description****Price (£)**

FDW550

Sander

389.00

F50-801

Vacuum

239.00

High Visibility Waist Coat - Full Spec

Two Band Vest certified to EN471, Class2:2. Adjustable velcro fastening. 5cm HiVis-Tex reflective tape.

Fabric: 100% Polyester
Colours: Yellow, Orange
Sizes: S - XXL

Logo printing available please contact us for details



| Code | Price (£) |
|------|-----------|
| C470 | 1.95 |

High Visibility Waist Coat with Sleeves

Two Band Vest certified to EN471, Class2:2. Adjustable velcro fastening. 5cm HiVis-Tex reflective tape.

Fabric: 100% Polyester
Colours: Yellow, Orange
Sizes: S - XXL

Logo printing available please contact us for details



| Code | Price (£) |
|------|-----------|
| C473 | 7.90 |

3 Part Rail Spec High Visibility Waistcoat

Certified to EN471, Class2:2 and GO/RT3279. Quick release shoulder and side seams. 5cm HiVisTex reflective tape.

Fabric: 100% Polyester
Colours: Orange
Sizes: M - XXL

| Code | Price (£) |
|------|-----------|
| RT20 | 8.90 |



High Visibility Polo Shirts - Full Spec

Certified to EN471, Class2:2 and GO/RT3279 (orange RT22 only). Front placket with buttons. 5cm HiVisTex reflective tape.

Fabric: 100% Polyester, bird eye knit, 175g
Colours: Yellow, Orange
Sizes: M - XXL

| Code | Price (£) |
|------|-----------|
| S477 | 8.95 |
| RT22 | 9.95 |



High Visibility Overtrousers

Certified to EN471, Class2:2 & EN343, Class 3:1. Fully elasticated waist. 5cm HiVisTex reflective tape

Fabric: 100% Polyester, 300D Oxford Weave, 190g
Colours: Yellow, Orange
Sizes: S - XXL

| Code | Price (£) |
|------|-----------|
| S480 | 9.95 |



High Visibility Bomber Jacket

Certified EN471, Class 3:2 & EN343 Class 3:1 (RT32 to GO/RT3079). Two angled hip pockets with velcro fastening flaps. Drawstring hood. Knitted storm cuffs. Two way zip front with studded storm flap.

Mobile phone pocket, fleece collar. Colour: Yellow, Orange (RT32) Sizes: S - XXL

| Code | Price (£) |
|------|-----------|
| S463 | 19.95 |
| RT32 | 19.95 |



High Visibility Fleece

Certified to EN471, Class 3:2. Zip front fastening. Two side zip pockets. 5cm HiVisTex reflective tape. Adjustable hem with spring loaded toggles. Elasticated cuffs and drawcord hem

Fabric: 100% Polyester, Anti-pill finish, 300g
Colours: Yellow, Orange
Sizes: S - XXL

| Code | Price (£) |
|------|-----------|
| S480 | 9.95 |



LOGO PRINTING

Logo Printing service available for most Hi-Vis items. For more information please call us on 01737 783101 or email us. sales@sitebox.ltd.uk

High Visibility Motorway Parka Jacket



Certified EN471, Class 3:2 & EN343, Class 3:1 (RT30 to GO/RT3279). Two hip pockets with velcro fastening flaps. Drawstring hood and hem. knitted storm cuffs. inside pocket, mobile phone pocket. Two way zip front fifth studded storm flap.
Colours: Yellow, Orange (RT30)
Sizes: S - XXL

| Code | Price (£) |
|------|-----------|
| C473 | 14.95 |
| RT30 | 14.95 |

Standard Safety Goggles



Economy Direct vent goggle. Conforms to EN 166 Grade 1-B.

| Code | Price (£) |
|----------|-----------|
| SBXSSG01 | 0.75 |

PW22 Challenger Safety Goggles



EN166 1F. Ultra light polycarbonate scratch resistant lens. Soft PVC crystal frame with wide support area. 180 degree distortion free vision with excellent brow protector. Indirect lens to prevent liquid and dust ingress. Suitable to be worn with or without spectacles.

Easily adjustable 1" wide buckle with elastic band.

| Code | Price (£) |
|--------|-----------|
| PWPW22 | 2.25 |

Comet Anti-Scratch Clear Protective Glasses



Ultra lightweight modern eye protector. Weigh 24g. Frosted polycarbonate frame with Anti-scratch polycarbonate lenses. Approved to EN166 1FT

| Code | Price (£) |
|---------|-----------|
| GMAST01 | 0.99 |

Zodiac Sportz Wraparound Safety Glasses



Revolutionary lightweight design, nylon adjustable arm length settings and distinctive anti-scratch wrap around polycarbonate lens offering superb panoramic vision. Approved to EN166 1FT. Clear Lens

| Code | Price (£) |
|----------|-----------|
| GMISE23Z | 2.75 |

Vesta Sportz Wraparound Safety Glasses



Sleek Sports style wrap around design with contoured translucent nylon side arms. Fashionable and lightweight with pre-set arms for a precise fit, first time, every time. Approved to EN166 1FT. Clear Lens

| Code | Price (£) |
|----------|-----------|
| GMISE103 | 3.25 |

Solar Sportz Wraparound Safety Glasses



Sporty hi-tech two tone frame, pre-set sports arms and sculpted polycarbonate lenses. Approved to EN166 1FT

| Code | Description | Price (£) |
|----------|-------------|-----------|
| GMISE102 | Amber | 3.50 |
| GMISE103 | Clear | 3.50 |
| GMISE104 | Blue Mirror | 3.50 |

Astral Superior Safety Glasses



Definitive design, high-tech nylon frame with integral browguard. Wrap around anti-scratch, non-mist polycarbonate lens and integral side shields. Unique, fully adjustable lens inclination system and adjustable arm length settings complete with patented comfort tip ends for unequalled wearer comfort and protection. Approved to EN166 1FT.

| Code | Price (£) |
|---------|-----------|
| GMAST01 | 4.95 |

Universal Black Spectacle Neck Chord

| Code | Price (£) |
|--------|-----------|
| ASU010 | 0.95 |

Apex Browguard and Visor

Protective browguard supplied with polycarbonate visor. Suitable for use with most helmets. Browguard and Visor available separately

Code **Price (£)**

APB012-V 11.95

JSP Mark I Safety Helmet

This lightweight helmet combines safety with economy and is designed for basic general use. Conforms to EN 397, ANSI Z89. Available in White (100), yellow (200), and blue (500). Please replace *** with the corresponding colour code.

Code **Price (£)**

AHA010-000-*** 2.49

JSP Mark II Comfort Plus Safety Helmet

These stylish helmets are tough, functional and offer an extremely comfortable secure fit on the head for prolonged periods of use. Designed for prolonged wearer comfort. Slip ratchet adjustment. Conforms to EN 397, ANSI Z89. Available in White (100), yellow (200), and blue (500). Please replace *** with the colour code.

Code **Price (£)**

AHC110-000-*** 2.95

JSP Mark VII R3 Safety Helmet

Designed with comfort, performance and style in mind and incorporate the most innovative features seen yet on a safety helmet. Comes fitted with Sureslide® Retractaspec, is ventilated and with Easyjust® harness adjustment system. Conforms to EN 397, ANSI Z89. Available in White (100), Yellow (200), Green (300), Red (400), and Blue (500). Please replace *** with the corresponding colour code.

Code **Price (£)**

AHN120-000-*** 8.95

JSP Helmet Accessories

Head torch with fully adjustable harness (AVH000)
Standard Elasticated chinstrap (AH001)

Code **Price (£)**

AVH000 9.45

AVH001 1.25

Standard Safety Chukka Boots

Safety Basic (200 joules toe protection EN345-1 S1 and oil resistant out sole). Leather upper. Padded collar. Steel Toecaps and steel midsole
Sizes: 6 - 12
Please replace ** with size

Code **Price (£)**

B902/** 13.90

Tan Warm Lined Rigger Boots

Oil and slip resistant in accordance with CEN requirements. Manufactured to EN345-1. Anti-static. Steel toecap and steel midsole. Double Density polyurethane soles. Pierce resistant soles.

Sizes: 5 - 13
Please replace ** with size



Code **Price (£)**

B903/** 19.90

Black Safety Trainers

Sizes: 5 - 13
Please replace ** with size

Code **Price (£)**

B601/** 14.55

Goodyear Weltd Safety Boots

Features steel toecap and steel midsole. Standard EN345-1 SBP. Colour: Black or Brown (B913). Goodyear welted.
Sizes 6 - 11 Available

Please replace ** with size

Code **Price (£)**

B912/** 28.75

B913/** 28.75

Cotton Stockinette Gloves

Seamless Construction. One Size Only

| Code | Price (£) / pr |
|------|----------------|
| 8990 | 0.20 |

Canadian Rigger Gloves

One Size Only

| Code | Price (£) / pr |
|-------|----------------|
| RG001 | 0.49 |

Red PVC KnitWrist Gloves

One Size Only

| Code | Price (£) / pr |
|-------|----------------|
| PVC01 | 0.45 |

Red PVC Gauntlet

One Size Only. 35cm length

| Code | Price (£) / pr |
|--------|----------------|
| PVCG01 | 1.50 |

PolyFit Nylon PU Coated Gloves

Available in Grey (11) Black (10) & White (08) **Sizes:** M / L / XL

| Code | Price (£) / pr |
|----------|----------------|
| YH011/** | 0.97 |
| YH010/** | 0.97 |
| YH008/** | 0.97 |

Grey Nitrifit Nylon Nitrile Coated Gloves

Sizes: M / L / XL
Please replace ** with size

| Code | Price (£) / pr |
|----------|----------------|
| YH009/** | 1.47 |

Latex Crinkle Thermal Grip Gloves

Ideal for outdoor heavy duty tasks.
Available in Medium (M) or Large (L)

| Code | Price (£) / pr |
|--------|----------------|
| A140/M | 2.78 |
| A140/L | 2.78 |

DY Flex Seamless Knitted Dyneema Glove

PU Coating. Suitable for component handling, general assembly, electronics. **Sizes:** 9 - 10 (L - XL)
Please replace ** with size

| Code | Price (£) / pr |
|---------|----------------|
| 8823/** | 6.24 |

Nylon Polkadot Gloves

Available in Large (YH001/L) or Extra Large (YH001/XL)

| Code | Price (£) / pr |
|----------|----------------|
| YH001/L | 0.75 |
| YH001/XL | 0.75 |

Reflex Therm - Crinkle Latex with Fleecy Liner

Good puncture and abrasion resistance. Seamless. Back of the glove is uncoated. Excellent grip in both wet and dry conditions. **Sizes:** 9 - 10
Please replace ** with size required

| Code | Price (£) / pr |
|---------|----------------|
| 8632/** | 2.99 |

Orange Criss Cross Gloves

Knitted polycotton yarn with PVC criss cross pattern.
One Size Only.

| Code | Price (£) / pr |
|-------|----------------|
| CC001 | 0.59 |

Disposable Gloves - Box of 100

Single use gloves available in either Vinyl (SBXDG01) or Latex (SBXDG02)

| Code | Price (£) / 100 |
|---------|-----------------|
| SBXDG01 | 4.25 |
| SBXDG02 | 4.25 |

Reflex T Seamless Builders Gloves

Polycotton glove with a latex palm. **Sizes:** 9 - 10
Please replace ** with size

| Code | Price (£) / pr |
|---------|----------------|
| 8602/** | 0.97 |

Granite 5 Beta Cut Resistant Glove

Superior quality grain leather glove with elasticated wrist, reinforced thumb and vein protector. Seamless liner.

Sizes: 9 - 10 Please replace ** with size

| Code | Price (£) / pr |
|---------|----------------|
| 8912/** | 12.95 |

Tremor-Low Anti-Vibration Gloves

Unique coating to reduce the effects of impact, shocks and vibration. Soft knitted seamless liner for comfort. Allows wearer a great level of dexterity. Foamed coating provides excellent grip. ENISO 10819 Size 10 TRM = 0.71<1 TRH = 0.57<0.6

| Code | Price (£) / pr |
|------|----------------|
| 8764 | 8.55 |

Vibra-Plus Nitrile Anti-Vibration Gloves

Gelfom pad inside the glove reduces vibrational energy by up to 70%. Nitrile coating has excellent resistance to abrasion and tear. Barrier against oil and grease. Brushed cotton liner. Open back. ENISO 10819 Size 10 TRM = 0.88<1 TRH = 0.57<1

| Code | Price (£) / pr |
|----------|----------------|
| NV785/10 | 13.95 |

Electricians Gloves

Latex Material gloves with excellent electrical resistance. Anatomical shape for greater comfort. Typical handling applications include Electrical maintenance, Installations, wiring.

Sizes: 10

| Code | Class | Max Voltage | Price (£) / pr |
|--------|-------|-------------|----------------|
| SBEG00 | 00 | 500 | 14.56 |
| SBEG0 | 0 | 1,000 | 16.68 |
| SBEG1 | 1 | 7,500 | 25.67 |
| SBEG2 | 2 | 17,000 | 29.92 |
| SBEG3 | 3 | 26,500 | 36.11 |

If you cannot find what you are looking for, please visit our online store at www.sitebox.ltd.uk for our full range of hand protection.

Touchstone Cut Resistant Glove Range

100% Kevlar knitted gloves providing increased protection against cuts and abrasion whilst maintaining dexterity. Touchstone grip have additional PVC dots. Seamless construction. Sleeves with thumb-slots available for protection of arms. Gloves Sizes: 9, 10. Please replace ** with size required

| Code | Description | Price (£) / pr |
|------------|-------------------|----------------|
| PG7512/** | Standard Medium | 4.50 |
| PG7532/** | Grip | 4.75 |
| PG7532F/** | Grip Fingerless | 4.95 |
| PG7550 | Single Sleeve 14" | 2.87 |

Blade Runner Solo Cut Resistant Glove

Corsucate yarn provides the maximum cut resistance for EN388. Low linting with high levels of comfort

Sizes: 9 - 10 Please replace ** with size

| Code | Price (£) / pr |
|---------|----------------|
| 7902/** | 7.65 |

Granite 5 Cut Resistant Yarn Sleeve

Seamless Construction. One Size

| Code | Price (£) |
|---------|-----------|
| 8990/** | 4.15 |

Ear Plugs - Box of 200

Effective ear plug with a contoured shape which anchors the plug in the ear canal. Standard Noise Reduction=32dB. Price shown is for a box of 200 pairs

| Code | Price (£) |
|-------|-----------|
| AEE90 | 19.20 |

General Purpose Ear Defenders

Suitable for use where noise levels are a nuisance rather than a hazard. (EN352-1) Standard Noise Reduction=23dB

| Code | Price (£) |
|------|-----------|
| PW40 | 2.75 |

Super Ear Protector Ear Defenders



Pressure seal is designed to give optimum attenuation. SNR 30dB. Foldable, clam shape design prevents external contamination.

| Code | Price (£) |
|------|-----------|
| PW41 | 5.90 |

Standard Moulded Dustmasks - per 50



50 masks. These masks are of simple design and are not classified as respiratory protective devices

| Code | Price (£) |
|----------|-----------|
| SMDM1/50 | 4.37 |

JSP Moulded FFP1 Dustmasks - per 20



Dusts, Fumes, Aqueous Mists and Oil based mists

| Code | Price (£) |
|------------|-----------|
| MDMFFP1/20 | 9.95 |

JSP Moulded FFP2 Valved Dustmasks - per 20



Fine Dusts, Fibres, Aqueous Mists and Oil based mists

| Code | Price (£) |
|------------|-----------|
| MDMFFP2/20 | 11.95 |

JSP Moulded FFP3 Valved Dustmasks - per 5



Very fine Dusts, Fibres, Aqueous Mists and Oil based mists

| Code | Price (£) |
|------------|-----------|
| MDMFFP3/05 | 19.95 |

JSP PowerCap Lite IP - 8 Hour Pack



The unit has integral lithium Ion batteries - to power an 8-hour unit, with all components built within the headpiece. A consistent flow of cooling filtered clean air streams over the face at 160 Ltr/min. Polycarbonate. Impact Visor to EN1661B. FFP2 equivalent protection. Impact protection to EN166B bump cap protection. Total weight of 440g. Conforms

to EN12941 TH1P. Spare filters available (CAD601-001)

| Code | Price (£) |
|------------|-----------|
| CAD601 | 165.00 |
| CAD601-001 | 6.95 |

JSP Jetstream Switch and Go Unit



Belt mounted rechargeable respirator with a large capacity disposable dust filter. Belt and power unit weighs 756g and delivers 180lt/min of air.

Pack contains: PSL Filter, hose, charger, carry case, battery, black nylon headtop, flow meter and UK plug. APF of 20 for very fine dusts, fibres, fumes and aqueous mists.

| Code | Price (£) |
|--------|-----------|
| CBB610 | 179.95 |

JSP Jetstream Spare PSL Filter



| Code | Price (£) |
|------------|-----------|
| CBB610/PSL | 11.75 |

Vertex 8145 Rope Lanyard 2m



Used in conjunction with Pioneer DS24. Work positioning lanyard 2 metre with ring type length adjuster and 2 SC karabiner

| Code | Price (£) |
|--------|-----------|
| FA8145 | 19.50 |

Vertex 8180 Webbing Lanyard 2m

2m adjustable rope restraint lanyard for use in cherry pickers & boom type elevated platforms. Use with DS24. Conforms to EN 358

| Code | Price (£) |
|--------|-----------|
| FA8180 | 19.50 |

Vertex Shock Absorbing Webbing Lanyard

Comes with scaffold hook and SC karabiner. Conforms to EN 355/354/362

| Code | Size | Price (£) |
|--------|-------|-----------|
| FA8106 | 1.75m | 33.50 |
| FA8105 | 2m | 34.75 |

Pioneer S Full Body Harness

Fully adjustable full body harness with one rear attachment point. Plastic spacer at the back to hold webbing together. Conforms to EN361.

| Code | Price (£) |
|--------|-----------|
| FA8050 | 25.75 |

Pioneer DS24 Full Body Harness

Full body harness made out of stretch webbing for added comfort and freedom of movement. Fully adjustable with front and rear attachment. Conforms to EN 361

| Code | Price (£) |
|--------|-----------|
| FA8065 | 49.50 |

JSP Harness & Lanyard Kit

Rear attachment harness, 1.75m energy absorbing lanyard with screw gate karabiner & scaffold hook contained in a handy rucksack.

| Code | Price (£) |
|--------|-----------|
| FA9901 | 42.95 |

JSP Premium Scaffolders Kit

Front & rear attachment harness, 1.75m energy absorbing lanyard with screw gate karabiner & scaffold hook, linesman helmet & a pair of J-flex gloves contained in a handy rucksack.



| Code | Price (£) |
|--------|-----------|
| FA9930 | 77.95 |

JSP Vertex Rescue Equipment

Vertex 8300 Winch (a): The winch has a 5mm galvanised cable and breaking system. Length = 20m. Lifting load capacity = 135kg, Weight = 9kg. Conforms to EN 1496.

Vertex 8305 Tripod (b): Versatile and lightweight tripod suitable for use on uneven surfaces. Max height = 2.15m, Min height = 1.35m, Max footprint = 1.4m, Min footprint = 0.85m, Weight = 13kg EN795

| Code | Price (£) |
|--------|-----------|
| FA8300 | 375.00 |
| FA8305 | 350.00 |

Pioneer Rescue Harness

Multi-purpose harness with front & rear attachment points for fall arrest & rescue. It also has an extra rescue strap attached just above the dorsal plate which enables the user to be lifted vertically through manholes, should they get into difficulty, thus helping to prevent further injury. Used in conjunction with the Tripod + Winch, the rescue harness is ideal for confined space working.

| Code | Price (£) |
|--------|-----------|
| FA8310 | 39.75 |

JSP Vertex Fall Arrest Blocks

Galvanised steel cable fall arrest blocks with aluminium snap hook swivel connector and fall indicator. Conforms to EN360. Available in 6m, 10m and 15m lengths

| Code | Size | Price (£) |
|--------|------|-----------|
| FA8606 | 6m | 220.00 |
| FA8610 | 10m | 235.00 |
| FA8615 | 15m | 250.00 |

JSP Vertex Attachment Slings

Webbing anchor sling with metal connecting rings. Available in 1m and 2m lengths. For use with arrest blocks. Strength >10kN EN795

| Code | Size | Price (£) |
|--------|------|-----------|
| FA8710 | 1m | 8.75 |
| FA8720 | 2m | 9.95 |

BZP Security Chain Various Sizes



Commercial quality security chain available in either 6mm or 8mm. Chain is priced in meter lengths but can be cut to the length required.

| Code | Size | Price (£/m) |
|---------|------|-------------|
| CHBZP06 | 6mm | 6.25 |
| CHBZP08 | 8mm | 6.97 |

Quality Brass Cylinder Padlocks



Extruded brass body with hardened and plated steel shackle. Brass cylinder with twin locking shackle offers superior security. Supplied with 3 keys.

| Code | Body Width | Price (£) |
|-------|------------|-----------|
| PBC20 | 20mm | 1.98 |
| PBC30 | 30mm | 2.49 |
| PBC40 | 40mm | 3.87 |
| PBC50 | 50mm | 5.56 |

Brass Cylinder Extra Long Shackle Padlocks



Extruded brass body, extra long hardened and plated steel shackle quality. Brass cylinder with twin locking shackle offers superior security. Supplied with 2 keys.

| Code | Body Width | Price (£) |
|--------|------------|-----------|
| PBCL40 | 40mm | 3.80 |
| PBCL50 | 50mm | 4.99 |
| PBCL60 | 60mm | 6.50 |

Laminated Steel Padlocks



Laminated steel padlock with single locking shackle. Hardened and plated steel shackle construction. Brass Cylinder. Composite Bumper ring. Supplied with 2 keys.

| Code | Body Width | Price (£) |
|-------|------------|-----------|
| PLS30 | 30mm | 1.99 |
| PLS40 | 40mm | 2.69 |
| PLS50 | 50mm | 3.99 |

Stainless Steel Padlocks



Stainless steel square bodied padlock offering superior security with hardened twin locking shackles. Brass cylinder. Supplied with 3 keys.

| Code | Body Width | Price (£) |
|-------|------------|-----------|
| PSS40 | 40mm | 9.19 |
| PSS50 | 50mm | 11.30 |
| PSS60 | 60mm | 15.88 |

Stainless Steel Close Shackle Padlocks



Heavy duty stainless steel body with hardened close shackle, offering high security. Brass Cylinder. Supplied with 3 keys.

| Code | Body Width | Price (£) |
|---------|------------|-----------|
| PSS70CS | 70mm | 12.85 |
| PSS80CS | 80mm | 15.70 |
| PSS90CS | 90mm | 18.85 |

JSP Heavy Duty Padlock and Chain Lock



Heavy duty 1.5m x 10mm link manganese steel chain and 84mm close shackle steel padlock. Supplied in a canvas bag with 3 keys. Ideal for keeping site equipment safe and secure.

| Code | Price (£) |
|--------|-----------|
| HPV010 | 24.95 |

Security Key Cabinets



Seamless steel construction with durable coating for corrosion resistance. Fitted with high quality cylinder type lock with 2 keys. Piano hinge with catch plate for added security. Supplied with pack of keytags. Includes mounting screws and wall plugs. Assorted key tags available - per 100 (TSKC100).

| Code | Key Capacity | Price (£) |
|---------|--------------|-----------|
| SKC20 | 20 | 15.70 |
| SKC45 | 45 | 27.50 |
| SKC93 | 93 | 38.50 |
| TSKC100 | - | 19.00 |

Topcon RL-VH4G GreenBeam® Interior Laser



Compact in design with integrated handle and weighing only 2.6 kg. Autoscan beam control. Built in floor mount. Self-leveling (under 5 seconds). Removable Laser guard. Simultaneous 90° beam for plumb and layout. Manual Slope "rake-in" selector for slopes up to 5°. 4 year warranty. Supplied with wallmount, rechargeable battery and charger, scan in target, RC30 remote and hard case.

| Code | Price (£) |
|-----------|-----------|
| TCRLVH-4G | 1950.00 |

Technical Specifications

| | |
|--------------------------|---|
| Accuracy | H:±20" (±2mm / 20m) V:±20" |
| Detecting Range | Diameter: 60m scanning Diameter: 300m (LS-70G) |
| Beam Type | 532nm Green Laser |
| Laser Class | Class 3R (JIS, IEC) IIIa (CDRH) |
| Rotating Speed | 10 ~ 300rpm |
| Water/Dust Proof | IP54 (Cat 2) |
| Inclination Setting | 2 axis manual |
| Batteries | Rechargeable |
| Operating Time (battery) | 24hrs |
| External | AC/12VDC (run charge) |
| Weight | 2.6kg (w/o batteries) |
| Dimensions | 182 x 167 x 240mm |

Topcon RL-VH3D Interior Laser



Affordable laser with high end features such as SmartScan, horizontal and vertical self leveling, slope matching, HI Alert manual levelling and rotational speed control. Best value rotating laser. 4 year warranty. Supplied with wallmount, rechargeable battery and charger, scan card and hard case.

| Code | Price (£) |
|-----------|-----------|
| TCRLVH-3D | 699.00 |

Technical Specifications

| | |
|--------------------------|---|
| Accuracy | H:±20" / V:±20" |
| Detecting Range | Diameter: 60m scanning Diameter: 300m (sensor) |
| Beam Type | 635nm |
| Laser Class | Class II |
| Rotating Speed | 0 ~ 300rpm |
| Water/Dust Proof | IP25 |
| Stop Mode | Yes (manual) |
| Upper Beam | Yes |
| Operating Time (battery) | 120hrs |
| Remote Control | No |
| Weight | 2.5kg |
| Scanning Plus | Yes |

Topcon RL-H3C General Construction Laser



An advanced entry level construction laser meeting all jobsite needs, from layout to grade control. One button operation with high speed self leveling. Weather/UV resistant. Heavy duty glass and rugged body holds up to every day bangs and bumps. HI Alert LED to indicate when the unit has been bumped or moved (can be switched off). 4 year warranty. Supplied with tripod, staff, rechargeable battery and charger, and hard case

| Code | Price (£) |
|----------|-----------|
| TCRL-H3C | 689.00 |

Technical Specifications

| | |
|--------------------------|-------------------------------|
| Accuracy | ±15 arc seconds |
| Detecting Range | 150m radius |
| Beam Type | red |
| Self Leveling Range | ±3° |
| Rotating Speed | 600rpm |
| Operating Time (battery) | 60 hrs approx |
| Remote Control | No |
| Weight | 1.9kg |
| Power | 4 "C" size alkaline batteries |
| Dimensions | 167 x 182 x 189mm |

Self Levelling PLS180 Laserline Tool



Crystal clear laser lines with an output angle of more than 180° free standing in the room. With the PLS180 placed

against a wall full 360° laser covering of a room can be achieved in both the horizontal and vertical planes. Up to 30m visible inside, Minimum range outside 60m (in pulsed mode with optional receiver not included). Includes magnetic mount carry pouch and plastic carry case.

| Code | Price (£) |
|----------|-----------|
| TCPLS180 | 179.00 |

Fire Extinguishers



CO2 - Flammable liquids, flammable gasses, electrical and vehicle fires

Powder - Rope, wood, textile, fabric, flammable liquids, flammable gasses, electrical and vehicle fires

Foam - Rope, wood, textile, fabric, flammable liquids.

Water - Rope, wood, textile, fabric.

| Code | Type | Size | Price (£) |
|-------|--------|---------|-----------|
| FECO2 | CO2 | 2Kg | 29.95 |
| FECO5 | CO2 | 5Kg | 59.95 |
| FEP01 | Powder | 1Kg | 11.75 |
| FEP02 | Powder | 2kg | 12.99 |
| FEP06 | Powder | 6Kg | 29.50 |
| FEF9L | Foam | 9 Litre | 34.75 |
| FEW9L | Water | 9 Litre | 32.50 |

Fire Blankets



Fire Blanket supplied in a plastic, wall mountable case

| Code | Size | Price (£) |
|--------|-------------|-----------|
| FB1212 | 1.2m x 1.2m | 17.95 |
| FB1818 | 1.8m x 1.8m | 27.95 |

Technical Specifications

| | |
|------------------------------|------------------------|
| Accuracy | ±3mm @ 10m |
| Detecting Range | < 30m without detector |
| Optical Angle | >180 |
| Compensation Range | ±6° |
| Water Protection | IP52 |
| Operating Time (single line) | 25 hrs approx |
| Remote Control | No |
| Weight | 320g |
| Power | 3 "AA" size batteries |
| Dimensions | 85 x 52 x 84mm |

Howler Fire Alarm with 'Break Glass'



Break glass operation 118db Siren. 9v Battery included. Dimensions H300mm x W200mm x D120mm.

| Code | Price (£) |
|--------|-----------|
| FB1212 | 87.95 |

Rotary Hand Bell



Hand operated Fire Bell, suitable for use on construction sites.

| Code | Price (£) |
|--------|-----------|
| FB1212 | 47.50 |

Metal Fire Bucket with Lid



Metal fire bucket with metal lid to suit. Fire retardant red paint for easy identification

| Code | Price (£) |
|--------|-----------|
| FB1212 | 22.50 |

For Fire signs please see Page 51, alternatively you can browse the full range of equipment at www.sitebox.ltd.uk

TradeSafe Drywall Cart / Plasterboard Trolley

Board transporter with vertical removable support bar. Carrying capacity - 15 sheets of 12.5mm board (approx). Manufactured from 30mm tubular steel, with two fixed and two swiveling polypropylene castors with rubber tyres giving excellent maneuverability to a

limited load. For internal use on level, even surfaces. Available in either Yellow (TSPT/010Y) or Blue (TSPT/010B)

| Code | Price (£) |
|------|-----------|
|------|-----------|

| | |
|-----------|--------|
| TSPT/010Y | 245.00 |
|-----------|--------|

| | |
|-----------|--------|
| TSPT/010B | 245.00 |
|-----------|--------|

Platform Trucks

Rigid platform trucks with rubberised deck and fold-flat handle.

CST991: Deck Dimensions(L x W) 738 x 479mm

Overall Height 815mm

CST992: Deck Dimensions(L x W) 916 x 616mm.

Overall Height 863mm

| Code | Capacity | Price (£) |
|------|----------|-----------|
|------|----------|-----------|

| | | |
|--------|-------|-------|
| CST991 | 150kg | 29.15 |
|--------|-------|-------|

| | | |
|--------|-------|-------|
| CST992 | 300kg | 58.50 |
|--------|-------|-------|

Sealey Platform Truck with Sides

Heavy duty steel and hinged mesh construction. Drop down sides, for easy loading are also removable, allowing use as a flatbed for oversized items. Internal Dimensions 930 x 480 x 220mm.

| Code | Capacity | Price (£) |
|------|----------|-----------|
|------|----------|-----------|

| | | |
|--------|-------|-------|
| CST997 | 200kg | 97.50 |
|--------|-------|-------|

Sack Trucks

Strong tubular steel construction.

CST982: Heavy duty solid tyres.

Platform Depth: 150mm

Width: 415mm

CST987: Pneumatic Tyres

Platform Depth: 255mm

Width: 545mm

CST987 CST982

| Code | Capacity | Price (£) |
|------|----------|-----------|
|------|----------|-----------|

| | | |
|--------|------|-------|
| CST982 | 80kg | 29.00 |
|--------|------|-------|

| | | |
|--------|-------|-------|
| CST987 | 200kg | 39.35 |
|--------|-------|-------|

Sack Truck 3 in 1 with Pneumatic Tyres

Tubular steel framework with heavy duty pneumatic tyres. Up-right, 45° and horizontal positions.

Height 1275mm

Width 600mm

Platform Depth 300/620mm

| Code | Capacity | Price (£) |
|------|----------|-----------|
|------|----------|-----------|

| | | |
|--------|-------|-------|
| CST989 | 250kg | 69.99 |
|--------|-------|-------|

DB2000NY Medium Duty Pallet Truck

Nylon steering wheel, single fork roller. 3 position control lever - Lifting-Neutral-Lowering handle. Turning angle of 190 degrees. Number of pump strokes 12 times, lift height per

Stroke 11mm. Weight 55Kgs.

Size = 550 x 1150mm

| Code | Capacity | Price (£) |
|------|----------|-----------|
|------|----------|-----------|

| | | |
|----------|--------|--------|
| DB2000NY | 2000kg | 169.00 |
|----------|--------|--------|

CN3500NY Heavy Duty Pallet Truck

Nylon double roller wheels.

Larger piston therefore less force required. 210 degrees

steering angle. Pump with fully

airtight fluid system. Weight

85Kgs. Size = 550 x 1150mm

| Code | Capacity | Price (£) |
|------|----------|-----------|
|------|----------|-----------|

| | | |
|----------|--------|--------|
| CN3500NY | 3500kg | 275.00 |
|----------|--------|--------|

BFL1500NY Long Fork Pallet Truck

Nylon double roller wheels. Dual

controls. Number of pump

strokes -10. Lift height per

stroke: 12mm. Over load by-pass

valve. Bullet connection

between steering shaft and

pump piston . Weight 85Kgs. Size = 550 x 2000mm

| Code | Capacity | Price (£) |
|------|----------|-----------|
|------|----------|-----------|

| | | |
|-----------|--------|--------|
| BFL1500NY | 1500kg | 365.00 |
|-----------|--------|--------|

Hilmor Conduit Benders inc Pipe Vice/Formers



EL25 more commonly known as the shortie and the larger EL32 and are designed to bend steel conduit.

EL25 Capacity: 16, 20 & 25mm steel conduit to BS4568

EL32 Capacity: 16, 20, 25 & 32mm steel conduit to BS4568

| Code | Price (£) |
|------|-----------|
|------|-----------|

| | |
|--------|--------|
| SBEL25 | 355.00 |
|--------|--------|

| | |
|--------|--------|
| SBEL32 | 449.00 |
|--------|--------|

Spare Hilmor Formers to suit



Formers to suit Hilmor the EL range. HILF32 for EL32 only

| Code | Size | Price (£) |
|------|------|-----------|
|------|------|-----------|

| | | |
|--------|------|-------|
| HILF20 | 20mm | 44.50 |
|--------|------|-------|

| | | |
|--------|------|-------|
| HILF25 | 25mm | 59.50 |
|--------|------|-------|

| | | |
|--------|------|-------|
| HILF32 | 32mm | 77.50 |
|--------|------|-------|

Spare Hilmor Pipe Vice to suit



Pipe Vice to suit Hilmor EL25, EL32 and Condubend

| Code | Price (£) |
|------|-----------|
|------|-----------|

| | |
|--------|-------|
| HILF16 | 79.99 |
|--------|-------|

Heavy Duty Ratchet Strap



Heavy duty ratchet tensioner , 50mm webbing with claw hook attachments. 4m Length

| Code | Price (£) |
|------|-----------|
|------|-----------|

| | |
|-------|-------|
| HRS04 | 10.75 |
|-------|-------|

Lifting Sling



Tested and certified heavy duty webbing lifting sling

WLS03: Length of 3m with a lifting capacity of 2000kg

WLS05: Length of 5m with a lifting capacity of 3000kg

| Code | Price (£) |
|------|-----------|
|------|-----------|

| | |
|-------|-------|
| WLS03 | 14.50 |
|-------|-------|

| | |
|-------|-------|
| WLS05 | 29.50 |
|-------|-------|

Hydrant Stand Pipes and Keys



Supplied with double check valves as approved by the British Water Council.

HSPSH34: 3/4" single head stand pipe with double check valve

HSPDH34: 3/4" double head stand pipe with double check valve

HK134: Hydrant key 1 3/4" AF

| Code | Price (£) |
|------|-----------|
|------|-----------|

| | |
|---------|-------|
| HSPSH34 | 40.00 |
|---------|-------|

| | |
|---------|-------|
| HSPDH34 | 50.00 |
|---------|-------|

| | |
|-------|------|
| HK134 | 9.95 |
|-------|------|

Gyproc Footlifter



Simple and useful tool for jacking boards into position.

Leaves hands free for fixing.

Toe stirrup is adjustable

| Code | Price (£) |
|------|-----------|
|------|-----------|

| | |
|-------|-------|
| 60381 | 29.95 |
|-------|-------|

Double Pad Glass Lifter / Suction Pads



Double pad glass lifter for glazing, flooring and tiling - 70Kg capacity

| Code | Price (£) |
|------|-----------|
|------|-----------|

| | |
|-------|-------|
| DGL70 | 22.77 |
|-------|-------|

240 Ltr Wheeled Dustbin / Wastebin



Two wheeled 240ltr dustbin with lid.

| Code | Price (£) |
|------|-----------|
|------|-----------|

| | |
|--------|-------|
| WDB240 | 49.99 |
|--------|-------|

Motorola XTR446 Radio Twinpack



Hands free (Vox) operation, 38 interference eliminator codes and 8 channels. Auto channel scan. Radios are supplied as a pair and also include a lightweight and compact headset. Operating frequency PMR446 (Licence-free frequencies)

446.00625 – 446.09375. **Weight:** 174g, **Range:** Up to 8km (5 miles). **Dimensions:** 178 (inc antenna) x 58 x 34mm

| Code | Price (£) |
|------|-----------|
|------|-----------|

| | |
|-------|-------|
| 60381 | 79.95 |
|-------|-------|

JSP Safe Condition and Fire Equipment Signs



The JSP range of safe condition safety signs give information of safe conditions and escape. The JSP range of fire equipment signs give details of locations, and the correct use of fire equipment. Available in semi-rigid plastic

| Code | Description | Price (£) |
|--------|-------------------------------------|-----------|
| HBJ271 | Fire assembly point 600 x 200mm | 4.99 |
| HBJ281 | Fire action notice 250 x 200mm | 4.99 |
| HBJ291 | Fire Extinguisher 200 x 150mm | 4.99 |
| HBJ301 | Fire Exit (arrow left) 600 x 200mm | 4.99 |
| HBJ311 | Fire Exit (arrow right) 600 x 200mm | 4.99 |
| HBJ331 | Fire Exit (arrow up) 600 x 200mm | 4.99 |
| HBJ321 | Fire Exit (arrow down) 600 x 200mm | 4.99 |
| HBJ161 | First Aid 600 x 200mm | 4.99 |
| HBJ171 | Emergency eye wash 300 x 100mm | 4.99 |
| HBJ181 | Your first aider 200 x 150mm | 4.99 |

JSP Mandatory and Prohibition Signs



The JSP range of mandatory safety signs demand that action is carried out within the workplace. The JSP range of prohibition signs convey prohibited actions. Available in semi-rigid plastic all 600 x 200mm.

| Code | Description | Price (£) |
|--------|--|-----------|
| HBJ091 | Safety helmets and safety footwear must be worn on this site | 4.99 |
| HBJ221 | High visibility clothing must be worn beyond this point | 4.99 |
| HBJ021 | Construction site keep out | 4.99 |

PLEASE NOTE: This is only a small sample of the signs that we can supply, if you cannot find what you are looking for please call us or browse our website www.sitebox.ltd.uk. We can also supply road signs along with metal frames to suit.



- 2 - 3mm steel welded construction
- Twin Totem Locks with 4 keyed alike keys
- Hydraulic lid arms to assist with opening of the lid
- Anti-theft features include anti-jimmy bars on the inside and outside of the toolboxes.
- Improved steel construction around the locks for added security.
- Concealed Drop down handles on each end
- Forklift skids on the bottom of the box to assist with transport.**
- Unique skid design allows for easy interchange between skids and castors (optional).**
- All Tradesafe boxes are coded and come with 4 keys

**Does not apply to TS200 and TS250 Boxes

TradeSafe TS200 Small Vanbox



Weight: 37kg
Overall Size: 940 x 460 x 460mm

| Code | Price (£) |
|-------|-----------|
| TS200 | 104.00 |

TradeSafe TS250 Large Vanbox



Weight: 47.5kg
Overall Size: 1270 x 460 x 460mm

| Code | Price (£) |
|-------|-----------|
| TS250 | 155.00 |

TradeSafe TS6x2x2 Site Box



Weight: 119kg
Overall Size: 1850 x 540 x 560mm

| Code | Price (£) |
|---------|-----------|
| TS6x2x2 | 399.00 |

TradeSafe TS4x2x2 Site Box



Weight: 78kg
Overall Size: 1200 x 540 x 560mm

| Code | Price (£) |
|---------|-----------|
| TS4x2x2 | 195.00 |



TradeSafe TS4x3x2 Site Box



Weight: 89kg
Overall Size: 1200 x 915 x 560mm

| Code | Price (£) |
|---------|-----------|
| TS4x3x2 | 295.00 |



TradeSafe TS4x4x2 Tool Vault



Weight: 182kg
Overall Size: 1200 x 1175 x 560mm

| Code | Price (£) |
|---------|-----------|
| TS4x4x2 | 395.00 |



TradeSafe TS5x4x2 Tool Vault



Weight: 195kg
Overall Size: 1435 x 1175 x 560mm

| Code | Price (£) |
|---------|-----------|
| TS5x4x2 | 495.00 |



TradeSafe TS4x2x2F FlameBox Site Box



Weight: 78kg
Overall Size: 1200 x 540 x 560mm

| Code | Price (£) |
|----------|-----------|
| TS4x2x2F | 289.00 |

Tradesafe FlameVaults and FlameBoxes come with flame retardant coating and grilled vents. They are constructed from 3mm rolled steel giving added security. All other specifications are the same as a standard box. Supplied with "Highly Flammable" Label

TradeSafe TS4x4x2F FlameVault Tool Vault



Weight: 185.5kg
Overall Size: 1200 x 1175 x 560mm
Supplied with "Highly Flammable" Label

| Code | Price (£) |
|----------|-----------|
| TS4x4x2F | 475.00 |

TradeSafe Castor Kits



Heavy Duty Polyurethane castor set for use with TradeSafe boxes (where applicable). Kit contains 2 x swivel castors and 2 x swivel castors with brake. Dimensions: 5" dia. x 2" width.

| Code | Price (£) |
|--------|-----------|
| TSCK01 | 65.00 |

Draper 30 Drawer Storage Cabinet



Steel framed cabinet ideal for use in the workshop with 30 polypropylene drawers. Drilled holes for wall mounting.

Size: 307 x 146 x 375mm
3 different drawer sizes

| Code | Price (£) |
|-------|-----------|
| QC30A | 67.95 |

Quickbuild Demountable Containers



Quick and easy assembly - Ready in 5 minutes. No tools needed. Interlocking system requiring no screwing, drilling etc. Quick Lock fasteners for a secure roof. TUV Tested, GS Mark 3 Tonnes total permissible weight. Lock with profile cylinder. OSB floor covering. Useful accessories available Fork boxes as standard. Double door front face.

PLEASE NOTE: Extra carriage charges may apply to certain delivery zones. Please allow extra delivery time.

| Code | Size | Price (£) |
|-----------|---------|-----------|
| SC3000/22 | 2m x 2m | 790.00 |
| SC3000/32 | 3m x 2m | 990.00 |
| SC3000/42 | 4m x 2m | 1190.00 |

TradeSafe Gas Storage Cages



Providing secure storage for gas bottles with lockable door (padlock not supplied). Available in two sizes. Supplied flat packed. Can be bolted down.

| Code | Size (m) | Price (£) |
|---------|-----------------|-----------|
| TSGSC12 | 1.2 x 1.2 x 1.2 | 279.00 |
| TSGSC18 | 1.8 x 1.8 x 1.8 | 395.00 |

Stanley Guardian Electronic Safe



Specifications:

- Door: 6mm thick
- Body: 3mm thick
- Weight: 14.5 kg
- External Dims: (HxWxD) 250 x 350 x 250mm
- Internal Dims: (HxWxD) 240 x 340 x 200mm

Features a modern electronic security entry system and a unique integral quick fit hold down kit. High security over-ride keys supplied. Fitted with a removable internal shelf

| Code | Price (£) |
|----------|-----------|
| STAN1520 | 49.95 |

Insulation Tape



Standard insulation tape 19mm x 33m rolls, available in red (001), black (002), yellow (003), blue (004) and yellow/green (005). Please replace *** with colour code.

| Code | Price (£) |
|-----------|-----------|
| IN33M/*** | 0.49 |

Silver Gaffer Tape



General purpose gaffer tape. 50mm x 50m rolls

| Code | Price (£) |
|------|-----------|
| SG50 | 2.14 |

Paper Masking Tape



General purpose paper masking tape. 50mm x 50m rolls

| Code | Price (£) |
|------|-----------|
| PM50 | 1.47 |

Drywall Scrim / Fibre Tape



Scrim Tape, used primarily to cover any unwanted gaps in plasterboard jointing. 50mm x 90m

| Code | Price (£) |
|------|-----------|
| FD50 | 1.97 |

Paper Jointing Tape



50mm x 150m rolls of paper jointing tape.

| Code | Price (£) |
|--------|-----------|
| PJT150 | 2.85 |

Ticktape Low Tack PVC Tape



A unique thick PVC film coated tape with a special ultra-violet resistant low tack adhesive. 50mm x 100m. Also available in yellow easy tear LTPVC/ET

| Code | Price (£) |
|----------|-----------|
| LTPVC | 3.35 |
| LTPVC/ET | 3.35 |



Self Adhesive Barrier Tape



A high visibility self adhesive barrier tape. available in either Red & White (011) or Black & Yellow (012) 50mm x 33m

Please Replace *** with colour code

| Code | Price (£) |
|----------|-----------|
| SABT/*** | 3.95 |

Non Adhesive Barrier Tape



Non Adhesive barrier tape available in Red and White (011) or Black and Yellow (012).

Please Replace *** with colour code

Supplied in a boxed roll of 75mm x 500m

| Code | Price (£) |
|----------|-----------|
| NABT/*** | 4.56 |

For other Warning Tapes ('Danger' - 'Wet paint' - 'Asbestos Hazard' - 'Caution Do Not Enter') please visit our website www.sitebox.ltd.uk

We also can provide you with other barrier tapes, such as the Skipper Barrier Tape Unit (Page 22)

3M Brown Packing / Parcel Tape



General purpose parcel tape. Supplied in 50mm x 66m rolls

| Code | Price (£) |
|--------|-----------|
| 3MPT66 | 1.25 |

For other packing materials including Bubble Wrap and Shrink / Pallet Wrap, please see Page 56

Flame Retardant PVC Tape 50mm x 33m

| Code | Price (£) |
|---------|-----------|
| FRPVC33 | 2.95 |

Self Adhesive Aluminium Foil Tape

Used when lagging pipes and with its immense stickiness will seal pretty much anything! Available in 50mm x 45m or 100mm x 45m rolls.

Code **Price (£)**

SAFT/050 3.45

SAFT/100 4.99

Metal Corner Flex Tape

50mm x 30m Individually boxed tape. 2.61kg per roll.

Code **Price (£)**

CFLEX30 6.75

High Density PTFE Tape - Water

Non-flammable thread sealant. Resistant to all acids, alkalis and solvents. Suitable for use with oxygen and potable water. WRC approved. (BS7786:1995 L)

Code **Price (£)**

PTFE01 0.58

Hand Held Tape Dispenser

Steel frame tape dispenser with an ABS handle. Suitable for 50mm wide tapes.

Code **Price (£)**

HTDP1 7.45

Buffalo Board Protective Sheeting - 50m Roll

Economical impact resistant, 100% recycled, durable and ideal for floors, worktops and other hard surfaces.

Code **Price (£)**

150455 24.25

Antimar Fire Retardant Protective Sheeting

Manufactured from polythene sheeting embossed with anti-slip texture. Certified to LPS1207. Supplied in rolls of 2m x 50m.

Code **Weight** **Price (£)**

AMFR/250L Light 54.50

AMFR/250M Medium 68.50

AMFR/250H Heavy 99.50

Rubble sacks - per 100

Heavy Duty general use rubble sacks. Box of 100

Code **Price (£)**

SBXRS100 18.90

Dustsheets

12' x 9' Quality dustsheets available in Polythene (PDS1), Cotton (CDS1) or Cotton Stairway (CSDS1)

Code **Price (£)**

PDS1 0.99

CDS1 7.50

CSDS1 6.95

Debris / Safety Netting 2m x 50m

High strength monofilament polyethylene - used on the side of scaffolding to contain falling tools or debris. Available in Green (310) or Blue (320). Cable ties = £3.95 / 100 Please replace *** with colour code

Code **Type** **Price (£)**

DN250/** Standard 34.50

DNF250 Fire Retardant 49.50

Blue Woven Tarpaulins



Standard Blue Woven Polyethylene Tarpaulins - eyeletted. Available in 3.5m x 5.5m (BWPT3555) and 7m x 9m (BWPT7090) sheet sizes.

| Code | Price (£) |
|----------|-----------|
| BWPT3555 | 5.80 |
| BWPT7090 | 19.50 |

Scaffold Sheeting / Cladding

High quality reinforced eyeletted Scaffold Sheeting. 2m x 45m. Elasticated Tying Toggles available to suit - 70p

| Code | Type | Price (£) |
|----------|----------------|-----------|
| SSR/245 | Standard | 58.80 |
| SSRF/245 | Fire Retardant | 98.00 |

Polythene Protection Sheeting 4m x 25m Roll



Heavy Duty Polythene Protective sheeting (11 kg roll, 500 gauge)

| Code | Price (£) |
|--------|-----------|
| PO3P25 | 15.50 |

Damp Proof Membrane 4m x 25m Roll



Heavy Duty DPM Sheeting (300mu, 1200 gauge)

| Code | Price (£) |
|-------|-----------|
| DPM25 | 33.95 |

Everbuild Roll & Stroll Floor Protection



Self Adhesive floor protection which is easily removed with no sticky residue. Prevents costly damage to all floor coverings. Flameproof. 'No Trip Risk' safety improvement compared to dustsheets. Anti-slip cross weave. 600mm x 75m

| Code | Price (£) |
|--------|-----------|
| EBSR75 | 48.25 |

Door Sleeves



Available in either Lightweight plastic (PSDS20) or Heavy Duty Fire Retardant to LPS1207 (PSDS40)

| Code | Price (£) |
|--------|-----------|
| PSDS20 | 2.35 ea |
| PSDS40 | 4.45 ea |

Correx 8' x 4' Protective Sheeting



Quick and simple to cut. Can be easily curved or creased. Lightweight. Tough, durable and impact resistant. Non toxic and resistant to chemicals. Available in standard black (COR/B) or flame retardant clear (COR/FR) to LPS1207. More versatile than traditional materials. Easy to handle or store on site. Can be recycled.

| Code | Thickness | Pack Size | Price (£) |
|---------|-----------|-----------|-----------|
| COR/B2 | 2mm | 25 sheets | 68.75 |
| COR/B3 | 3mm | 25 sheets | 112.50 |
| COR/B4 | 4mm | 10 sheets | 69.50 |
| COR/FR2 | 2mm | 25 sheets | 85.25 |
| COR/FR3 | 3mm | 25 sheets | 131.25 |
| COR/FR4 | 4mm | 10 sheets | 89.50 |

Bubble Wrap



Available in large bubble (BWLBO1 - 1.2 x 50m), small bubble (BWSBO1 - 1.2m x 100m) and Fire Retardant small bubble 100m to LPS1207

| Code | Type | Price (£) |
|---------|----------------|-----------|
| BWLBO1 | Large Bubble | 31.90 |
| BWSBO1 | Small Bubble | 36.50 |
| BWSBF01 | Fire Retardant | 99.00 |

Shrink / Pallet Wrap



High performance polythene film used to secure palletised goods. 400m x 300mm x 17mu.

| Code | Price (£) |
|--------|-----------|
| SWPW17 | 7.90 |

Storage Equipment

Site Storage Boxes

For details of the following products please see **Pages: 52**

| Code | Size (W x D x H) | Price (£/week) |
|--------|---------------------|----------------|
| HTS422 | 1200 x 540 x 560mm | 10.00 |
| HTS432 | 1200 x 915 x 560mm | 12.50 |
| HTS442 | 1200 x 1175 x 560mm | 15.00 |

Access Equipment

BoSS Aluminium Towers

For details of the following products please see **Pages: 6-7**

When ordering please replace ** on the product code with the corresponding length e.g. /18 for a 1.8m long tower and /25 for a 2.5m long tower. All towers are available in both single and double widths which again needs to be specified when ordering.

| Code | Platform Height | Price (£/week) |
|------------|-----------------|----------------|
| H301218/** | 1.2m | 17.50 |
| H301718/** | 1.7m | 22.75 |
| H301523/** | 2.2m | 29.90 |
| H302523/** | 2.7m | 34.50 |
| H303523/** | 3.2m | 40.25 |
| H304523/** | 3.7m | 43.70 |
| H305523/** | 4.2m | 46.00 |
| H306523/** | 4.7m | 49.45 |
| H307523/** | 5.2m | 51.75 |
| H308523/** | 5.7m | 55.20 |
| H309523/** | 6.2m | 57.50 |
| H310523/** | 6.7m | 60.95 |
| H311523/** | 7.2m | 63.25 |
| H312523/** | 7.7m | 66.70 |
| H313523/** | 8.2m | 69.00 |

Podium Steps

For details of the following products please see **Pages: 2-8**

| Code | Size (Max Platform Height) | Price (£/week) |
|--------|----------------------------|----------------|
| HPSMK1 | 1.2m | 19.00 |
| HPSMK2 | 1.55m | 28.00 |
| HPSMK3 | 1.9m | 39.00 |

Aluminium Builders Step Ladders

For details of the following products please see **Pages: 2-8**

| Code | Size (Tread) | Price (£/week) |
|---------|--------------|----------------|
| HAPS06T | 6 | 7.00 |
| HAPS08T | 8 | 7.00 |
| HAPS10T | 10 | 10.00 |
| HAPS12T | 12 | 12.50 |

At Sitebox we understand that some products may only be needed for a one off job and therefore buying outright may seem an expensive way to go. This is why we have a range of products for hire purposes.

Hire products are available to account customers within our catchment area (see below). For an account application form please visit our website www.sitebox.ltd.uk and click the 'Credit Accounts' link at the bottom of the page, or call us on **01737 783101**. If you do not wish to set up an account with us, the full cost of the item being hired will be charged, with the appropriate amount refunded once the item is returned to us.

Carriage charges may apply to certain delivery zones. Please contact us for details on this.

Index

A

| | |
|-----------------------|-------|
| absorbant granules | 15 |
| accoustic mastics | 32 |
| adhesives | 32,33 |
| air fresheners | 15 |
| alarms | 48 |
| alpha wedges | 19 |
| aluminium blades | 12 |
| angle grinders | 37 |
| anti-vibration gloves | 43 |
| arctic cables | 27 |

B

| | |
|----------------|-------|
| barrier tapes | 22,54 |
| benders | 50 |
| bibs | 14 |
| biscuits | 21 |
| bleach | 15 |
| boiler suits | 13 |
| bolsters | 25 |
| boots | 41 |
| boxes | 52 |
| braces | 14 |
| brackets | 17 |
| breakers | 36 |
| brooms | 25 |
| brushes | 25,31 |
| bubble wrap | 56 |
| buckets | 24 |
| buildex screws | 16 |
| bumpers | 8 |

C

| | |
|----------------------|-------|
| cabel reels | 27 |
| cabinets | 53 |
| cable bow fixings | 30 |
| cables | 27 |
| cages | 53 |
| caulk | 32 |
| chains | 46 |
| channel nuts | 18 |
| channel clips | 17 |
| charge packs | 28 |
| chemical boxes | 53 |
| chisels | 25 |
| circular saws | 34,37 |
| clamps | 25 |
| claw hammers | 25 |
| cleaners | 15 |
| cloths | 15 |
| combi drills | 35 |
| cones | 22 |
| connectors | 17 |
| containers | 53 |
| cordless drills | 34,35 |
| corner flex tapes | 55 |
| correx | 56 |
| couplers | 27 |
| crimping tools | 24 |
| criss cross gloves | 42 |
| cut resistant gloves | 43 |
| cutting discs | 12 |

D

| | |
|------------------------|-------|
| damp proof membranes | 56 |
| debris netting | 55 |
| decking screws | 17 |
| demountable containers | 53 |
| diamond blades | 12 |
| diamond drills | 36 |
| disc cartridge tools | 29 |
| disposable gloves | 42 |
| door sleeves | 56 |
| drill bits | 9 |
| drill holders | 26 |
| drills | 34,35 |
| drop in anchors | 17 |
| drywall carts | 49 |
| drywall sanders | 38 |
| drywall screws | 16 |
| dust masks | 44 |
| dust sheets | 55 |
| dustpan and brushes | 25 |

E

| | |
|---------------------|-------|
| e clips | 30 |
| ear defenders | 43,44 |
| ear plugs | 43 |
| electricians gloves | 43 |
| epomax | 21 |
| expanding foams | 33 |
| extension poles | 31 |
| eye wash kits | 15 |

F

| | |
|-------------------------|----|
| fall arrest blocks | 45 |
| fall arrest harnesses | 45 |
| festoon kits | 28 |
| fibreglass claw hammers | 25 |
| fibreglass steps | 4 |
| finishing trowels | 23 |
| fire alarms | 48 |
| fire blankets | 48 |
| fire buckets | 48 |
| fire extinguishers | 48 |
| fire fix clips | 30 |
| firemate | 32 |
| first aid kits | 15 |
| first fix tools | 29 |
| fix tools | 29 |
| flame boxes | 53 |
| flange clips | 17 |
| fleeces | 13 |
| flood lights | 28 |
| floor scrapers | 25 |
| flourescant lights | 28 |
| foil tapes | 55 |
| foot lifters | 50 |
| fuel cells | 30 |

G

| | |
|-------------------|----|
| gaffer tapes | 54 |
| gas storage cages | 53 |
| gauging trowels | 23 |
| glass lifters | 50 |

| | |
|-----------|----|
| glasses | 40 |
| gloves | 42 |
| glues | 32 |
| gortex | 14 |
| grip fill | 32 |
| grapple | 19 |

H

| | |
|-------------------|----------|
| hack saws | 23 |
| halogen lights | 28 |
| hammer drills | 34,36 |
| hammer fixings | 16 |
| hammer holders | 26 |
| hammers | 25 |
| hand bells | 48 |
| hand cleaner | 33 |
| hand sanders | 24 |
| hand saws | 23 |
| hand wash | 15 |
| hand wipes | 33 |
| hard hats | 41 |
| hard point saws | 23 |
| harness kits | 45 |
| hawks | 23 |
| helmets | 41 |
| hex set screws | 18 |
| hexagon nuts | 18 |
| hilmor benders | 50 |
| hilti compatables | 19 |
| hinge jigs | 26 |
| hire | 57 |
| hi-vis bomber | 39 |
| hi-vis fleeces | 39 |
| hi-vis jackets | 40 |
| hi-vis waistcoats | 39 |
| hi-visibility | 14,39,40 |
| holdals | 14 |
| holesaws | 10 |
| hss bits | 10 |
| hydrant keys | 50 |
| hydrants | 50 |

I

| | |
|------------------|-------|
| impact wrenches | 34 |
| inspection lamps | 28 |
| instant nails | 32 |
| insulation tapes | 54 |
| itw consumables | 19,20 |

J

| | |
|-----------------|-------|
| jackets | 13,40 |
| j-cloths | 15 |
| jigs | 26 |
| jigsaw blades | 11 |
| jigsaws | 37 |
| jointing knives | 23 |

K

| | |
|--------------|----|
| kango | 36 |
| key cabinets | 46 |
| knee pads | 26 |
| knives | 24 |

| | | | | | |
|-----------------------|----------|------------------------|-------|-------------------|----------|
| L | | pvc gloves | 42 | silicons | 32 |
| ladders | 4 | pvc tapes | 54 | site boxes | 52 |
| lamps | 22 | Q | | site lights | 28 |
| lanyards | 44,45 | quick build containers | 53 | site vaults | 52 |
| lasers | 47,48 | R | | skipper | 22 |
| levels | 24 | radios | 38 | spill kits | 15 |
| lifting slings | 50 | ratchet straps | 50 | spirit levels | 24 |
| line marking paint | 33 | rebar cutters | 10 | spit consumables | 19,20 |
| locks | 46 | recip blades | 11 | spit tools | 29 |
| lump hammers | 25 | recip saws | 35 | splitter boxes | 27 |
| M | | rescue equipment | 45 | spray paint | 33 |
| machine screws | 18 | resin anchors | 21 | square washers | 18 |
| mallets | 25 | respiratory protectors | 44 | stabilisers | 8 |
| masking tapes | 54 | rigger gloves | 42 | stand pipes | 50 |
| masks | 44 | road cones | 22 | steel bands | 30 |
| mastics | 32 | road lamps | 22 | steps | 4 |
| measuring tapes | 24 | roller frames | 31 | stilts | 8 |
| metal nailins | 17 | roller kits | 31 | storage boxes | 52 |
| mixers | 38 | roller sleeves | 31 | storage cabinets | 53 |
| mixing paddles | 38 | rollers | 31 | T | |
| mixing tubs | 24 | roof clamps | 8 | tacker guns | 23 |
| O | | roofing bolts | 18 | tank cutters | 10 |
| over trousers | 39 | routers | 26 | tape dispensers | 55 |
| overshoes | 14 | rubber mallets | 25 | tapes | 24,54,55 |
| P | | rubble sacks | 55 | tarpaulins | 56 |
| p clips | 30 | ruck sacks | 14 | task lights | 28 |
| packing tapes | 54 | S | | tct blades | 11 |
| padlocks | 46 | sabre saws | 35 | telesteps | 8 |
| paint brushes | 31 | sack trucks | 49 | threaded rods | 19 |
| paint trays | 31 | safes | 53 | threaded studs | 21 |
| pallet trucks | 49 | safety barriers | 22 | tickitapes | 54 |
| pallet wrap | 56 | safety glasses | 40 | timberfix screws | 17 |
| palm sanders | 38 | safety goggles | 40 | toilet rolls | 15 |
| paper tapes | 54 | safety helmets | 41 | tool boxes | 52 |
| paslode accessories | 30 | safety lamps | 22 | tool pouches | 26 |
| paslode consumables | 20 | safety masks | 44 | tool vaults | 52 |
| penny washers | 18 | safety shoes | 41 | tool vests | 13 |
| percussion drills | 34,35,36 | sanders | 38 | towers | 6,7 |
| pilot bits | 10 | sanding discs | 33 | traffic barriers | 22 |
| pink grip | 32 | sanding papers | 31 | transformers | 27 |
| pipe benders | 50 | saws | 23 | travel bags | 14 |
| planers | 37 | scaffold sheeting | 56 | trolleys | 49 |
| plasterboard anchors | 17 | scafftags | 7 | trousers | 13,14,39 |
| plasterboard trolleys | 49 | scissor lifts | 8 | trowels | 23 |
| plasterer lights | 28 | screwdriver bits | 10 | trucks | 49 |
| platform trucks | 49 | screwdrivers | 25,36 | t-shirts | 14 |
| pliers | 24 | scrim tapes | 54 | V | |
| plugs | 27 | scuttles | 31 | van boxes | 52 |
| podiums | 5 | sds bits | 9 | vaults | 52 |
| pointing trowels | 23 | sealant guns | 32 | W | |
| pole sanders | 24 | sealants | 32 | waistcoats | 39 |
| polo shirts | 14 | second fix tools | 29 | wall board saws | 23 |
| polythene sheeting | 56 | security boxes | 52 | wall plugs | 16 |
| pop ups | 4 | security safes | 53 | washers | 18,30 |
| protective sheeting | 44 | sheeting | 55 | washing up liquid | 15 |
| protective sleeves | 43 | shims | 21 | water brushes | 26 |
| ptfe tapes | 55 | shoes | 41 | wedge nuts | 18 |
| pulsa accessories | 30 | shorts | 13 | wheel dustbins | 50 |
| pulsa cleaning kits | 30 | shovels | 26 | white spirit | 33 |
| pulsa consumables | 20 | shrink wrap | 56 | wood bits | 10 |
| pulsa tools | 29 | signal lights | 22 | work gates | 22 |
| pvas | 32 | signs | 51 | worktop jigs | 26 |



CREDIT ACCOUNT APPLICATION

Full Business Name: _____

Registered Office Address (or Home Address for Partnership / Sole Trader)

_____ Postcode: _____

Invoice Address (if different from above)

_____ Postcode: _____

Tel No: _____

Fax No: _____

Buyers Email _____

Company Reg No: _____

VAT Reg No: _____

Business Activity _____

Date Established:

Name of Main Contact: _____

Credit Requested: _____

Trade Reference 1

Trade Reference 2

Name: _____

Name: _____

Address: _____

Address: _____

Tel No: _____

Tel No: _____

Fax No: _____

Fax No: _____

Have you ever previously traded under any other name? (If yes, please give details)

Declaration: I / we declare that the details on this form are complete and accurate and undertake to notify Sitebox Ltd of any changes. I / we consent to Sitebox Ltd making any enquiries deemed necessary in connection with this application and that any credit facilities granted shall be at the sole discretion of Sitebox Ltd as to their nature, discretion and extent.

I confirm that I have read the terms and conditions and agree that they will apply to transactions relating to the purchase of goods and services from Sitebox Ltd

Authorised Signatory

Position: _____

Full Name _____

Date:

Office Use Only: Approved: _____

Date:

****To be completed and sent/faxed for the attention of credit control****

****Please enclose a sample of your headed paper****



Terms and Conditions

All orders are accepted with the full understanding of the following terms and conditions which shall apply to all sales / hire of goods by Sitebox Ltd without exception. Any previous terms and conditions set out by Sitebox Ltd have now been surpassed by what is set out in these terms and conditions:

These terms and conditions are those referred to on any Sitebox Ltd quotation, invoice or other Sitebox literature and command the supply of goods sold by Sitebox Ltd (Reg in England 605 9878). The following Reservation of Titles shall apply throughout these terms and conditions:

"We", "Us" and "Our" refer to Sitebox Ltd.

"You", "Your" and "The Buyer" may refer to any customer of Sitebox Ltd.

"The Goods" means the goods supplied by Sitebox Ltd to the customer.

"Delivery" and " Carriage" means the delivery of the goods supplied by Sitebox Ltd to the address and authorised contact name / number given by the customer when placing the order.

"Payment" and "Full Payment" means the total amount on the invoice receipt including any VAT, delivery or any extra surcharges.

All prices quoted on our website are inclusive of VAT which shall be due at the rate ruling on the date of the invoice. The total amount of VAT within the order will be displayed on the invoice receipt which will either be emailed or posted depending on how the order is placed. VAT Reg 906 5645 15 Pricing of goods will be those displayed on our website at the time of when the order is placed through our website or telephoned through in direct relation to our website. We have endeavoured to ensure that any prices given in our pricing catalogues or displayed on our website are fully up to date. However, we reserve the right to alter any information or prices at any time without prior notice.

Credit accounts are due nett monthly. This is unless other payment terms have been formally agreed in writing. We may ask for trade, bank or personal references if required when setting up a credit account for you. We reserve the right to suspend credit facilities should payments not be made within the agreed credit period. If non-payment of monies owed by you extends into a second month, you will be liable for legal recovery costs of the monies owed plus interest (which will rule at 5% monthly of the total monies owed outside the agreed credit terms). Sitebox Ltd will not pass ownership of goods until payment has been received in full by our bankers. For non-credit account payments, we must receive full payment for the order before the order is despatched.

In the unlikely event of non-delivery whereby you have not received all of your goods ordered with us within 7 working days, please notify us immediately.

Any damaged goods or shortages must be notified with our driver / carrier before the delivery note is signed and notice given to us in writing within 48 hours of receiving the goods. Please take your time to ensure all deliveries received are complete and undamaged as Sitebox Ltd cannot accept responsibility for shortages or damaged goods once the delivery ticket has been signed. We cannot refund on shortages in boxed or packed products as these come into us directly from the manufacturer and are directly sent out in the same state.

Any cancellation or return of goods can only be effected with prior written consent by us. Whereby such consent is given by us it is only on the proviso that goods are returned packaged as new. If goods reach you in an unusable condition, we will arrange to have them collected. Once deemed unusable on return to us, we will reimburse you immediately. We reserve the right to levy a 10% charge of the total invoice amount plus all carriage costs if orders are executed correctly (to the customers specification on the order) but subsequently returned.

The buyer shall be responsible for ensuring the accuracy of the terms of any order placed with us.

Whilst we work hard to ensure availability of stock is consistently high, should we have insufficient stock to complete your order we will always attempt to deliver another substitute product of an equal standard. This will not apply however for all products e.g. powertools, access, storage or other larger items.

Should any item contracted out on hire by Sitebox Ltd be lost or damaged upon return, the customer concerned will be liable for the cost to repair or replace. The customer will not be liable however for the costs to service and PAT test hire tools. Hire charges will apply from the on-hire date (as on the delivery ticket) - to the off-hire date (as on the off hire notice). Minimum weekly hire rates apply for the first weeks hire on all items. Hire rates are then calculated on a daily basis thereafter. Carriage is free of charge for deliveries within our catchment area. Delivery charges will apply however to those outside of our catchment area or for especially bulky items delivered.

The customer shall be fully responsible for any item they have hired out with Sitebox Ltd until an off-hire notice for that item has been signed by the customer. The customer shall be responsible for contacting Sitebox Ltd to terminate the hire for any items on hire with us. This can be done by either returning the item/s back to us or by calling us to off hire and arrange collection (customers will be given an off-hire number by us when notifying us of off-hires and arranging collection of item/s). Sitebox Ltd does not offer hire contracts with a fixed duration and therefore can only accept off hire dates or off hire arrangements made by the customer once the customer has been in receipt of the hired item/s for at least 24 hours. It is the customers responsibility to off hire and arrange return or collection. Sitebox Ltd will not tolerate any item/s being left on site without contacting us to arrange off hire and collection first - in this instance hire charges will apply until the item/s have been collected.

Sitebox Ltd shall not be liable for damage to goods / property or injury to persons resulting from negligent or improper use of products sold or hired by us. Hire tools are regularly PAT tested whilst PASMA courses are available through Sitebox Ltd to ensure the safe erection, use and dismantling of mobile alloy towers.

In the event of termination any monies owed to us will become due with immediate effect.

In general if any of these terms and conditions are deemed to be invalid or inappropriate, their use and enforceability will not be affected in any way.

There will be no liability to the customer for any loss of profits or contracts of any kind by Sitebox Ltd however caused.

Whilst Sitebox Ltd. employs the latest in Secure Sockets Layer (SSL) technology software for its transactions with our customers, Sitebox Ltd. will not be responsible for any damages, consequential losses (whether direct or indirect) suffered by a customer whose credit card is fraudulently used or is used in an unauthorised manner.

It is company policy to purchase from quality assured companies. However, should any products be purchased which do not carry formal accreditation, we assess through our own quality assessment procedures. Data sheets for products can be requested at the time of ordering. Please note warranty lengths and conditions differ for each item and this information is also available on request

Sitebox Ltd

Unit 19 Ormside Way
Holmethorpe Industrial Estate
Redhill
Surrey
RH1 2QA

Tel: 01737 783 101
Fax: 01737 783 102

sales@sitebox.ltd.uk

60 / 80

For the full range of fixings, tools, site equipment and much more, plus our current promotions, please visit

www.sitebox.ltd.uk

Prices, images and descriptions are correct at the time of publication, and are subject to change without notice

www.sitebox.ltd.uk



DELIVERING SITE SUPPLIES NATIONWIDE