









## RPX 35 REVERSIBLE PLATE COMPACTORS





## RPX RANGE IF YOU'RE NOT MOVING FORWARDS YOU'RE MOVING BACKWARDS

**NEW** heavy duty range of reversible plate compactors built to withstand the harshest site conditions. With improved baseplate design for excellent gradability & increased travel speeds and a higher compaction force for shorter usage times and deeper compaction.

Complete with integrated Wheel Kit for easy transportation these are the perfect solution for the rental market.

Available with Honda petrol, Hatz diesel or Hatz diesel electric engine options.

## **FEATURES & BENEFITS**

- Robust design for long-life and use in the harshest site conditions.
- Petrol & Diesel models to suit all kind of applications combining low weight with high compaction force.
- ullet Electric start with key ignition & LED warning lamps, eliminates need for operator training with manual starting (Hatz models only)
- Integrated Wheel Kit, ready for safe and easy transporation.
- Control Handle & Additional Fixed Handle with strong locking:-

  - More positive handling & control.
    Reduces shock loading on control handles.
    Better fulcrum for pulling machine onto its wheels.
    Safe for operator moving without relying on moving control handles.
  - No damage to the forward/reverse mechanism.
- Angled baseplate for excellent gradability and travel speeds.
- Low HAV handle, safe for operators to use for long periods.
- High Compaction force for fast work and deep compaction.
- Handle mounted throttle, perfect for the operator
- Compact, high performace, sealed for life Lithium Ion battery. Dry battery = no liquid acid
- Available with 40cm, 50cm or 60cm width baseplate.
- Specifically designed for hire and rental
- Paving Pad option available.





HANDLE MOUNTED THROTTLE, PERFECT FOR THE OPERATOR



**CENTRALLY LOCATED RECOIL START / STOP BUTTON CONTROLS** (PETROL MODEL)



**ELECTRIC, KEY IGNITION START & LED WARNING LAMPS** (DIESEL ELECTRIC MODEL)




INTEGRATED WHEEL KIT READY FOR **SAFE OPERATION** 



COMPACT, HIGH-PERFORMANCE, SEALED FOR LIFE LITHIUM-ION BATTERY. **DRY BATTERY = NO LIQUID ACID** 

(DIESEL ELECTRIC MODEL)

## **TECHNICAL SPECIFICATIONS**



RPX 35/40 Part No. Engine Power Engine RPM Static Pressure Centrifugal Force Frequency Max Gradient Max. Travel Speed Vibration Level Weight Noise Level	(Hp / kW)  (kg/m²) (kN) (Hz) (°) (m/min) (m/sec²) (kg) (dB(A))	Honda GX200 Petrol 161.9.202 5.5 / 4.0 3000 1351 35 81 20 27 3.1 176 108	Hatz 1820 Diesel 161.9.200 4.2 / 3.1 3000 1436 35 81 20 27 2.4 187 108	Hatz 1B20 Diesel Electric Start 161.9.201 4.2 / 3.1 3000 1449 35 81 20 27 2.4 189 108
RPX 35/50 Part No. Engine Power Engine RPM Static Pressure Centrifugal Force Frequency Max Gradient Max. Travel Speed Vibration Level Weight Noise Level	(Hp / kW) (kg/m²) (kN) (Hz) (°) (m/min) (m/sec²) (kg) (dB(A))	Honda GX200 Petrol 161.9.205 5.5 / 4.0 3000 1104 35 81 20 26 3.1 180 108	Hatz 1820 Diesel 161.9.206 4.2 / 3.1 3000 1172 35 81 20 26 2.4 191 108	Hatz 1B20 Diesel Electric Start 161.9.204 4.2 / 3.1 3000 190 35 81 20 26 2.4 194 108
RPX 35/60 Part No.	/ (I.).(A	Honda GX200 Petrol 161.9.208	<b>Hatz 1B20 Diesel</b> 161.9.203	Hatz 1B20 Diesel Electric Start 161.9.207



(Hp/kW)

 $(kg/m^2)$ 

(m/min)

 $(m/sec^2)$ 

(kN)

(Hz)

(°)

Engine Power

Static Pressure

Centrifugal Force

Max. Travel Speed

Vibration Level

Engine RPM

Frequency

Max Gradient

ALTRAD BELLE

5.5 / 4.0

3000

944

35

81

20

25

3.1

Sheen, Nr. Buxton, Derbyshire, SK17 OEU, GB
Tel. +44 (0)1298 84606 - Fax +44 (0)1298 84722 - Email: sales@altrad-belle.com

4.2 / 3.1 3000

1000

35

81

20

25

2.4

196

108

4.2 / 3.1

3000

1057

35

81

20 25

2.4

207

108

www.Altrad-Belle.com www.ALTRAD-Belle247.com