

MODEL	DP 2700X	PART NUMBER	G032700
MODEL DESCRIPTION	Generator	BARCODE	806652267118

POWER WHERE IT'S NEEDED

DESCRIPTION:

Honda-powered portable generator protected by a tough wrap-around frame. Continuously rated to 2.2kW. Complete with 1 x 110V and 1 x 240V outlets.

KEY SPECIFICATIONS:

kVA Rating	2.7
kW Continuous	2.2
RPM	3000
DBA @ 7M	73
LWA	98
Engine	Honda GX160
Recoil start	Standard
Oil alert	Standard
Cooling	Air
Socket 16A 115V	1
Socket 16A 230V	1
Fuel tank capacity (L)	3.6
Running hours (full load)	2.8
Length (mm)	610
Width (mm)	420
Height (mm)	410
Weight (Kg)	34
Carton Type	Cardboard
Carton Size (mm)	620 x 430 x 430



OTHER FEATURES:

- CONTROL BOX -** Top mounted with 110V and 240V sockets, changeover switch and reset button circuit breakers
- ENGINE -** Honda re-coil start petrol engine with 'oil alert' shutdown, fitted with fuel tank and exhaust silencer
- ALTERNATOR -** NSM brushless maintenance-free
- FRAME -** 1" heavy-duty tubular steel wrap-around frame
- MOUNTS -** Angled anti-vibration mounting

PACKAGING:

Supplied in full wrap-around cardboard packaging

MODEL	DP 3400X	PART NUMBER	G033400
MODEL DESCRIPTION	Generator	BARCODE	806652267125

POWER WHERE IT'S NEEDED

DESCRIPTION:

Honda-powered portable generator protected by a tough wrap-around frame. Continuously rated to 2.7kW. Complete with 1 x 110V and 1 x 240V outlets.

KEY SPECIFICATIONS:

kVA Rating	3.4
kW Continuous	2.7
RPM	3000
DBA @ 7M	73
LWA	98
Engine	Honda GX200
Recoil start	Standard
Oil alert	Standard
Cooling	Air
Socket 16A 115V	1
Socket 16A 230V	1
Fuel tank capacity (L)	3.6
Running hours (full load)	2.8
Length (mm)	610
Width (mm)	420
Height (mm)	410
Weight (Kg)	39
Carton Type	Cardboard
Carton Size (mm)	620 x 430 x 430



OTHER FEATURES:

- CONTROL BOX -** Top mounted with 110V and 240V sockets, changeover switch and reset button circuit breakers
- ENGINE -** Honda re-coil start petrol engine with 'oil alert' shutdown, fitted with fuel tank and exhaust silencer
- ALTERNATOR -** NSM brushless maintenance-free
- FRAME -** 1" heavy-duty tubular steel wrap-around frame
- MOUNTS -** Angled anti-vibration mounting

PACKAGING:

Supplied in full wrap-around cardboard packaging

MODEL	DP 5000X	PART NUMBER	G035000
MODEL DESCRIPTION	Generator	BARCODE	806652267132

POWER WHERE IT'S NEEDED

DESCRIPTION:

Honda-powered portable generator protected by a tough wrap-around frame. Continuously rated to 4kW. Complete with 2 x 110V and 2 x 240V outlets.

KEY SPECIFICATIONS:

kVA Rating	5
kW Continuous	4
RPM	3000
DBA @ 7M	74
LWA	99
Engine	Honda GX270
Recoil start	Standard
Oil alert	Standard
Cooling	Air
Socket 16A 115V	2
Socket 16A 230V	2
Fuel tank capacity (L)	6
Running hours (full load)	2.3
Length (mm)	750
Width (mm)	480
Height (mm)	540
Weight (Kg)	64
Carton Type	Cardboard
Carton Size (mm)	760 x 490 x 550



OTHER FEATURES:

- CONTROL BOX -** Top mounted with 110V and 240V sockets, changeover switch and reset button circuit breakers
- ENGINE -** Honda re-coil start petrol engine with 'oil alert' shutdown, fitted with fuel tank and exhaust silencer
- ALTERNATOR -** NSM brushless maintenance-free
- FRAME -** 1" heavy-duty tubular steel wrap-around frame
- MOUNTS -** Angled anti-vibration mounting

PACKAGING:

Supplied in full wrap-around cardboard packaging