



FLOOD & RESTORATION • FLOATING / CARPET DRYING

PLASTERS • BUILDERS • TRADESMEN • HIRE TRADE



AM2000 AIRMOVER

THE PROBLEM

EIPL are a recognized world wide supplier of flood restoration drying equipment. We offer a variety of dehumidifiers and air movers to remove water and assist with drying areas after water damage. Following a flood, whether it is in your basement or office, it's vitally important to restore the damaged area to good order as soon as possible to protect your health from microorganisms, mold and bacteria that may grow and ultimately prevent further damage. Whether it is a flash flood, heavy rains or water main break, EIPL have the equipment to handle the harshest environments and assist with proper restoration.

EIPL'S ROTAMOULDED RANGE

The AM2000 Airmover is another addition to the EIPL range of Rotational Moulded Polyethylene Housings. This super durable housing, and EIPL's years of experience with air moving equipment, ensures the product not only looks the part, but is also capable of outperforming competitors models.

The AM2000 has four operating positions, three operating speeds and a 1/2hp motor / high capacity fan, capable of providing a high volume of air. These features make the AM2000 one of the most versatile air movers available today.

The robust ridged handle doubles as a cable wrap, and also allows multiple units to be stacked thereby reducing storage space.

SAVE TIME AND MONEY

The AM2000 setup could not be easier, select the desired operating angle (0°, 15°, 45° or 90°) for the application and dial in the desired speed setting.

The low profile outlet snout makes it ideal to duct air under carpets, thereby immediately attacking the worse effected areas quickly and efficiently.

RIGHT TOOLS FOR THE JOB

The AM2000 is the ideal product for fast and professional drying of floors, walls, ceilings, carpets and furnishings, after water damage and during renovation clean down.

ATTENTION TO DETAIL

The low profile outlet snout or the AM2000 makes it easy to duct air under carpets, thereby immediately effecting the important areas after flooding.

PROVEN PERFORMANCE

Increasing the rate of evaporation is the success to every drying application. This can be achieved by increasing the ambient temperature, and/or increasing air circulation. The same principles to drying clothes, apply to drying carpets walls etc, improve the airflow (ie a windy day) and you will enhance the performance of the dehumidifier and reduce overall drying times. The High volume of air from the AM2000 make the airmover the ideal choice when purchasing drying equipment.

SPECIFICATION:

SPECIFICATIONS	AM2000
MODEL NO.	10941RD-GB
Height (mm)	510
Width (mm)	500
Depth (mm)	475
Weight (kg)	12
Voltage (V)	230
Phase	I
Frequency (Hz)	50
Current (A)	3
Power (kW)	0.450
Airflow (m3/hr)	1800
Noise Level (dba)	72
Min Operating Temperature (°C)	0
Max Operating Temperature (°C)	35

FEATURES:

FEATURES	AM2000
MODEL NO.	10941RD-GB
On/Off Control Via Switch	V
Circuit Breaker	V
Fan Speeds	1
Operating Position	V
Balance Carrying Handle	V
Rubber Anti Vibration Feet	V
Free Standing	V
Light Weight Construction	V
Moulded Carrying Handle	V
Ductable	V
Cable Wrap	V
Rotational Moulded Body	V
Stackable	/

APPLICATIONS:

APPLICATIONS	
Flood & Restoration	V
Floating Carpets	V
Drying Carpets	V
Plasters	V
Builders	V
Tradesmen	V
Hire Trade	V

