

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15

71711 Steinheim

Phone +49 7144 828-0

Fax +49 7144 25899

info@flex-tools.com

www.flex-tools.com

FLEX

Safety vacuum cleaner compact class

VC 21 L MC

Order no. 405.418

Technical attributes	VC 21 L MC
Power input P. max.	1250 watt
Max. volume flow	3600 l/min
Max. vacuum	21000 Pa
Filter surface	3000 cm ²
Container volume	20 l
Capacity liquid	11 l
Power take off	100-2000 watt
Size (W x L x H)	387 x 377 x 506 mm
Weight	7,4 kg

Standard equipment
Suction hose 32 mm Ø x 3.5 m with elbow
1 filter element class L/M
2x 0.5 m aluminium suction tube
1 combination floor nozzle, switchable
1 round brush
1 crevice nozzle
1 upholstery nozzle
1 filter bag
1 PP waste disposal bag
1 suction pipe holder
1 cable hook
1 rubber tool bush
1 adapter Ø 27-32 mm

Safety vacuum cleaner with manual filter cleaning system, 20 l, class L

- Handy and compact vacuum cleaner, easy to use and easy to transport
- The high-performance turbine ensures both a high suction capacity and a high vacuum. The outcome is an excellent extraction result
- By actuating manual filter cleaning, dust deposited in the filter element is removed by a targeted blast of air.
- Level monitor, no malfunctions when drawing in liquids thanks to installed float valve
- With appliance socket and electronic automatic switch on/off
- Equipped with large wheels and two swivel guide rollers
- Suitable for increased stress commercially (according EN 60335-2-69). Ideal for cleaning work in offices, storage rooms, workshops and vehicles. Smaller electric power tools, e.g. palm sander, delta sander, random-orbit sander, jigsaws, are primarily used for extraction work. Tools which produce fairly low amounts of dust
- With blowing function for the easy removal of leaves in outside areas such as drive ways
- Features a filter bag made of highly tear-proof fleece for optimum filling. The extracted dust can be disposed of without difficulty
- Safety vacuum cleaner, approved for dust class L, suitable for all dust with OEL value >1 mg/m³

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15

71711 Steinheim

Phone +49 7144 828-0

Fax +49 7144 25899

info@flex-tools.com

www.flex-tools.com

FLEX

Safety vacuum cleaner compact class

Accessories

Suction hose



Internal Ø 32 mm, 3,5 m with universal device connection and elbow.
Suitable for VC 21 / 25 L MC and VCE 26 L MC.

QTY/PKG:	Order no.
----------	-----------

1	385.484
---	---------

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15

71711 Steinheim

Phone +49 7144 828-0

Fax +49 7144 25899

info@flex-tools.com

www.flex-tools.com

FLEX

Safety vacuum cleaner compact class

Adapter



Connecting sleeve for electric power tools. Diameter 27 to 32 mm, for vacuum hose 385.484.

QTY/PKG: **Order no.**

1 385.506



Adapter 32/28 mm, for connecting machines with 28 mm Ø vacuum attachment to 32 mm vacuum hose or with suction hose extension (296.953).

QTY/PKG: **Order no.**

1 251.847



For connection of 32 mm Ø suction hoses and suction hose extension SHV-C 32x0.5 m (296.953) to the device.

QTY/PKG: **Order no.**

1 257.169



Universal adapter with 32 mm thread inside for universal connection of machines with 25-32 mm Ø extraction connection with 32 mm suction hose (without clip attachment), or with suction hose extension (296.953). Adapter can be trimmed to 3 different diameters.

QTY/PKG: **Order no.**

1 259.827



Antistatic sleeve Ø 27 mm, suitable for suction hose 379.395.

QTY/PKG: **Order no.**

1 382.736

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15

71711 Steinheim

Phone +49 7144 828-0

Fax +49 7144 25899

info@flex-tools.com

www.flex-tools.com

FLEX

Safety vacuum cleaner compact class

Extension tube



Extension tubes made of aluminium, diameter 32 mm, length 500 mm.

QTY/PKG:	Order no.
----------	-----------

2	385.522
---	---------



Extension tubes made of steel, chrome-plated, diameter 32 mm, length 500 mm.

QTY/PKG:	Order no.
----------	-----------

2	385.514
---	---------

Combination floor nozzle



Switchable combination floor nozzle for cleaning carpeted floors and hard floors. Diameter 36 mm, width 260 mm.

QTY/PKG:	Order no.
----------	-----------

1	385.565
---	---------

Filter element



Folded filter made of hard-wearing and washable PET. Dirt-resistant surface and long service life. Approval dust class L and M. For VC 21 L MC and VCE 26 LMC.

QTY/PKG:	Order no.
----------	-----------

1	385.085
---	---------

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15

71711 Steinheim

Phone +49 7144 828-0

Fax +49 7144 25899

info@flex-tools.com

www.flex-tools.com

FLEX

Safety vacuum cleaner compact class

Fleece filter bags



Highly tear-proof fleece for optimum filling of the filter bags and trouble-free disposal of the extracted dust. Dust class L, for VC 21 L MC, VC 25 L MC and VCE 26 L MC.

QTY/PKG:	Order no.
----------	-----------

5	385.093
---	---------

Disposal bag



Sealable waste bag made of PP, ideal for coarse dirt. For VC 21 L MC, VC 25 L MC and VCE 26 L MC.

QTY/PKG:	Order no.
----------	-----------

5	385.107
---	---------

Anti-static suction hose with auxiliary air control



Internal Ø 32 mm, 4 m with universal device connection, snap connection and universal adapter (320.188), antistatic. Inclusive variable adjustment of suction power for reduction of vacuum.

QTY/PKG:	Order no.
----------	-----------

1	406.708
---	---------

Antistatic suction hose



Internal Ø 27 mm, 4 m with universal device connection and coupling bush Ø 27 mm with rotary coupling for power tool, antistatic.

Dimensions	QTY/PKG:	Order no.
------------	----------	-----------

in mm:

27 Ø x 4m	1	379.395
-----------	---	---------

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15

71711 Steinheim

Phone +49 7144 828-0

Fax +49 7144 25899

info@flex-tools.com

www.flex-tools.com

FLEX

Safety vacuum cleaner compact class

Rotating vacuum adapter



The connector rotates and connects the 32 mm diameter suction hose with its intake fitting. Also suitable for the antistatic suction hose (electrically conductive).

QTY/PKG:	Order no.
----------	-----------

1	340.804
---	---------

Coupling bush



For connecting two FLEX vacuum hoses, without connection, inside thread 32 mm.

QTY/PKG:	Order no.
----------	-----------

1	296.996
---	---------

Drill dust adapter



The drill dust extractor is connected to the suction hose of the FLEX vacuum cleaners or to different adapters so that the dust is extracted directly through the drill hole. There is no dust residue. For drilling applications up to Ø 24 mm.

Dimensions	QTY/PKG:	Order no.
in mm:		

290 x 65	1	394.025
----------	---	---------

Cable clip



For fixing power tool cable to vacuum hose, suitable for 27-36 mm external Ø.

QTY/PKG:	Order no.
----------	-----------

1	252.188
---	---------

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15

71711 Steinheim

Phone +49 7144 828-0

Fax +49 7144 25899

info@flex-tools.com

www.flex-tools.com

FLEX

Safety vacuum cleaner compact class

Brush nozzle



Oval brush nozzle with brush edge for cleaning sensitive surfaces, with pivoted connection. Diameter 36 mm, length 220 mm.

QTY/PKG:	Order no.
----------	-----------

1	385.557
---	---------

Round brush



Round brush nozzle with brush edge for cleaning sensitive surfaces. Diameter 36 mm, length 120 mm.

QTY/PKG:	Order no.
----------	-----------

1	385.646
---	---------

Upholstery nozzle



Upholstery nozzle with thread catcher, diameter 36 mm, width 115 mm.

QTY/PKG:	Order no.
----------	-----------

1	385.549
---	---------

Crevice nozzle



Crevice nozzle diameter 36 mm, length 300 mm (not serial equipment).

QTY/PKG:	Order no.
----------	-----------

1	385.530
---	---------

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15

71711 Steinheim

Phone +49 7144 828-0

Fax +49 7144 25899

info@flex-tools.com

www.flex-tools.com

FLEX

Safety vacuum cleaner compact class

Floor nozzle



Floor nozzle, complete with carpet and combination rubber strip insert for dry and wet cleaning.

QTY/PKG:	Order no.
----------	-----------

1	300.659
---	---------

Rubber strip



Combination rubber strip insert for use with the floor nozzle 300.659.

QTY/PKG:	Order no.
----------	-----------

2	300.683
---	---------



Rubber lip insert (spare part) for aluminium floor nozzle (369.896).

QTY/PKG:	Order no.
----------	-----------

2	374.083
---	---------



Rubber lips (replacement requirement) for floor nozzle (385.611).

QTY/PKG:	Order no.
----------	-----------

2	385.638
---	---------

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15

71711 Steinheim

Phone +49 7144 828-0

Fax +49 7144 25899

info@flex-tools.com

www.flex-tools.com

FLEX

Safety vacuum cleaner compact class

Brush strip



Carpet brush strip insert for use with the floor nozzle 300.659.

QTY/PKG:	Order no.
----------	-----------

2	300.675
---	---------



Brush strip insert (spare part) for aluminium floor nozzle (369.896)

QTY/PKG:	Order no.
----------	-----------

2	374.075
---	---------



Brush strips (replacement requirement) for the clip floor nozzle (385.573).

QTY/PKG:	Order no.
----------	-----------

2	385.581
---	---------

Floor nozzle with rollers



Aluminium floor nozzle with height-adjustable castors and replacement insert. Inserts: brush insert for dry cleaning and rubber strips for wet cleaning, 370 mm width.

QTY/PKG:	Order no.
----------	-----------

1	369.896
---	---------

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15

71711 Steinheim

Phone +49 7144 828-0

Fax +49 7144 25899

info@flex-tools.com

www.flex-tools.com

FLEX

Safety vacuum cleaner compact class

Clip floor nozzle with rollers



Clip floor nozzle with rollers and interchangeable insert. Brush strip insert for dry cleaning and rubber strip insert for wet cleaning. Diameter 36 mm, width 400 mm.

QTY/PKG:	Order no.
----------	-----------

1	385.573
---	---------

Height-adjustable floor nozzle



Height-adjustable floor nozzle with rollers and rubber strips. Can be used for wet and dry cleaning. Diameter 36 mm, width 400 mm.

QTY/PKG:	Order no.
----------	-----------

1	385.611
---	---------

Surface nozzle



The surface nozzle (90x120 mm) made of plastic with bevelled nozzle part is suitable for the suction of dust and loose dirt residues for small repair work for the suction in corners, niches, recesses, window sills that are difficult to reach. Also available as wide crevice tool for the suction of cracks as well as in the interior of vehicles for seat surfaces, gaps and consoles.

QTY/PKG:	Order no.
----------	-----------

1	413.437
---	---------

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15

71711 Steinheim

Phone +49 7144 828-0

Fax +49 7144 25899

info@flex-tools.com

www.flex-tools.com

FLEX

Safety vacuum cleaner compact class

Adapter rotating



Adapter 32/32 mm, for connecting a machine with 32 mm Ø vacuum cleaner outlet (e.g. renovation sander or angle grinder with cutting guard) with 32 mm vacuum hose or with suction hose extension (296.953).

QTY/PKG:	Order no.
----------	-----------

1	328.308
---	---------

Special adapter



Suitable for suction hoses with 32 mm Ø without FLEX clip system and for the suction hose extension (296.953).

QTY/PKG:	Order no.
----------	-----------

1	340.790
---	---------
