


# Model No.DSP600 165MM CORDLESS PLUNGE CUT SAW



# Model No.DSP600 165MM CORDLESS PLUNGE CUT SAW

| Item No. | Parts No. | Description                     | Interchangeability | Q'ty | New/Old | Note1 | Note2 |
|----------|-----------|---------------------------------|--------------------|------|---------|-------|-------|
| 001      | 853K64-7  | Name plate DSP600               |                    | 1    |         |       |       |
| 002      | 265995-6  | Binding head tapping screw 4X18 |                    | 8    |         |       |       |
| 003      | 183H46-0  | Handle rear cover set           |                    | 1    | *       |       |       |
| C10      | 263005-3  | Rubber pin 6                    |                    | 4    | *       |       |       |
| 003      |           | INC. 13,17                      |                    |      | *       |       |       |
| 003-1    | 183H46-0  | Handle rear cover set           | O                  | 1    |         |       |       |
| C10      | 263005-3  | Rubber pin 6                    |                    | 4    |         |       |       |
| 003-1    |           | INC. 13,17                      |                    |      |         |       |       |
| 004      | 651083-9  | Switch C3XA-1PSPM               |                    | 1    |         |       |       |
| 005      | 234173-9  | Compression spring 4            |                    | 1    |         |       |       |
| 006      | 135900-6  | Controller assembly             |                    | 1    | *       |       |       |
| C10      | 620691-7  | Sub controller                  |                    | 1    | *       |       |       |
| 006      |           | INC. 18                         |                    |      | *       |       |       |
| 006-1    | 135973-9  | Controller assembly             | <                  | 1    | *       |       |       |
| C10      | 620691-7  | Sub controller                  |                    | 1    | *       |       |       |
| 006-1    |           | INC. 18                         |                    |      | *       |       |       |
| 006-2    | 136856-6  | Controller assembly             | S                  | 1    |         |       |       |
| C10      | 620691-7  | Sub controller                  |                    | 1    |         |       |       |
| 006-2    |           | INC. 18                         |                    |      |         |       |       |
| 007      | 419629-5  | Lock off button                 |                    | 1    |         |       |       |
| 008      | 457748-9  | Switch lever                    |                    | 1    |         |       |       |
| 009      | 911253-5  | Pan head screw M5X30 WR         |                    | 2    | *       |       |       |
| 009-1    | 911253-5  | Pan head screw M5X30 WR         | O                  | 2    |         |       |       |
| 010      | 233089-5  | Compression spring 12           |                    | 1    |         |       |       |
| 011      | 457749-7  | Lock plate                      |                    | 1    |         |       |       |
| 012      | 233267-7  | Compression spring 7            |                    | 1    |         |       |       |
| 013      | 183H46-0  | Handle rear cover set           |                    | 1    | *       |       |       |
| C10      | 263005-3  | Rubber pin 6                    |                    | 4    | *       |       |       |
| 013      |           | INC. 3,17                       |                    |      | *       |       |       |
| 013-1    | 183H46-0  | Handle rear cover set           | O                  | 1    |         |       |       |
| C10      | 263005-3  | Rubber pin 6                    |                    | 4    |         |       |       |
| 013-1    |           | INC. 3,17                       |                    |      |         |       |       |
| 014      | 324709-3  | Lock pin 8                      |                    | 1    |         |       |       |
| 015      | 265995-6  | Binding head tapping screw 4X18 |                    | 5    |         |       |       |
| 016      | 643874-2  | Terminal                        |                    | 1    | *       |       |       |
| 016-1    | 654940-0  | TERMINAL                        | X                  | 1    |         |       |       |
| 017      | 183H46-0  | Handle rear cover set           |                    | 1    | *       |       |       |
| C10      | 263005-3  | Rubber pin 6                    |                    | 4    | *       |       |       |
| C20      | 813D01-1  | Caution label                   |                    | 1    | *       |       |       |
| 017      |           | INC. 3,13                       |                    |      | *       |       |       |
| 017-1    | 183H46-0  | Handle rear cover set           | O                  | 1    |         |       |       |
| C10      | 263005-3  | Rubber pin 6                    |                    | 4    |         |       |       |
| 017-1    |           | INC. 3,13                       |                    |      |         |       |       |
| 018      | 813D03-7  | Indication label                |                    | 1    |         |       |       |
| 019      | 643874-2  | Terminal                        |                    | 1    | *       |       |       |
| 019-1    | 654940-0  | TERMINAL                        | X                  | 1    |         |       |       |

|       |          |                                  |   |   |   |  |  |
|-------|----------|----------------------------------|---|---|---|--|--|
| 020   | 457750-2 | Motor housing                    |   | 1 |   |  |  |
| 021   | 911253-5 | Pan head screw M5X30 WR          |   | 4 |   |  |  |
| 022   | 629275-8 | Stator                           |   | 1 | * |  |  |
| 022-1 | 629B69-3 | Stator                           | S | 1 |   |  |  |
| 023   | 457751-0 | Baffle plate                     |   | 1 |   |  |  |
| 024   | 265995-6 | Binding head tapping screw 4X1 8 |   | 2 |   |  |  |
| 025   | 210022-4 | Ball bearing 626DDW              |   | 1 |   |  |  |
| 026   | 519448-0 | Rotor assembly                   |   | 1 | * |  |  |
| 026   |          | INC. 25,28                       |   |   | * |  |  |
| 026-1 | 519448-0 | Rotor assembly                   | O | 1 |   |  |  |
| 026-1 |          | INC. 25,28                       |   |   |   |  |  |
| 027   | 233084-5 | Compression spring 6             |   | 1 |   |  |  |
| 028   | 211131-2 | Ball bearing 6001DDW             |   | 1 |   |  |  |
| 029   | 286040-4 | Cap                              |   | 1 |   |  |  |
| 030   | 345742-2 | Shaft lock                       |   | 1 |   |  |  |
| 031   | 286039-9 | Cap                              |   | 1 |   |  |  |
| 032   | 144586-5 | Gear housing complete            |   | 1 |   |  |  |
| C10   | 263002-9 | Rubber pin 4                     |   | 1 |   |  |  |
| 033   | 326960-1 | Pin 8                            |   | 1 | * |  |  |
| 033-1 | 324716-6 | Pin 8                            | < | 1 | * |  |  |
| 033-2 | 327B66-0 | Pin 8                            | O | 1 |   |  |  |
| 034   | 265907-9 | Hex. socket head bolt M5X10      |   | 1 |   |  |  |
| 035   | 324708-5 | Stopper pin 8                    |   | 1 |   |  |  |
| 036   | 211021-9 | Ball bearing 607LLB              |   | 1 | * |  |  |
| 036-1 | 210331-1 | Ball bearing 607LLB              | O | 1 |   |  |  |
| 037   | 961052-5 | Retaining ring (EXT) S-12        |   | 1 |   |  |  |
| 038   | 221548-1 | Helical gear 41                  |   | 1 |   |  |  |
| 039   | 257010-0 | Ring 12                          |   | 1 |   |  |  |
| 040   | 213512-6 | O-ring 39                        |   | 1 |   |  |  |
| 041   | 318088-9 | Bearing box                      |   | 1 |   |  |  |
| 042   | 211129-9 | Ball bearing 6201DDW             |   | 1 |   |  |  |
| 043   | 324707-7 | Spindle                          |   | 1 |   |  |  |
| 044   | 911221-8 | Pan head screw M5X16 W           |   | 2 |   |  |  |
| 045   | 285689-7 | Bearing retainer 55              |   | 1 |   |  |  |
| 046   | 266034-5 | Binding head tapping screw 4X1 6 |   | 2 |   |  |  |
| 047   | 419630-0 | Lock lever                       |   | 1 |   |  |  |
| 048   | 231665-9 | Torsion spring 7                 |   | 1 |   |  |  |
| 049   | 233479-2 | Compression spring 11            |   | 1 |   |  |  |
| 050   | 253821-1 | Flat washer 3                    |   | 1 |   |  |  |
| 051   | 266007-8 | Binding head tapping screw 3X1 0 |   | 1 |   |  |  |
| 052   | 457756-0 | Depth guide                      |   | 1 |   |  |  |
| 053   | 251867-1 | Thumb screw M5X30                |   | 1 |   |  |  |
| 054   | 941101-4 | Flat washer 5                    |   | 1 | * |  |  |
| 054-1 | 253414-4 | Flat washer 5                    | O | 1 |   |  |  |
| 055   | 419624-5 | Spring holder                    |   | 1 |   |  |  |
| 056   | 231372-4 | Compression spring 5             |   | 1 |   |  |  |
| 057   | 419623-7 | Stopper block                    |   | 1 |   |  |  |
| 058   | 457752-8 | Dust nozzle                      |   | 1 |   |  |  |
| 059   | 213460-9 | O-ring 35                        |   | 1 |   |  |  |
|       |          |                                  |   |   |   |  |  |

|       |          |                                    |   |   |   |  |  |
|-------|----------|------------------------------------|---|---|---|--|--|
| 060   | 286041-2 | Cap 14                             |   | 2 |   |  |  |
| 061   | 345747-2 | Spacer plate                       |   | 2 |   |  |  |
| 062   | 345744-8 | Nut plate                          |   | 1 |   |  |  |
| 063   | 233025-1 | Compression spring 2               |   | 2 |   |  |  |
| 064   | 144867-7 | Lever 20 complete                  |   | 1 |   |  |  |
| C10   | 263002-9 | Rubber pin 4                       |   | 1 |   |  |  |
| 065   | 144868-5 | Blade case complete                |   | 1 | * |  |  |
| 065   |          | INC. 60,61,63,68,69                |   |   | * |  |  |
| 065-1 | 140D56-6 | Blade case complete                | O | 1 |   |  |  |
| 065-1 |          | INC. 60,61,63,68,69                |   |   |   |  |  |
| 066   | 266034-5 | Binding head tapping screw 4X1 6   |   | 1 |   |  |  |
| 067   | 419632-6 | Pointer                            |   | 1 |   |  |  |
| 068   | 259008-3 | Push nut 4                         |   | 2 |   |  |  |
| 069   | 253874-0 | Flat washer 4                      |   | 2 | * |  |  |
| 069-1 | 347392-9 | Plate                              | O | 2 |   |  |  |
| 070   | 224473-5 | Inner flange 35                    |   | 1 | * |  |  |
| 070-1 | 224593-5 | Inner flange 35                    | < | 1 |   |  |  |
| 071   | 253010-8 | Flat washer 6                      |   | 1 |   |  |  |
| 072   | 213021-5 | O-ring 5                           |   | 1 |   |  |  |
| 073   | 224409-4 | Outer flange 35                    |   | 1 |   |  |  |
| 074   | 324710-8 | Pin 8                              |   | 1 |   |  |  |
| 075   | 266403-0 | Hex. socket head bolt M6X20        |   | 1 |   |  |  |
| 076   | 266053-1 | Binding head tapping screw 4X3 5   |   | 1 | * |  |  |
| 076-1 | 266351-3 | Binding head tapping screw 4X3 5   | O | 1 |   |  |  |
| 077   | 319605-8 | Blade case cover                   |   | 1 | * |  |  |
| 077-1 | 319702-0 | Blade case cover                   | S | 1 |   |  |  |
| 078   | 266034-5 | Binding head tapping screw 4X1 6   |   | 5 |   |  |  |
| 079   | 458092-7 | Slide lever                        |   | 1 |   |  |  |
| 080   | 253932-2 | Wave washer 10                     |   | 1 |   |  |  |
| 081   | 345977-5 | Plate                              |   | 1 |   |  |  |
| 082   | 265775-0 | Thumb screw M4X3                   |   | 1 | * |  |  |
| 082-1 | 265775-0 | Thumb screw M4X3                   | O | 1 |   |  |  |
| 083   | 265775-0 | Thumb screw M4X3                   |   | 1 | * |  |  |
| 083-1 | 265775-0 | Thumb screw M4X3                   | O | 1 |   |  |  |
| 084   | 419627-9 | Holder                             |   | 1 | * |  |  |
| 084-1 | 4133W1-2 | HOLDER                             | O | 1 |   |  |  |
| 085   | 419627-9 | Holder                             |   | 1 | * |  |  |
| 085-1 | 4133W1-2 | HOLDER                             | O | 1 |   |  |  |
| 086   | 265701-9 | Thumb screw M6X14                  |   | 1 |   |  |  |
| 087   | 231316-4 | Compression spring 7               |   | 1 | * |  |  |
| 087-1 | 231240-1 | Compression spring 7               | O | 1 |   |  |  |
| 088   | 265776-8 | Thumb screw M6X26                  |   | 1 |   |  |  |
| 089   | 253111-2 | Flat washer 6                      |   | 1 |   |  |  |
| 090   | 419596-4 | Rear angular guide                 |   | 1 |   |  |  |
| 091   | 319604-0 | Base                               |   | 1 | * |  |  |
| 091-1 | 312B95-6 | Base                               | S | 1 |   |  |  |
| 092   | 265995-6 | Binding head tapping screw 4X1 8   |   | 2 |   |  |  |
| 093   | 266225-8 | Hex. socket set screw (flat point) |   | 1 |   |  |  |

|       |          |                                            |   |   |   |  |  |
|-------|----------|--------------------------------------------|---|---|---|--|--|
|       |          | M6X8                                       |   |   |   |  |  |
| 094   | 265701-9 | Thumb screw M6X14                          |   | 1 |   |  |  |
| 095   | 231316-4 | Compression spring 7                       |   | 1 | * |  |  |
| 095-1 | 231240-1 | Compression spring 7                       | O | 1 |   |  |  |
| 096   | 345748-0 | Lock washer                                |   | 1 |   |  |  |
| 097   | 266225-8 | Hex. socket set screw (flat point)<br>M6X8 |   | 1 |   |  |  |
| 098   | 324731-0 | Stopper pin                                |   | 1 |   |  |  |
| 099   | 265995-6 | Binding head tapping screw 4X1<br>8        |   | 2 |   |  |  |
| 100   | 912112-6 | Countersunk head screw M4X10               |   | 1 |   |  |  |
| 101   | 419595-6 | Front angular guide                        |   | 1 | * |  |  |
| 101-1 | 413A11-6 | Front angular guide                        | S | 1 |   |  |  |
| 102   | 252157-5 | Square nut M6                              |   | 1 |   |  |  |
| 103   | 266225-8 | Hex. socket set screw (flat point)<br>M6X8 |   | 1 |   |  |  |
| 104   | 457963-5 | Dial 22                                    |   | 1 |   |  |  |
| 105   | 961017-7 | Stop ring (EXT) E-3                        |   | 1 |   |  |  |
| 106   | 253111-2 | Flat washer 6                              |   | 1 |   |  |  |
| 107   | 265776-8 | Thumb screw M6X26                          |   | 1 |   |  |  |
| 108   | 213045-1 | O-ring 6                                   | S | 2 | * |  |  |
| 109   | 620L68-8 | Controller B                               | S | 1 |   |  |  |
| 110   | 652119-7 | Pan head screw M2X6                        | S | 6 |   |  |  |
| A01   | B-57059  | TCT BLADE165X20X55T WOOD/<br>MDF           |   | 1 | * |  |  |
| A01-1 | B-57364  | TCT BLADE165X20X56TWOOD/M<br>DF DB         | O | 1 | * |  |  |
| A01-2 | B-57364  | TCT BLADE165X20X56TWOOD/M<br>DF DB         | O | 1 | * |  |  |
| A01-3 | B-57336  | TCT BLADE165X20X56TWOOD/M<br>DF DB         | X | 1 |   |  |  |
| A02   | 783203-8 | Hex. wrench 5                              |   | 1 | * |  |  |
| A02-1 | 783217-7 | Hex. wrench 5                              | O | 1 |   |  |  |
| A03   | 165447-6 | Sub base                                   |   | 1 | * |  |  |
| A04B  | 821552-6 | Connector plastic case (type 4)            |   | 1 |   |  |  |
| C10   | 453974-8 | Latch                                      |   | 4 |   |  |  |
| A05B  | 839290-6 | Inner tray                                 |   | 1 |   |  |  |
| A06B  | 813G06-9 | Indication label DSP600ZJ                  |   | 1 |   |  |  |
| A07B  | 813G07-7 | Plastic case label DSP600ZJ                |   | 2 |   |  |  |
| F03   | 194367-7 | Guide rail 3000 set                        |   | 1 |   |  |  |
| C10   | 413102-7 | Seat 3000                                  |   | 2 |   |  |  |
| C20   | 423360-7 | Position sheet 3000                        |   | 1 |   |  |  |
| C30   | 423362-3 | Rubber sheet 3000                          |   | 2 |   |  |  |
| C40   | 819212-2 | Makita logo label                          |   | 1 |   |  |  |
| F04   | 194368-5 | Guide rail 1400 set                        |   | 1 |   |  |  |
| C10   | 413101-9 | Seat 1400                                  |   | 2 |   |  |  |
| C20   | 423359-2 | Position sheet 1400                        |   | 1 |   |  |  |
| C30   | 423361-5 | Rubber sheet 1400                          |   | 2 |   |  |  |
| C40   | 819212-2 | Makita logo label                          |   | 1 |   |  |  |
| F06   | 194416-0 | Sheet 10000 set                            |   | 1 |   |  |  |
| F07   | 194417-8 | Rubber sheet 10000 set                     |   | 1 |   |  |  |
| F08   | 194418-6 | Position sheet 1400 set                    |   | 1 |   |  |  |
| F10   | 194910-2 | Position sheet 1900 set                    |   | 1 |   |  |  |
| F12   | 194925-9 | Guide rail 1900 set                        |   | 1 |   |  |  |

|     |          |                         |  |   |  |  |  |
|-----|----------|-------------------------|--|---|--|--|--|
| C10 | 423386-9 | Position sheet 1900     |  | 1 |  |  |  |
| C20 | 423390-8 | Rubber sheet 1900       |  | 2 |  |  |  |
| C30 | 451330-6 | Sheet 1900              |  | 2 |  |  |  |
| C40 | 819212-2 | Makita logo label       |  | 1 |  |  |  |
| F14 | 195546-0 | Front cuff 24 set       |  | 1 |  |  |  |
| F15 | 196664-7 | Bevel guide set         |  | 1 |  |  |  |
| F17 | 199140-0 | Guide rail 1000 set     |  | 1 |  |  |  |
| F18 | 199141-8 | Guide rail 1500 set     |  | 1 |  |  |  |
| F19 | 199826-6 | Ratchet clamp set       |  | 1 |  |  |  |
| F27 | 1913J9-2 | Limit stop set          |  | 1 |  |  |  |
| F28 | 1913K7-3 | Parallel guide set (MM) |  | 1 |  |  |  |
| G49 | 1913K5-7 | Push clamp set          |  | 1 |  |  |  |

Please state Parts No. when your order.

Print Date 01/12/2026