

Product Data Sheet

Product Name: 5T57N
Our Reference: 5T57N
Sizes: 8 to 10 (M to XL)
Quantity Per Pack: 12 pairs
Quantity Per Case: 120 pairs

Product Description

Black Nitrile coated palm, 13 gauge lightweight glass fiber, spandex & synthetic high performance liner. Highest level of cut resistance and comfort, excellent grip. Knitted wrist and open breathable back.

Typical Applications

Glazing, Construction, Automotive & Metal Assembly, Welding, Plastics Industry

Important Information:

The levels of performance mentioned are only valid for the palm of the gloves. Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

These gloves are cut resistant but are NOT cut proof
These gloves are not for use with liquids

Pictogram and Performance in accordance with **EN 407**

Burning Behaviour:	X
Contact Heat:	1
Convective Heat:	X
Radiant Heat:	X
Small Splashes of Molten Metal:	X
Large Splashes of Molten Metal:	X

This glove doesn't give protection for temperatures more than 100°C

EN388



4.5.4.2



EN407



X1XXXX



Pictogram and Performance in accordance with **EN 388**

Abrasion:	Level 4
Cut:	Level 5
Tear:	Level 4
Puncture:	Level 2

The higher the level the more protection (5 highest)

This glove has been subject to a CE type examination performed by:
C.T.C. (0075) 4 rue Hermann Frenkel 69367 Lyon Cedex 07, France

FURTHER INFORMATION

Cleaning/Maintenance:

Both new and used gloves should be thoroughly inspected before being worn to ensure no damage is present. Gloves should not be left in a contaminated condition if reuse is intended in which case gloves should be cleaned if possible, laundering of these gloves is not recommended. Extra care should be taken when removing gloves to avoid any contaminant contacting bare skin.

Storage:

Store in cool dry area away from direct light or heat source in the original packaging where possible

General:

None of the materials or processes used in the manufacture of these products are known to be harmful to the wearer

Please Note:

The results of the physical tests should help in glove selection, however it must be understood that actual conditions of use cannot be simulated and it is the responsibility of the end-user and not the manufacturer to determine glove suitability for the intended use

For more information, please contact
Guardsman Limited.

Tel: 0116 253 86 88 Fax: 0116 262 70 90
24, Pasture Lane, leicester, LE1 4EY

