


Chevron

Short Description

Chevron provides distinctive styling and easy maintenance in one mat. The Chevron non-directional pattern offers aggressive scraping action and is the perfect choice for heavy foot traffic areas, such as entranceways and lobbies. A dense vinyl backing helps to minimise movement of mat once in place and prevent floor staining.

Product Images





Description

- Ideal for heavy traffic environments such as public buildings, schools, offices etc
- Non-directional pattern for aggressive scraping action
- High quality anti-static polypropylene with distinctive herringbone pattern
- Strong vinyl backing is moisture, slip and stain resistant
- Overall height 9mm
- Custom sizes available: 130cm and 200cm wide up to 20m long
- Vacuum clean
- Free of toxic DOP and DMF
- For placement inside entrances in schools, universities, public buildings, offices, sports facilities, shopping malls.

Additional Information

Specifications

Wear Resistant	Wear resistant surface to Level 2
Soil Resistance	Resistant to soiling and stains Level 3
Water Absorbent	Absorbs water to Level 2
Impact Resistant	Impact resistant
Cut to Length	Mats can be cut to length

Environment

Dry Zone	Dry Zone
-----------------	----------

Tests

Product Testing

- Abrasion resistance ASTM D3884 1.68 g weight loss
- Colour fastness to light AATCC 16E 5
- Accelerated wear test by sim floor machine U.S. 2.5
- Accelerated soiling U.S. 4
- Anti-slip DIN51130 BGR181
- Water retention ISO 4920 TNO W6034 4.0 l/m²
- Graves tear strength
- Hardness a shore
- Elongation

Fire Testing

- Surface Flammability ASTM D2859 Pass
- Classification of the reaction to fire performance DIN EN 13501-1

Sustainability

- Recyclable material
- REACH compliant (Registration, Evaluation, Authorization and restrictions of Chemicals)
- Contributes to cleaner environment by reducing need of cleaning chemicals

Product Options

Colour:	Brown
	Charcoal
Width:	60cm
	90cm
	120cm
	130cm
	200cm
Length:	90cm
	150cm
	180cm
	300cm
	600cm
	20m