



Interflex

Short Description

Interflex is a traditional grid welded PVC duckboard matting for use in industrial and commercial environments where slip hazards exist. The matting is designed to self-drain making it suitable for use in wet areas indoors or outdoors and where oil, grease or chemicals exist.

Product Images





Description

- Oil, grease and chemical resistant recycled PVC with anti-slip surface
- Suitable for medium duty industrial use.
- Provides worker comfort and allows liquids to drain away.
- Connector clips for side or end joining
- Overall height 12.5mm

Additional Information

Specifications

Wear Resistant	Wear resistant surface to Level 3
Anti-Fatigue	Anti-fatigue protection to Level 2
Slip Resistance	Slip resistance Level 2
Chemical Resistant	Chemical resistant
Connectable	Mats are connectable and join together
Oil Area	Suitable for use in oily and greasy areas
Wet Area	Suitable for use in wet areas

Environment

Dry Zone	Dry Zone
Wet Zone	Wet Zone
Oily/Greasy Zone	Oily/Greasy Zone
Chemical Zone	Chemical Zone

Tests

Temperature resistance -5°C to + 60°C
Slip resistance Classification R10 to DIN 51130

Product Options

Colour:	Black
	Blue
	Green
	Red
Width:	60cm
	80cm
	100cm
	120cm
Length:	1m
	10m