



## SAFETY DATA SHEET FLASHBAND BRIGHT

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME	FLASHBAND BRIGHT
PRODUCT NO.	142008, 232082, 143005, 147003, 148000, 152502, 153509, 158009, 167001
SUPPLIER	BOSTIK LIMITED COMMON ROAD STAFFORD STAFFORDSHIRE ST16 3EH +44 1785 272625 +44 1785 272650 (24 HOUR) sds.uk@bostik.com

### 2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

Contact with molten material will cause thermal burns

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

#### COMPOSITION COMMENTS

No hazardous materials present as defined by Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 (CHIP 3)

### 4 FIRST-AID MEASURES

#### INHALATION

N/A.

#### INGESTION

DO NOT induce vomiting. Get medical attention immediately.

#### SKIN CONTACT

If burned by contact with molten material, cool as quickly as possible with water. Do not remove material from skin. Keep affected area covered with cold, clean, wet compresses. Obtain medical assistance immediately.

#### EYE CONTACT

If splashed by molten material do not try to remove when cool

### 5 FIRE-FIGHTING MEASURES

#### EXTINGUISHING MEDIA

This material is combustible but not flammable Use fire-extinguishing media appropriate for surrounding materials.

#### SPECIFIC HAZARDS

Fire or high temperatures create: Toxic gases/vapours/fumes of: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

#### PROTECTIVE MEASURES IN FIRE

Wear self contained breathing apparatus

### 6 ACCIDENTAL RELEASE MEASURES

#### SPILL CLEAN UP METHODS

Pick up for recycling or disposal as appropriate.

### 7 HANDLING AND STORAGE

#### USAGE PRECAUTIONS

Avoid contact with bitumen film.

#### STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

# FLASHBAND BRIGHT

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### PROTECTIVE EQUIPMENT



### ENGINEERING MEASURES

No particular ventilation requirements.

### RESPIRATORY EQUIPMENT

N/A.

### HAND PROTECTION

Heat resistant gloves must be used if handling molten material

### EYE PROTECTION

Wear safety goggles to prevent any possibility of contact with molten material or repeated or prolonged contact with material in any other form.

### HYGIENE MEASURES

Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke. Wash at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin. DO NOT SMOKE IN WORK AREA!

## 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Aluminium foil with adhesive layer and release-paper backing
COLOUR	Grey or Silver

## 10 STABILITY AND REACTIVITY

### STABILITY

Stable under normal temperature conditions.

### CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

### MATERIALS TO AVOID

No incompatible groups noted.

### HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## 11 TOXICOLOGICAL INFORMATION

### GENERAL INFORMATION

Product is non hazardous but ingestion may cause obstruction

## 12 ECOLOGICAL INFORMATION

### ECOTOXICITY

Not regarded as dangerous for the environment. However, contamination of the aquatic or terrestrial environments should be avoided

## 13 DISPOSAL CONSIDERATIONS

### DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

## 14 TRANSPORT INFORMATION

GENERAL	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).
	No transport warning sign required.

## 15 REGULATORY INFORMATION

REVISION DATE: December 2009

SDS NO.: 15034

## FLASHBAND BRIGHT

### RISK PHRASES

NC Not classified.

### SAFETY PHRASES

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

### STATUTORY INSTRUMENTS

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

### APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

### GUIDANCE NOTES

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

## 16 OTHER INFORMATION

### GENERAL INFORMATION

This product should be used as directed by Bostik Ltd. For further information consult the product data sheet or contact Technical Services.

### INFORMATION SOURCES

This safety data sheet was compiled using current safety information supplied by distributor of raw materials.

### REVISION COMMENTS

NOTE: Lines within the margin indicate significant changes from the previous revision. This safety data sheet supersedes all previous issues and users are cautioned to ensure that it is current. Destroy all previous data sheets and if in doubt contact Bostik Limited.

### ISSUED BY

Approved LJ

REVISION DATE December 2009

REV. NO./REPL. SDS GENERATED 6

DATE January 2003