

# SAFETY DATA SHEET CEMENTONE FREEFLO

## 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

| PRODUCT NAME | CEMENTONE FREEFLO   |
|--------------|---|
| SUPPLIER     | BOSTIK LIMITED<br>COMMON ROAD<br>STAFFORD<br>STAFFORDSHIRE<br>ST16 3EH<br>+44 1785 272625<br>+44 1785 272650 (24 HOUR)<br>sds.uk@bostik.com |
| PRODUCT NO.  | 365056, 365063, 365070  |

#### **2 HAZARDS IDENTIFICATION**

Irritating to eyes and skin. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. CLASSIFICATION (1999/45) Xi;R36/38. R52/53.

## **3 COMPOSITION/INFORMATION ON INGREDIENTS**

| Name             | EC No.    | CAS-No.   | Content | Classification (67/548) |
|------------------|-----------|-----------|---------|-------------------------|
| LIMONENE         | 205-341-0 | 138-86-3  | < 1%    | R10 R43 Xi;R38 N;R50/53 |
| SODIUM HYDROXIDE | 215-185-5 | 1310-73-2 | 0.832%  | C;R35                   |

The Full Text for all R-Phrases are Displayed in Section 16

## **4 FIRST-AID MEASURES**

#### INHALATION

Remove victim immediately from source of exposure. Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

#### INGESTION

DO NOT induce vomiting. Get medical attention immediately.

#### SKIN CONTACT

Promptly flush contaminated skin with water. Promptly remove clothing if soaked through and flush the skin with water. Get medical attention if irritation persists after washing.

#### EYE CONTACT

Rinse the eye with water immediately. Continue to rinse for at least 15 minutes and get medical attention.

### 5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Use fire-extinguishing media appropriate for surrounding materials.

SPECIAL FIRE FIGHTING PROCEDURES

Keep run-off water out of sewers and water sources. Dike for water control. If risk of water pollution occurs, notify appropriate authorities.

SPECIFIC HAZARDS

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

## 6 ACCIDENTAL RELEASE MEASURES

#### SPILL CLEAN UP METHODS

Wear necessary protective equipment. Stop leak if possible without risk. DO NOT touch spilled material! Runoff or release to sewer, waterway or ground is forbidden. Absorb in vermiculite, dry sand or earth and place into containers. Flush area with plenty of water. Do not let washing down water contaminate ponds or waterways.

## **CEMENTONE FREEFLO**

## **7 HANDLING AND STORAGE**

### USAGE PRECAUTIONS

Avoid spilling, skin and eye contact. Provide good ventilation. Persons susceptible to allergic reactions should not handle this product. STORAGE PRECAUTIONS

Store in tightly closed original container in a dry and cool place. Keep in original container.

STORAGE CLASS

Chemical storage.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

| Name             | Std | TWA - | - 8 hrs | STEL | - 15 min | Notes |
|------------------|-----|-------|---------|------|----------|-------|
| SODIUM HYDROXIDE | WEL |       |         |      | 2 mg/m3  |       |

WEL = Workplace Exposure Limit.

INGREDIENT COMMENTS WEL = Workplace Exposure Limits

PROTECTIVE EQUIPMENT



## ENGINEERING MEASURES

Well-ventilated area.

HAND PROTECTION

Protective gloves must be used if there is a risk of direct contact or splash. Use protective gloves made of: Nitrile.

EYE PROTECTION

Wear splash-proof eye goggles to prevent any possibility of eye contact.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact. Provide eyewash station.

## HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

| APPEARANCE       | Liquid            |                          |    |
|------------------|-------------------|--------------------------|----|
| COLOUR           | Lightly coloured. |                          |    |
| RELATIVE DENSITY | 0.7 - 0.8         | pH-VALUE, CONC. SOLUTION | 12 |

## **10 STABILITY AND REACTIVITY**

STABILITY Stable under normal temperature conditions. CONDITIONS TO AVOID Avoid contact with strong oxidisers. HAZARDOUS DECOMPOSITION PRODUCTS Fire or high temperatures create: Carbon monoxide (CO). Carbon dioxide (CO2).

## 11 TOXICOLOGICAL INFORMATION

INHALATION Vapour may irritate respiratory system or lungs. INGESTION Liquid irritates mucous membranes and may cause abdominal pain if swallowed. SKIN CONTACT Prolonged or repeated exposure may cause severe irritation.

## **CEMENTONE FREEFLO**

EYE CONTACT Irritating to eyes. ROUTE OF ENTRY Skin and/or eye contact. Ingestion. MEDICAL CONSIDERATIONS Skin disorders and allergies.

## **12 ECOLOGICAL INFORMATION**

#### ECOTOXICITY

The product contains a substance which is harmful to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

### **13 DISPOSAL CONSIDERATIONS**

#### DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

WASTE CLASS

Classified as Special Waste. Not permitted for landfill in liquid state.

#### 14 TRANSPORT INFORMATION

GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

No transport warning sign required.

## **15 REGULATORY INFORMATION**

#### LABELLING



**RISK PHRASES** 

|                | R36/38    | Irritating to eyes and skin.  |
|----------------|-----------|---|
|                | R52/53    | Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| SAFETY PHRASES |           |   |
|                | S2        | Keep out of the reach of children.  |
|                | S26       | In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
|                | S36/37/39 | Wear suitable protective clothing, gloves and eye/face protection.                            |
|                | S46       | If swallowed, seek medical advice immediately and show this container or label.               |
|                | S56       | Dispose of this material and its container to hazardous or special waste collection point.    |
|                | P14       | Contains LIMONENE. May produce an allergic reaction.  |
|                |           |   |

#### STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations. Control of Substances Hazardous to Health.

APPROVED CODE OF PRACTICE

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply. GUIDANCE NOTES

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

## **16 OTHER INFORMATION**

### GENERAL INFORMATION

This product should be used as directed by Bostik Ltd. For further information consult the product data sheet or contact Technical Services. INFORMATION SOURCES

This safety data sheet was compiled using current safety information supplied by distributor of raw materials.

# **CEMENTONE FREEFLO**

#### **REVISION COMMENTS**

NOTE: Lines within the margin indicate significant changes from the previous revision. This safety data sheet supersedes all previous issues and users are cautioned to ensure that it is current. Destroy all previous data sheets and if in doubt contact Bostik Limited. ISSUED BY

| Approved LJ<br>REVISION DATE | March 2009   |  |  |
|------------------------------|--|--|--|
| REV. NO./REPL. SDS GENE      | RATED 1  |  |  |
| DATE                         | March 2009   |  |  |
| RISK PHRASES IN FULL         |  |  |  |
| R35                          | Causes severe burns.   |  |  |
| R10                          | Flammable.   |  |  |
| R38                          | Irritating to skin.  |  |  |
| R43                          | May cause sensitisation by skin contact.   |  |  |
| R50/53                       | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |  |  |