1 / 3

REVISION DATE: January 2010 SDS NO.: 15161



# SAFETY DATA SHEET VALLANCE PREMIUM ALL PURPOSE SEALANT WHITE

## 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME VALLANCE PREMIUM ALL PURPOSE SEALANT WHITE

PRODUCT NO. V384WP

SUPPLIER BOSTIK LIMITED

COMMON ROAD STAFFORD STAFFORDSHIRE ST16 3EH +44 1785 272625

+44 1785 272650 (24 HOUR)

sds.uk@bostik.com

## **2 HAZARDS IDENTIFICATION**

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CLASSIFICATION R52/53.

# 3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
ZINC OXIDE	215-222-5	1314-13-2	1-5%	N;R50/53

The Full Text for all R-Phrases are Displayed in Section 16

## **4 FIRST-AID MEASURES**

INHALATION

Remove victim immediately from source of exposure. Move the exposed person to fresh air at once. Get medical attention.

INGESTION

DO NOT induce vomiting. Get medical attention immediately.

SKIN CONTACT

Promptly flush contaminated skin with water. Promptly remove clothing if soaked through and flush the skin with water. Get medical attention if irritation persists after washing.

EYE CONTACT

Rinse the eye with water immediately. Continue to rinse for at least 15 minutes and get medical attention.

## **5 FIRE-FIGHTING MEASURES**

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

SPECIAL FIRE FIGHTING PROCEDURES

Keep run-off water out of sewers and water sources. Dike for water control.

SPECIFIC HAZARDS

Fire or high temperatures create: Toxic gases/vapours/fumes of Carbon dioxide (CO2). Carbon monoxide (CO). Hydrocarbons.

PROTECTIVE MEASURES IN FIRE

Wear self contained breathing apparatus

## **6 ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS

Avoid skin and eye contact. Wear personal protective equipment.

2 / 3

REVISION DATE: January 2010 SDS NO.: 15161

# VALLANCE PREMIUM ALL PURPOSE SEALANT WHITE

#### **ENVIRONMENTAL PRECAUTIONS**

Prevent entry into drains and water courses.

#### SPILL CLEAN UP METHODS

Wear necessary protective equipment. Stop leak if possible without risk. Runoff or release to sewer, waterway or ground is forbidden. Absorb in vermiculite, dry sand or earth and place into containers. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Wash thoroughly after dealing with a spillage.

## 7 HANDLING AND STORAGE

## USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

#### STORAGE PRECAUTIONS

Store at moderate temperatures in dry, well ventilated area. Do not store in direct sunlight.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

## PROTECTIVE EQUIPMENT





## ENGINEERING MEASURES

Provide adequate general and local exhaust ventilation.

#### HAND PROTECTION

Protective gloves must be used if there is a risk of direct contact or splash. Use protective gloves made of: Viton rubber (fluor rubber).

Use thin cotton gloves inside the rubber gloves if allergy risk.

#### EYE PROTECTION

Wear splash-proof eye goggles to prevent any possibility of eye contact.

## OTHER PROTECTION

Wear suitable protective clothing as protection against splashing or contamination.

# HYGIENE MEASURES

Wash promptly if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Use appropriate skin cream to prevent drying of skin.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Paste

COLOUR White

SOLUBILITY Soluble in water

RELATIVE DENSITY 1.2 @ 25 °c

# 10 STABILITY AND REACTIVITY

## STABILITY

No particular stability concerns.

# 11 TOXICOLOGICAL INFORMATION

# INHALATION

Vapour may irritate respiratory system or lungs.

## INGESTION

Ingestion of this material may cause obstruction.

## SKIN CONTACT

May cause skin irritation/eczema

## EYE CONTACT

Irritating to eyes.

**REVISION DATE: January 2010** 

SDS NO : 15161

3 / 3

# VALLANCE PREMIUM ALL PURPOSE SEALANT WHITE

ROUTE OF ENTRY

Skin and/or eye contact.

## 12 ECOLOGICAL INFORMATION

## ECOTOXICITY

The product contains a substance which is harmful to aquatic organisms and which may cause long term adverse effects in the aquatic environment. Contamination of the terrestrial and aquatic environments should be avoided

#### 13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements. Do not allow runoff to sewer, waterway or ground.

## 14 TRANSPORT INFORMATION

**GENERAL** 

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA,

ADR/RID)

No transport warning sign required.

## 15 REGULATORY INFORMATION

RISK PHRASES

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

SAFETY PHRASES

S2 Keep out of the reach of children

Wear suitable protective clothing, gloves and eye/face protection. S36/37/39

S56 Dispose of this material and its container to hazardous or special waste collection point.

S61 Avoid release to the environment. Refer to special instructions/safety data sheets.

STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations. Control of Substances Hazardous to Health.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

# **16 OTHER INFORMATION**

GENERAL INFORMATION

This product should be used as directed by Bostik Ltd. For further information consult the product data sheet or contact Technical Services.

INFORMATION SOURCES

This safety data sheet was compiled using current safety information supplied by distributor of raw materials.

NOTE: Lines within the margin indicate significant changes from the previous revision. This safety data sheet supersedes all previous issues and users are cautioned to ensure that it is current. Destroy all previous data sheets and if in doubt contact Bostik Limited.

ISSUED BY

Approved LJ

REVISION DATE January 2010

REV. NO./REPL. SDS GENERATED q

DATE March 2003

RISK PHRASES IN FULL

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.