



BWX 15/250 BOWSER PRESSURE WASHER





BWX BOWSER PRESSURE WASHER

BRAND NEW heavy duty towable pressure washer comes with a 1125 litre water tank coupled to a 8.9hp Yanmar Electric-Start Diesel engine.

The robust chassis is made of 5mm hot dipped galvanised steel and is European whole Vehicle Type approved allowing for towing on public roads, making this ideal for a range of jobs.

The washers design makes it well suited for remote and harder to reach areas. The HDPE water tank also includes an internal baffle to prevent water surges whilst the machine is being towed.

Ideal for the rental market!

FEATURES & BENEFITS

Bowser

- Robust T-Frame chassis fully Hot dipped galvanised, European whole Vehicle Type approved.
- 1125litre / 250gallon durable Polyethylene tank, with generous 550mm hinged lockable cover. Internal baffle and filler strainer as standard.
- 2 x drain taps to allow drainage of the Pressure Washer Pump or Pump and Tank. Allows for safe transporation and prevents frost damage,
- 2 x 175R13 8ply tyres c/w moulded mudguards.
- Knott-Avonride 200kg auto reverse braked coupling, fitted with either 40mm towing eye as standard or 50mm ball option to meet your requirements.
- Lance holder integrated into the trailer complete with hose storage hooks.
- Side / front refl ectors, lighting equipment complete with 13-pin plug and 7-pin adaptor.
- Break-away cable.
- Telescopic jockey Wheel / Jack.
- Forklift points for safe on-site transportation.
- Customer colour options available (Tank Lid).

Pressure Washer

- Robust, compact full Engine and Pump protection frame.
- Professional Yanmar diesel engine with recoil and elect shart as standard
- Accessible service points.
- Detergent / chemical feed- line complete with strainer filter.
- Inlet-line strainer for added pump protection.
- Ignition warning system.
- High quality, heavy-duty triple piston pump.
- Professional two-wire, 10m braided hoses, complete with quick-screw adaptors and swivel couplings.
- Thermal pump protection.
- Lance comes complete with safety trigger lock.
- Specifically designed for hire and rental markets.
- Customer colour options available (Side Plates & Battery Cover).





MOULDED MUDGUARDS, SIDE REFLECTORS & WHEEL NUT INDICATORS



TANK AND PUMP DRAIN TAPS FOR SAFE TRANSPORTATION & PREVENT FROST DAMAGE

BWX 15/250



LANCE HOLDER INTEGRATED INTO THE TRAILER WITH HOSE STORAGE HOOKS



40MM TOWING EYE, BREAK-AWAY CABLE & TELESCOPIC JOCKEY WHEEL / JACK (OPTIONAL 50MM BALL HITCH ALSO AVAILABLE)



HIGH QUALITY TRIPLE PISTON PUMP WITH THERMAL PROTECTION & INLET STRAINER



INTEGRATED LIGHTING EQUIPMENT COMPLETE WITH 13-PIN PLUG AND 7-PIN ADAPTOR


Altrad-Belle.com

FORKLIFT POINTS FOR SAFE ON-SITE TRANSPORTATION



GENEROUS 550MM TANK MOUTH & INTERNAL TANK BAFFLE

TECHNICAL SPECIFICATIONS



Model BWX 15/250 Part No. BWX152501DS Unladen Weight / Max Laden Weight (Kg) 460 / 1500 Water Tank Capacity (Ltrs) 1125 175 x 13 -8 (mm)Tyre Size (psi - bar) 60 - 4.13 Tyre Pressure *Max. Towing Speed (mph) 60 40mm Ring Eye Tow Eye Type Engine Yanmar L100 Electric Start (Hp-kW) **Engine Power** 8.9 - 6.6 Water Flow (lpm) 15 Max. Water Pressure (bar - psi) 250 - 3600 Fuel Tank Capacity (Ltrs) 5.4 (M) 10 Hose Length Gearbox Driven Pump Yes Vibration Level (m/sec²) < 2.5 Sound Power Level (dB(A))109

Options

OPPW/01/FIO

50mm Tow Ball



ALTRAD BELLE Sheen, Nr. Buxton, Derbyshire, SK17 OEU, GB Tel. +44 (0)1298 84606 - Fax +44 (0)1298 84722 - Email: sales@altrad-belle.com www.Altrad-Belle.com www.AltRAD-Belle247.com