

# PROFESSIONAL LADDERS MAX

**DR A BEST**



# MULTIFUNCTIONAL LADDERS

PROFESSIONAL

PROFESSIONAL  
LADDERS  
**MAX**





■ DW3 MAX 3x7 150 KG



# MULTIFUNCTIONAL LADDERS

PROFESSIONAL

CERTIFICATE  
**EN 131**  
PROFESSIONAL USE



■ DW3 MAX 3x13 150 KG

## DW3 MAX 150 KG

### INDUSTRIAL ALUMINUM LADDER

- Professional three-piece ladder MAX is a multifunctional tool for professional and domestic use
- Movable foot with a large rubber non-slip surface will adapt the ladder to any type of ground - function to the ground!
- Rubber swivel casters make it easy to unfold the ladder and protect the wall from damage
- Additional steel bracket stiffens the structure in the free-standing position increasing comfort and safety of work
- Sturdy catches, powder-coated guiding profile elements, automatic locks
- Steel elements are double-protected against corrosion
- Additional stabilizer in 3x11 and 3x13 models for the third ladder segment provides exceptional stability
- Rungs with 28x28 [mm] profile have grooves
- Load capacity max. 150 kg
- Manufactured in accordance with EN 131 PROFESSIONAL USE

DW3 MAX 150 KG		ILOŚĆ SZCZEBLI / NUMBER OF RUNGS			
		3x7	3x9	3x11	3x13
<small>MIARY I WAGI MOCARÓW NIE SĄ 5% MEASUREMENTS AND WEIGHTS MAY VARY BY 5%</small>	A1 [m] WYSOKOŚĆ ROBOCZA / WORKING HEIGHT	4,00	4,70	6,10	6,90
	A2 [m] WYSOKOŚĆ ROBOCZA / WORKING HEIGHT	5,30	6,13	8,34	10,07
	B1 [m] DŁUGOŚĆ DRABINY / LADDER LENGTH	2,12	2,71	3,29	3,87
	B2 [m] DŁUGOŚĆ DRABINY / LADDER LENGTH	4,41	5,30	7,61	9,37
	C [m] SZEROKOŚĆ DRABINY / LADDER WIDTH	0,45	0,45	0,48	0,48
	G [m] GRUBOŚĆ DRABINY / LADDER THICKNESS	0,16	0,18	0,22	0,22
	WAGA [kg] WAGA / WEIGHT	13,00	16,00	25,70	33,00





■ DW3 MAX 3x11 150 KG



# MULTIFUNCTIONAL LADDERS

PROFESSIONAL



# STABLE AND COMFORTABLE TO USE

## FOR INTENSIVE USE

Get ready for the ultimate productivity in the workplace with the MAX multi-purpose ladder! The multipurpose ladder consists of three components that can be used individually or together, depending on your needs. Complete the toughest tasks with the MAX multifunction ladder.



PROFESSIONAL