Commercial Product Name: FIS VL 300 T

Article-No.: -

Revision date: 21.04.2020

Version: 1/en Print date: 24.04.2020



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial Product Name FIS VL 300 T

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses composite mortar

Recommended restrictions Observe technical data sheet.

1.3 Details of the supplier of the safety data sheet

Company designation fischerwerke GmbH & Co. KG

Klaus-Fischer-Straße 1 D-72178 Waldachtal

Telephone: +49(0)7443 12-0 FAX: +49(0)7443 12-4222 Email: info-sdb@fischer.de Internet: www.fischer.de

Marketer Great Britain: Mrs Mirka Valovicova, fischer Fixing (UK) Ltd

Hithercroft Road

Wallingford, Oxfordshire, OX10 9AT Telephone: +44 01491 827 920

FAX: +44 01491 827 950 Internet: www.fischer.co.uk

1.4 Emergency telephone number

Emergency telephone number +49(0)6132-84463 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regula-Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317

tion (EC) No. 1272/2008

2.2 Label elements

Hazard pictogram



GHS05



GHS07

Signal word Danger

Commercial Product Name: FIS VL 300 T

Article-No.: -

Revision date: 21.04.2020

Version: 1/en Print date: 24.04.2020

Hazardous component(s) to be in- tetramethylendimethacrylat, portland cement, 2-hydroxypropyl

dicated on label methacrylate, dibenzoyl peroxide, 2-methylisothiazol-3(2H)-one

H-statement(s) H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

P-statement(s) P101: If medical advice is needed, have product container or label at

No information available.

hand.

P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/face pro-

tection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Health hazard No information available.

Particular information pertaining

specific risk for human / environ-

ment

Indication of danger No information available.

Hazard precautions No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient	CAS No.	Classification (EC) 1272/2008	Concentration
tetramethylendimethacry- lat	CAS No.: 2082-81-7 EC-No.: 218-218-1 REACH No.: 01-2119967415-30	Skin Sens. 1B;H317	10.0 - 25.0 % by weight
portland cement	CAS No.: 65997-15-1 EC-No.: 266-043-4 REACH No.: The substance does not require registra- tion according to Regulation (EC) No 1907/2006 [REACH].	STOT SE 3;H335	weight
2-hydroxypropyl methacrylate	CAS No.: 27813-02-1 EC-No.: 248-666-3 REACH No.: 01-2119490226-37	Skin Sens. 1; H317 Eye Irrit. 2; H319	2.5 - 10.0 % by weight
ethanediol	CAS No.: 107-21-1 EC-No.: 203-473-3 Index-No.: 603-027-00-1 REACH No.: 01-2119456816-28	Acute Tox. 4; H302 STOT RE 2; H373	< 2.5 % by weight
dibenzoyl peroxide	CAS No.: 94-36-0 EC-No.: 202-327-6 Index-No.: 617-008-00-0	Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic	< 2.5 % by weight

Commercial Product Name: FIS VL 300 T

Article-No.: -

Revision date: 21.04.2020

Version: 1/en Print date: 24.04.2020



Ingredient	CAS No.	Classification (EC) 1272/2008	Concentration
	REACH No.: 01-2119511472-50	Acute 1; H400 Aquatic Chronic 1; H410	
2-methylisothia- zol-3(2H)-one	CAS No.: 2682-20-4 EC-No.: 220-239-6 Index-No.: 613-326-00-9 REACH No.: 01-2120764690-50	Acute Tox. 3; H301 Acute Tox. 2; H330 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Skin Sens. 1A; H317	< 0.01 % by weight

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice Take off immediately all contaminated clothing.

In case of accident or unwellness, seek medical advice immediately (show

directions for use or safety data sheet if possible).

Wear personal protection equipment (refer to section 8).

If inhaled Provide fresh air.

In case of respiratory tract irritation, consult a physician.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap.

Do NOT use solvents or thinners.

In case of eye contact Remove contact lenses.

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmol-

ogist.

If accidentally swallowed rinse the mouth with plenty of water (only if the

person is conscious) and obtain immediate medical attention.

Let water be drunken in little sips (dilution effect).

Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Special medical treatment Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media spray mist, (water), Water spray jet, alcohol resistant foam, carbon diox-

ide, Extinguishing powder

Extinguishing media which must

not be used for safety reasons

Full water jet

Commercial Product Name: FIS VL 300 T

Article-No.: -

Revision date: 21.04.2020

Version: 1/en Print date: 24.04.2020



5.2 Special hazards arising from the substance or mixture

Special exposure hazards arising

from the substance or prepara-

tion itself, its combustion prod-

ucts, or released gases

Heating or fire can release toxic gas.

Fight fire with normal precautions from a reasonable distance.

5.3 Advice for firefighters

Special protective equipment for

firefighting

In case of fire: Wear self-contained breathing apparatus.

For the protection against direct skin contact, body protective clothing is

essential (in addition to the usual working clothes).

Additional information on fire-

fighting

Suppress (knock down) gases/vapours/mists with a water spray jet.

Do not allow water used to extinguish fire to enter drains, ground or wa-

terways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions For non-emergency personnel

Accidental release measures:

Wear personal protection equipment (refer to section 8).

Remove all sources of ignition.

Ensure adequate ventilation, especially in confined areas.

6.2 Environmental precautions

Environmental precautions The product should not be allowed to enter drains, water courses or the

soil.

Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Allow stiffening. Take up mechanically.

Treat the recovered material as prescribed in the section on waste dis-

posal.

6.4 Reference to other sections

Reference to other sections Reference to other sections: 7 / 8 / 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Caution: During machining in cured state dust is formed.

Keep container tightly closed.

Commercial Product Name: FIS VL 300 T

Article-No.: -

Revision date: 21.04.2020

Version: 1/en Print date: 24.04.2020

innovative solutions

111116 44461 2 110 112020

Hygiene measures: When using do not eat, drink or smoke. Wash hands

before breaks and after work.

Take off contaminated clothing and wash it before reuse.

Advice on protection against fire

and explosion

No special measures are necessary.

7.2 Conditions for safe storage, including any incompatibilities

Storage space and container re-

quirements

Keep/Store only in original container.
Keep container tightly closed and dry.
Store in accordance with local regulations.

Unsuitable materials for contain-

ers

Keep only in original container.

Hints on storage assembly Keep away from food, drink and animal feedingstuffs.

German storage class 10-13

Recommended storage tempera-

ture

+5 - 25 °C

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

portland cement

Great Britain		
Long-term exposure value/ mg/m3	Remarks	Source
10	inhalable dust	Company data
4	respirable dust	Company data

ethanediol

Great Britain						
Long-term ex- posure value/ ppm	Long-term ex- posure value/ mg/m3	Short-term ex- posure value / ppm	Short-term ex- posure value / mg/m3	Remarks	Note	Source
	10			particulates only	Sk	EH40/2005 Workplace exposure limits (2011)
20	52	40	104	vapour	Sk	EH40/2005 Workplace ex- posure limits (2011)

Europe						
Long-term ex-	Long-term ex-	Short-term ex-	Short-term ex-	Note	Issuing date	Source
posure value/	posure value/	posure value /	posure value /			
mg/m3	ppm	mg/m3	ppm			
52	20	104	40	Skin	2000/39	DIRECTIVE
						2009/161/EU

Commercial Product Name: FIS VL 300 T

Article-No.: -

Revision date: 21.04.2020



Version: 1/en Print date: 24.04.2020

dibenzoyl peroxide

Great Britain	
Long-term exposure value/ mg/m3	Source
5	EH40/2005 Workplace exposure limits (2011)

8.2 Exposure controls

Respiratory protection Usually no personal respirative protection necessary.

In case of inadequate ventilation wear respiratory protection.

Hand protection Health injuries are not known or expected under normal use. For pro-

longed or repeated contact use protective gloves. May cause sensitization of susceptible persons by skin contact. Avoid contact with eyes and skin.

Suitable material Protective gloves complying with EN 374. Butyl caoutchouc (butyl rubber),

CR (polychloroprene, chloroprene rubber), NBR (Nitrile rubber), Fluorinat-

ed rubber

Unsuitable material PVC or rubber gloves are not recommended.

Material thickness adjust to application and duration of use

Break through time > 120 min

Evaluation -

Remarks Take note of the information given by the producer concerning perme-

ability and break through times, and of special workplace conditions (me-

chanical strain, duration of contact).

Note Replace when worn.

Eye protection Wear closely fitting protective glasses in case of splashes.

Safety glasses with side-shields conforming to EN166

Skin and body protection Long sleeved clothing

Note Choose body protection according to the amount and concentration of

the dangerous substance at the work place.

General protective and hygiene

measures

Do not eat, drink or smoke when using this product.

Avoid contact with the skin and the eyes.

Wash hands and face before breaks and after work and take a shower if

necessary.

Keep away from food, drink and animal feedingstuffs. Use protective skin cream before handling the product.

Information on environmental

protection regulations

No special environmental measures are necessary.

see section 6/7

Engineering measures Provide adequate ventilation.

Commercial Product Name: FIS VL 300 T

Article-No.: -

Revision date: 21.04.2020

Version: 1/en Print date: 24.04.2020



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form Paste

Colour grey

Odour characteristic

Odour threshold not determined

pH (min) No data available

pH (max) No data available

Melting point [°C] / Freezing point

[°C]

No data available

Boiling point [°C] No data available

Flash point [°C] > 100

Evaporation rate [kg/(s*m²)] No data available

Flammability (solid, gas) No data available

Explosion limits [Vol-%]

Remarks No data available

Vapour pressure [kPa] No data available

Vapour density No data available

Density [g/cm³] 1,7-1,9

Temperature 23°C

Relative density No data available

Solubility No data available

Water solubility [g/l] No data available

Solubility [g/l] No data available

Partition coefficient n-octanol /wa-

ter (log P O/W)

No data available

Autoinflammability not auto-flammable

Decomposition temperature [°C] No data available

Viscosity, dynamic [kg/(m*s)] 90-150

Temperature 20°C

Explosive properties not explosive.

Oxidising properties No

Commercial Product Name: FIS VL 300 T

Article-No.: -

Revision date: 21.04.2020

Version: 1/en Print date: 24.04.2020



SECTION 10: Stability and reactivity

10.1 Reactivity

Reactivity No hazardous reaction when handled and stored according to provisions.

No decomposition if stored and applied as directed.

10.2 Chemical stability

Chemical stability Stable when applying the recommended regulations for storage and han-

dling. Further information on correct storage: refer to section 7.

10.3 Possibility of hazardous reactions

Hazardous reactions No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Conditions to avoid The mixture is chemically stable under recommended conditions of stor-

age, use and temperature.

10.5 Incompatible materials

Materials to avoid Strong acids and oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition prod- No known hazardous decomposition products.

ucts

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Oral toxicity [mg/kg]

tetramethylendimet	hacrylat		
Value	Test criterion	Test species	Source
>5000	LD50	Rat	Company data

portland cement			
Value	Test criterion	Remarks	Source
> 2000	LD50	literature value	Company data

2-hydroxypropy	l methacrylate			
Value	Test criterion	Test species	Remarks	Source
> 2000	LD50	rat	OECD 401 Limit Test.	Company data

Value Test criterian Test species Remarks Source	ethanediol				
value l'est criterion l'est species kemarks source	Value	Test criterion	Test species	Remarks	Source

Article-No.: -

Revision date: 21.04.2020

Version: 1/en Print date: 24.04.2020



5840	LD50	Rat	*1)	Company data

^{*1):} Harmonised (legal) classification. Harmful if swallowed.

dibenzoyl peroxide			
Value	Test criterion	Test species	Source
> 5000	LD50	rat	Company data

2-methylisothiazol-3(2H)-one				
Value	Test criterion	Source		
600	LC50	Company data		

Dermal toxicity [mg/kg] Hazardous ingredients

tetramethylendimethacrylat				
Value	Test criterion	Test species	Source	
>3000	LD50	Rabbit	Company data	

portland cement				
Value	Test criterion	Test species	Remarks	Source
> 2000	LD50	rabbit	Limit test 2000 mg/kg	Company data

2-hydroxypropyl methacrylate					
Value Test criterion Test species Source					
> 5000	LD50	rabbit	Company data		

ethanediol			
Value	Test criterion	Test species	Source
> 3500	LD50	rabbit	Company data

2-methylisothiazol-3(2H)-one		
Value	Test criterion	Source
> 5000	LD50	Company data

Inhalative toxicity [mg/l] Hazardous ingredients

tetramethylendimethacrylat		
Value	Source	
Based on available data, the classification criteria	Company data	
are not met.		

portland cemen	t			
Value	Test criterion	Test species	Note	Source
> 5	LC50	rat	Limit Test 5 g/m ³	Company data

2-hydroxypropyl methacrylate	
Value	Source

Article-No.: -

Version: 1/en

Revision date: 21.04.2020



Print date: 24.04.2020

No data available	Company data

ethanediol				
Value	Test criterion	Test species	Exposure dura- tion	Source
> 5	LC50	rat	4 h	Company data

dibenzoyl peroxide			
Value	Test criterion	Test species	Source
> 24300	LC50	rat	Company data

LC50 Inhalation 1h for gases [ppmV]

Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

LC50 Inhalation 4h for gases [ppmV]

Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

LC50 Inhalation 1h for vapours [mg/l]

Hazardous ingredients

nazaraous ingreateries	
tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

LC50 Inhalation 4h for vapours [mg/l]

Hazardous ingredients

1142414045111614165	
tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

LC50 Inhalation 4h for dusts and sprays [mg/l]

Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

LC50 Inhalation 1h for dusts and sprays [mg/l]

Article-No.: -

Revision date: 21.04.2020

Version: 1/en Print date: 24.04.2020



Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

Irritant effect on skin

Hazardous ingredients

tetramethylendi	methacrylat			
Value	Measuring method	Test species	Exposure dura- tion	Source
Not an irritant.	FDA 1959	Rabbit	24 h	Company data

portland cement	
Value	Source
Irritant	Company data

2-hydroxypropyl methacrylate		
Value	Measuring method	Source
No skin irritation	OECD Test Guideline 404	Company data

ethanediol	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

Irritant effect on eyes

Hazardous ingredients

tetramethylendimeth	acrylat		
Value	Test species	Exposure duration	Source
Not an irritant.	Rabbit	24 h	Company data

portland cement	
Value	Source
Causes serious eye damage.	Company data

2-hydroxypropyl methacrylate		
Value	Measuring method	Source
irritating	OECD 405	Company data

ethanediol	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

Irritant effect on the respiratory tract Hazardous ingredients

Article-No.: -

Revision date: 21.04.2020

Print date: 24.04.2020 Version: 1/en



tetramethylendimethacrylat			
Value	Test species	Exposure duration	Source
Not an irritant.	Mouse	24 h	Company data

portland cement	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

Sensitization

Hazardous ingredients

tetramethylendimeth	acrylat		
Value	Measuring method	Test species	Source
Skin sensitisation	OECD 429	Mouse	Company data

portland cement	
Value	Source
No sensitization responses were observed.	Company data

2-hydroxypropyl methacrylate	
Value	Source
Skin sensitizer	Company data

ethanediol	
Value	Source
not sensitising. Based on available data, the classification criteria are not met.	Company data

2-methylisothiazol-3(2H)-one			
Value	Measuring method	Test species	Source
Skin sensitisation	OECD 429	Mouse	Company data

Carcinogenic effects

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

portland cement		
Value	Source	
Based on available data, the classification criteria	Company data	
are not met.		

2-hydroxypropyl methacrylate	
Value	Source
Not applicable.	Company data

Article-No.: -

Revision date: 21.04.2020





ethanediol	
Value	Source
Contains no ingredient listed as a carcinogen	Company data

Mutagenicity Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

portland cement	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

2-hydroxypropyl methacrylate		
Value	Remarks	Source
Not applicable.	OECD 471 (Ames Test) / OECD 476.	Company data

ethanediol	
Value	Source
Not applicable.	Company data

Reproduction toxicity

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

portland cement	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

2-hydroxypropyl methacrylate		
Value	Remarks	Source
Not applicable.	OECD 422	Company data

ethanediol	
Value	Source
Not applicable.	Company data

Article-No.: -

Revision date: 21.04.2020

Version: 1/en Print date: 24.04.2020



Caustic effect

Hazardous ingredients

tetramethylendimethacrylat				
Value	Measuring method	Test species	Exposure dura- tion	Source
Not an irritant.	FDA 1959	Rabbit	24 h	Company data

portland cement	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

2-hydroxypropyl methacrylate	
Value	Source
Not applicable.	Company data

ethanediol	
Value	Source
No data available	Company data

Specific target organ toxicity (single exposure) [mg/kg]

Hazardous ingredients

tetramethylendimethacrylat	
Remarks	Source
*1)	Company data

^{*1):} Based on available data, the classification criteria are not met.

portland cement	
Specific effects	Source
Irritating to respiratory system. (dust)	Company data

2-hydroxypropyl methacrylate	
Remarks	Source
Not applicable.	Company data

ethanediol	
Remarks	Source
*1)	Company data

^{*1):} Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure) [mg/kg] **Hazardous ingredients**

tetramethylendimethacrylat	
Remarks	Source
*1)	Company data

^{*1):} Based on available data, the classification criteria are not met.

portland cement

Article-No.: -

Revision date: 21.04.2020

Version: 1/en Print date: 24.04.2020



Remarks	Source
*1)	Company data

^{*1):} Based on available data, the classification criteria are not met.

2-hydroxypropyl methacrylate	
Remarks	Source
Not applicable.	Company data

ethanediol					
Route of exposure	Organs affected	Specific effects	Source		
Ingestion	Causes damage to kid- neys if swallowed.	Causes damage to organs through pro- longed or repeated ex- posure.	Company data		
Skin contact	May cause damage to kidneys in contact with skin.	Causes damage to organs through pro- longed or repeated ex- posure.	Company data		

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish [mg/l] Hazardous ingredients

tetrametl	tetramethylendimethacrylat					
Value	Test crite- rion	Test species	Mea- suring method	Exposure duration	Remarks	Source
32,5	LC50:	Leucis- cus idus (Golden orfe)	DIN 38412 / part 15	48 h	By analo- gy.	Company data

portland cement		
Value	Test criterion	Source
> 100	LC50	Company data

2-hydroxypropyl methacrylate						
Value	Test criteri-	Test species	Measuring	Exposure	Source	
	on		method	duration		
493	LC50	Leuciscus	DIN 38412	48 h	Company da-	
		idus (Golden			ta	
		orfe)				

ethanediol				
Value	Test criterion	Test species	Exposure dura- tion	Source
			CIOII	

Article-No.: -

Revision date: 21.04.2020





72860	LC50	Pimephales	96 h	Company data
		promelas (fat-		
		head minnow)		

dibenzoyl peroxide			
Value	Test criterion	Exposure duration	Source
0,06	LC50	96 h	Company data

2-methylisothiazol-3(2H)-one					
Value	Test criteri- on	Test species	Measuring method	Exposure duration	Source
30	LC50	On- corhynchus mykiss (Rain- bow trout)	OECD 203	96 h	Company da- ta

Toxicity to daphnia [mg/l] Hazardous ingredients

tetramethylendimethacrylat					
Value	Test criteri- on	Test species	Exposure duration	Measuring method	Source
7,51	EC10	Daphnia magna (Big water flea)	48 h	OECD 211	Company da- ta

portland cement			
Value	Test criterion	Test species	Source
> 100	LC50	Daphnia magna (Wa- ter flea)	Company data

2-hydroxypro	pyl methacrylate				
Value	Test criteri- on	Test species	Exposure duration	Measuring method	Source
> 130	EC50	Daphnia magna (Wa- ter flea)	48 h	OECD Test Guideline 202	Company da- ta

ethanediol				
Value	Test criterion	Test species	Exposure dura- tion	Source
> 100	EC50	Daphnia magna (Water flea)	48 h	Company data

dibenzoyl peroxi	de			
Value	Test criterion	Test species	Exposure dura- tion	Source
0,11	EC50	Daphnia magna (Big water flea)	48 h	Company data

Article-No.: -

Revision date: 21.04.2020

Print date: 24.04.2020 Version: 1/en



2-methylisothiazol-3(2H)-one					
Value	Test criteri- on	Test species	Exposure duration	Measuring method	Source
8,4	EC50	Daphnia magna (Big water flea)	48 h	OECD 202	Company da- ta

Toxicity to algae [mg/l]

Hazardous ingredients

tetramethylendimethacrylat					
Value	Test criteri- on	Test species	Exposure duration	Measuring method	Source
9,78	EC50	Desmod- esmus sub- spicatus	72 h	OECD 201	Company da- ta

portland cement		
Value	Test criterion	Source
> 100	EC50	Company data

2-hydroxypropyl methacrylate						
Value	Test criteri- on	Test species	Exposure duration	Measuring method	Source	
> 97,2	EC50	Selenastrum capricornu- tum	72 h	OECD Test Guideline 201	Company da- ta	

ethanediol				
Value	Test criterion	Test species	Exposure dura- tion	Source
> 6500	EC50	Selenastrum capricornutum	96 h	Company data

dibenzoyl peroxide			
Value	Test criterion	Exposure duration	Source
0,06	EC50	72 h	Company data

2-methylisothiazol-3(2H)-one					
Value	Test criteri- on	Test species	Exposure duration	Measuring method	Source
0,79	IC50:	Pseudokirch- neriella sub- capitata	72 h	OECD 201	Company da- ta

NOEC (fish) [mg/l]

idzai dods ingi calcitis					
tetramethylendimethacrylat					
Value	Source				
20	Company data				

Article-No.: -

Revision date: 21.04.2020

Version: 1/en Print date: 24.04.2020



ethanediol			
Value	Test criterion	Test species	Source
15380	NOEC	Pimephales promelas (fathead minnow)	Company data

2-methylisothiazol-3(2H)-one					
Value	Test criterion	Test species	Measuring method	Source	
11,9	NOEC	Pimephales promelas (fat- head minnow)	OECD 210	Company data	

NOEC (daphnia) [mg/l]

Hazardous ingredients

tetramethylendimethacrylat				
Value	Source			
20	Company data			

2-hydroxypropyl methacrylate					
Value	Test criterion	Test species	Measuring method	Source	
24,1	NOEC	Daphnia magna (Big water flea)	OECD 202	Company data	

ethanediol		
Value	Test criterion	Source
8590	NOEC	Company data

2-methylisothiazol-3(2H)-one					
Value	Test criterion	Test species	Measuring method	Source	
2,75	NOEC	Daphnia magna (Big water flea)	OECD 211	Company data	

NOEC (algae) [mg/l]

tetramethylendimethacrylat				
Value	Source			
20	Company data			

2-methylisothiazol-3(2H)-one				
Value	Test criterion	Test species	Measuring method	Source
0,15	NOEC	Pseudokirchner- iella subcapitata	OECD 201	Company data

Commercial Product Name: FIS VL 300 T

Article-No.: -

Revision date: 21.04.2020

Version: 1/en Print date: 24.04.2020



12.2 Persistence and degradability

Biodegradability

Hazardous ingredients

tetramethylendimethacrylat	
Remarks	Source
*1)	Company data

^{*1):} Readily biodegradable (according to OECD criteria).

portland cement	
Value	Source
Not applicable. (inorganic)	Company data

2-hydroxypropyl methacrylate	
Value	Source
Readily biodegradable.	Company data

ethanediol		
Remarks	Value	Source
Readily biodegradable.	90 - 100 %	Company data

2-methylisothiazol-3(2H)-one	
Value	Source
Readily biodegradable.	Company data

12.3 Bioaccumulative potential

Bioaccumulation

tetramethylendimethacrylat	
Value	Source
Based on the n-octanol/water partition coefficient	Company data
accumulation in organisms is not expected.	

portland cement	
Value	Source
Not applicable. (inorganic)	Company data

2-hydroxypropyl methacrylate	
Value	Source
no data available	Company data

ethanediol	
Value	Source
Bioaccumulation is unlikely.	Company data

Commercial Product Name: FIS VL 300 T

Article-No.: -

Revision date: 21.04.2020

Version: 1/en Print date: 24.04.2020



12.4 Mobility in soil

Mobility

Hazardous ingredients

portland cement	
Value	Source
Not applicable. (inorganic)	Company data

2-hydroxypropyl methacrylate	
Value	Source
No data available	Company data

ethanediol	
Value	Source
Not applicable.	Company data

12.5 Results of PBT and vPvB assessment

Results of PBT characteristics determination

Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.	Company data

portland cement	
Value	Source
Not applicable.	Company data

2-hydroxypropyl methacrylate	
Value	Source
Not applicable.	Company data

ethanediol	
Value	Source
Not applicable.	Company data

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal considerations Do not allow to enter into surface water or drains.

Dispose of waste according to applicable legislation.

Empty remaining contents.

Empty packaging: Where possible recycling is preferred to disposal or in-

cineration.

Commercial Product Name: FIS VL 300 T

Article-No.: -

Revision date: 21.04.2020

Version: 1/en Print date: 24.04.2020

stallation subject to local regulations.

Waste Code According to the European Waste Catalogue, Waste Codes are not prod-

uct specific, but application specific.

The following Waste Codes are only suggestions:

Product (Mortar and Curing agent)

200127 - paint, inks, adhesives and resins containing dangerous sub-

Product: Can be disposed of as a solid waste or burned in a suitable in-

stances

080409 - waste adhesives and sealants containing organic solvents or

other dangerous substances

cured material and completely squeezed cartridges

200000 - MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING

SEPARATELY COLLECTED FRACTIONS

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG	Air transport ICAO/IATA
14.1 UN-No	Not applicable.	Not applicable.	Not applicable.
14.2 Description of the	No dangerous good accord-	No dangerous good accord-	No dangerous good accord-
goods	ing to ADR	ing to IMDG	ing to IATA
14.3 Transport hazard	Not applicable.	Not applicable.	Not applicable.
class(es)			
14.4 Packaging group	Not applicable.	Not applicable.	Not applicable.
14.5 Environmental hazards	Not applicable.	Not applicable.	Not applicable.
14.2 UN proper shipping		Non dangerous good	Non dangerous good
name			

14.6 Special precautions for user

Precautions No special measures are necessary.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to

not applicable

Annex II of MARPOL and the IBC

Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC < 1 g/l / < 0,1 %

Decopaint regulation not relevant

Carcinogenic hazardous sub-

No

stance as per Annex II GefStoffV

Commercial Product Name: FIS VL 300 T

Article-No.: -

Revision date: 21.04.2020

Version: 1/en Print date: 24.04.2020



Restriction of occupation. no restriction

15.2 Chemical safety assessment

Safety assessment For this preparation a chemical safety assessment has been carried out.

This safety data sheet contains more than one ES in an integrated form. Contents of the exposure scenarios have been included into sections 1.2,

8, 9, 12, 15 and 16 of this safety data sheet.

Additional regulations This Safety Data Sheet is prepared according to Commission Regulation

(EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evalua-

tion, Authorisation and Restriction of Chemicals (REACH)

SECTION 16: Other information

Relevant H-phrases H241: Heating may cause a fire or explosion.

H301: Toxic if swallowed. H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation.

H330: Fatal if inhaled.

H335: May cause respiratory irritation.

H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects.

Wording of the hazard classes Skin Irrit.: Skin irritation

Eye Dam.: Serious eye damage

STOT SE: Specific target organ toxicity - single exposure

Skin Sens.: Skin sensitization Eye Irrit.: Serious eye irritation Acute Tox.: Acute toxicity

STOT RE: Specific target organ toxicity - repeated exposure Aquatic Acute: Hazardous to the aquatic environment Aquatic Chronic: Hazardous to the aquatic environment

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

Classification	Evaluation
Skin Irrit. 2; H315	Calculated
Eye Dam. 1; H318	Calculated
Skin Sens. 1; H317	Calculated

Recommended restrictions

Observe technical data sheet.