



18V 6PC COMBO KIT LXT

DLX6068PT



MODELS IN KIT



**Battery BL1850B 18v Li-ion
197282-4**



**LXT600 HEAVY DUTY TOOL
BAG
831279-0**



**Twin port charger
DC18RD**



**18V COMBI DRILL LXT
DHP453Z**



**18V ROTARY HAMMER SDS+
20mm
DHR202Z**



**JIGSAW 18V LXT
DJV180Z**

MODELS IN KIT



Flashlight Li-ion 14.4/18V
DML802



18V CIRCULAR SAW 165MM
LXT
DSS611Z



18v LXT Impact Driver
DTD152Z



Battery BL1850B 18v Li-ion

197282-4

18v 5.0Ah Li-ion Battery

- LED battery indicator.
- Unbeatable 45 minute charge time.
- Same weight as 3.0Ah battery.
- Works with your current Li-ion Chargers.
- Longer run time and battery life.

For Compatibility please [click here](#).

For notice on shipping of Li-ion batteries please [click here](#)



TECHNICAL SPECIFICATIONS

Voltage	18 v
Battery Ah	5.0 Ah
Battery Type	Li-ion
Battery ID	BL1850B

USER BENEFITS

- Lightweight and shock-absorbing. The Li-ion range delivers 430% more working capacity during it's lifetime compared to Ni-Cad and is 40% Lighter than Ni-MH. The Li-ion has minimal depletion of power during use or in storage over it's lifetime.

Link to product - www.makitauk.com





LXT600 HEAVY DUTY TOOL BAG

831279-0

70 x 36 x 38cm



■ TECHNICAL SPECIFICATIONS

Model	LXT600
Pack Quantity	1

■ USER BENEFITS

- Heavy duty tool bag
- Hard wearing nylon weave material
- Multiple internal and external pockets for storage
- Padding throughout with plastics skids on the base

[Link to product - www.makita.com](http://www.makita.com)





Twin port charger

DC18RD

The DC18RD Will charge 18v and 14.4v LXT slide battery's in the below times:

•3.0Ah - 22 minutes•4.0Ah - 36 minutes•5.0Ah - 45 minutes•6.0Ah - 55 minutes



TECHNICAL SPECIFICATIONS

Voltage	240 v
Battery Range	14.4 - 18 v
Battery Type	Twinport fast charger with USB
Pack Quantity	1

USER BENEFITS

- A USB port that provides 1.5A output for charging smart phones, tablets, etc.
- Available in 110v and 240v
- Full charge sound alert.
- LED charging display.
- x2 charging ports
- Forced cooling system
- Electronic current limiter for overload protection.

Link to product - www.makita.com



18V COMBI DRILL LXT

DHP453Z

Model DHP453 is a cost-competitive 18V cordless combi drill powered by Li-ion battery; featuring single sleeve keyless drill chuck for easy bit installation/removal, and a compact and lightweight design for easy handling.



TECHNICAL SPECIFICATIONS

Voltage	18 v
Max. in wood	36 mm
Max. in masonry	13 mm
Max. in steel	13 mm
Blows per minute	19500 - 6000 bpm
Max Torque	42 Nm
Torque Settings	16 + drill
No Load Speed	1300 - 400 rpm
Battery Type	Lithium-ion
Vibration: Drilling	2.5 m/sec ²
Vibration: Hammer Drilling	7.5 m/sec ²
Vibration K factor	1.5 m/sec ²
Noise sound pressure	78 dB(A)
Noise K factor	3 dB(A)
Body only machine	✓
Net weight	1.7 - 2.0 kg

USER BENEFITS

- Conveniently located push button for forward and reverse.
- High comfort grips.
- Two speed gear box.
- Metal gears

[Link to product - www.makita.com](http://www.makita.com)



18V ROTARY HAMMER SDS+ 20mm

DHR202Z

This 18v LXT SDS-PLUS Rotary Hammer is capable of drilling through steel, wood and masonry with ease. With the power of Lithium-Ion you can be sure to get the job done, wherever you are!



18V ROTARY HAMMER SDS+ 20mm

TECHNICAL SPECIFICATIONS

Battery Type	Lithium-ion
Battery Quantity (3.0 Ah)	0
Body only machine	✓
Voltage	18 v
Max in concrete	20 mm
Max. in steel	13 mm
Max. in wood	26 mm
Impact energy	2.0 J
Blows per minute	0-4000 bpm
Noise sound pressure	87 dB(A)
Noise sound power	98 dB(A)
Noise K factor	3 dB(A)
No Load Speed	0 - 1100 rpm
Vibration: Drilling	3 m/sec ²
Vibration K factor	1.5 m/sec ²
Vibration: Hammer Drilling	14.5 m/sec ²
Vibration: Chiselling	11 m/sec ²
Net weight	3.2 - 4.0 kg

USER BENEFITS

- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery.
- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time.
- Conveniently located push button for forward and reverse.
- High comfort grips.
- LED job light with afterglow.
- One-touch sliding chuck for easy bit changes.
- Triple operation mode: Rotary only, hammer only and rotary hammer.
- Rotation mode: The chisel can rotate a full 360 degrees with 40 different locking positions.

[Link to product - www.makita.com](http://www.makita.com)





JIGSAW 18V LXT

DJV180Z

Models DJV180 are cordless jig saws powered by Li-ion battery, featuring a compact and lightweight design.

JIGSAW 18V LXT



TECHNICAL SPECIFICATIONS

Battery Type	Lithium-ion
Battery Quantity (3.0 Ah)	0
Body only machine	✓
Voltage	18 v
Max in steel	10 mm
Max in wood	135 mm
Strokes per Minute	0-2600 spm
Stroke Length	26 mm
Noise sound pressure	78 dB(A)
Noise K factor	3 dB(A)
Vibration K factor	1.5 m/sec ²
Vibration: Cutting Chipboard	8 m/sec ²
Vibration: Cutting Sheet Metal	3.5 m/sec ²
Net weight	2.7 - 3.0 kg

USER BENEFITS

- Tool-less blade change.
- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time.
- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery.
- High comfort grips.
- LED job light that creates an easy to trace cutting line.
- Smooth and powerful cutting at the high stroke speed of 2,600spm.

[Link to product - www.makita.com](http://www.makita.com)





Flashlight Li-ion 14.4/18V DML802



TECHNICAL SPECIFICATIONS

Voltage	14.4 or 18 v
Battery Type	Li-ion
Pack Quantity	1

USER BENEFITS

- High-luminance single L.E.D. flashlight provides 160 lumens.
- 12 position pivoting flashlight head with positive stops from 60° - 110°
- Aluminum flashlight head design for increased durability
- Metal hang hook is convenient and job site durable.
- Multi-faceted reflector controls the direction and spread of the light.
- L.E.D. provides a sharp, round spotlight

[Link to product - www.makita.com](http://www.makita.com)





18V CIRCULAR SAW 165MM LXT

DSS611Z

Model DSS611 has been developed as a cost-competitive sister tool of Model DSS610. Features the same lightweight design, portability and high performance as DSS610 although the following functions have been removed: LED Job light, Positive stop at 45 degrees, Blower function, Electric brake.

18V CIRCULAR SAW 165MM LXT



TECHNICAL SPECIFICATIONS

Battery Type	Lithium-ion
Battery Quantity (3.0 Ah)	0
Body only machine	✓
Voltage	18 v
Depth of Cut @ 90°	57 mm
Blade Diameter	165 mm
Depth of Cut @ 45°	40 mm
Depth of Cut @ 50°	36 mm
Bore Diameter	20 mm
Noise sound pressure	91 dB(A)
Noise sound power	102 dB(A)
Noise K factor	3 dB(A)
No Load Speed	3700 rpm
Vibration K factor	1.5 m/sec ²
Vibration: Cutting Chipboard	2.5 m/sec ²
Net weight	2.9 - 3.2 kg

USER BENEFITS

- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time.
- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery.
- Double safety trigger.
- High comfort grips.
- Removable dust nozzle.

[Link to product - www.makita.com](http://www.makita.com)



18v LXT Impact Driver

DTD152Z

Model DTD152 is a cordless impact driver powered by 18V Li-ion battery and developed for main applications such as tightening of self-drilling screws or light duty machine screws.

18v LXT Impact Driver



TECHNICAL SPECIFICATIONS

Voltage	18 v
Standard Bolt	M5-M16
High Tensile Bolt	M5-M12
Coarse thread (length)	22 - 125 mm
Max Fastening Torque	165 Nm
No Load Speed	0 - 2900 rpm
Battery Type	Lithium-ion
Vibration: Fastening Bolt	10.5 m/sec ²
Vibration K factor	1.5 m/sec ²
Noise sound pressure	93 dB(A)
Noise sound power	104 dB(A)
Noise K factor	3 dB(A)
Body only machine	✓
Net weight	1.3 - 1.6 kg
Battery quantity (4.0Ah)	0
Driving Shank	6.35mm (1/4") Hex
Machine Screw	M4-M8
Impacts per Minute	0 - 3,500 ipm

USER BENEFITS

- Electric brake
- Variable speed control by trigger
- Forward / reverse rotation
- Twin LED job light
- Ergonomic soft grip
- Compact and lightweight design
- Equipped with Battery protection circuit: designed to protect the battery from damages due to overdischarge, high temperature or overload current.
- High rotation speed

[Link to product - www.makita.com](http://www.makita.com)



RELATED COMBOKIT PRODUCTS

(Recom

STANDARD ACCESSORIES

DBN600RTJ

18V Finishing Nailer 16G LXT

DCE090T2X1

18V CORDLESS POWER CUTTER

DB0180RTJ

18V RANDOM ORBIT SANDER 5"

DGA700PT2

18Vx2 Angle Grinder 180mm BL LXT

DCE090T2X1

18V CORDLESS POWER CUTTER

DGA900PT2

18Vx2 Angle Grinder 230mm BL LXT

DCS552RTJ

18V Metal Saw 136mm LXT

DDA351RTJ

Angle Drill 18V LXT

DDF484RTJ

18V Drill Driver BL LXT

DDF484Z

18V Drill Driver BL LXT

DLM382PG2

18Vx2 LAWNMOWER 38CM LXT

DDF485RTJ

18V DRILL DRIVER BL LXT

DLM382PM2

18Vx2 LAWNMOWER 38CM LXT

DFR550RTJ

18V AUTO FEED SCREWDRIVER

DFS250RTJ

18V Brushless Screwdriver LXT

DFS250Z

18V Brushless Screwdriver LXT

DFS251RTJ

18V Brushless TEK Screwdriver LXT



DFS251Z

18V Brushless TEK Screwdriver LXT



DLM432PG2

18Vx2 LAWNMOWER 43CM LXT



DGA456Z

18V Brushless 115mm Angle Grinder



DLM432PT2

18Vx2 LAWNMOWER 43CM LXT



DLM460PG2

Twin 18V Lawn Mower 46cm BL LXT



DGA463RTJ

18V Angle Grinder 115mm BL LXT



DLM460PT2

Twin 18V Lawn Mower 46cm BL LXT



DGA467RTJ

18V Angle Grinder 115mm BL LXT



DLM462PG2

18Vx2 LAWNMOWER 46cm BL LXT



DGA506Z

18V Brushless 125mm Angle Grinder



DLM462PT4

18Vx2 LAWNMOWER 46cm BL LXT



DLM530PG2

18Vx2 LAWNMOWER 53cm BL LXT



DGA513RTJ

18V Angle Grinder 125mm BL LXT



DLM530PT4

18Vx2 LAWNMOWER 53cm BL LXT



DGA517RTJ

18V Angle Grinder 125mm BL LXT



DLM532PG2

18Vx2 LAWNMOWER 53cm BL LXT



DGD800RTJ

18V DIE GRINDER LXT



DLM532PT4

18Vx2 LAWNMOWER 53cm BL LXT

DHK180RTJ

18V POWER SCRAPER BL LXT

**DHR242RTJ**

18V ROTARY HAMMER SDS+ 24MM

**DLM533PG2**

18Vx2 LAWNMOWER 53cm BL LXT

**DUC353PG2**

18Vx2 Chainsaw 350mm BL LXT

**DHP481RTJ**

18V Brushless Combi Drill LXT

**DHR242RTJW**

18V ROTARY HAMMER SDS+ 24MM

**DLM533PT4**

18Vx2 LAWNMOWER 53cm BL LXT

**DUC355PG2**

18Vx2 Chainsaw 350mm BL LXT

**DHP482RTJ**

18v LXT Combi Drill

**DHS660RTJ**

18V Circular Saw 165mm BL LXT

**DHP482RTWJ**

18v LXT Combi Drill

**DUC405PG2**

18Vx2 Chainsaw 400mm BL LXT

**DUB362PG2**

18Vx2 BLOWER LXT

**DJN161RTJ**

18V NIBBLER 1.6MM LXT

**DHP484RTJ**

18V Combi Drill BL LXT

**DUH551PG2**

Twin 18V Hedge Trimmer LXT

**DHP484Z**

18V Combi Drill BL LXT

**DJR186RTE**

18V RECIPROCATING SAW LXT

**DUB363PG2V**

18VX2 BLOWER BL LXT

**DUH651PG2**

Twin 18V Hedge Trimmer LXT

**DHP485RTJ**

18V COMBI DRILL BL LXT

**DJR187RTE**

18V Brushless Reciprocating Saw

**DUB363PT2V**

18VX2 BLOWER BL LXT

**DJR187Z**

18V Brushless Reciprocating Saw

**DHR202RT1J**

18V ROTARY HAMMER SDS+ 20MM

**DUR364LPG2**

Twin 18V Brushless Linetrimmer LXT

**DUC256PG2**

TWIN 18V TOP HANDLE CHAIN SAW

**DJS161RTJ**

18V STRAIGHT SHEAR 1.6MM

**DHR202RTJ**

18V ROTARY HAMMER SDS+ 20MM

**DUR368APG2**

Twin 18V Brushless Brush Cutter LXT

**DUC305PG2**

18Vx2 Chainsaw 300mm BL LXT

**DKP180RTJ**

18V PLANER 82MM LXT

**DHR241RTJ**

18V ROTARY HAMMER SDS+

**DUR369APG2**

18Vx2 Brush Cutter BL LXT

**DUC306PG2**

TWIN 18V TOP HANDLE CHAIN SAW

**DKP181RTJ**

18V Brushless Planer 82mm LXT



DUR369LPG2

18Vx2 Linetrimmer BL LXT

**DTD153RTJ**

18V Impact Driver BL LXT

**DKP181RTJU**

18V Brushless Planer 82mm LXT

**DTD153Z**

18V Impact Driver BL LXT

**DUX60PG2**

18Vx2 Split-Shaft BL LXT

**DTD154RTJ**

18V Impact Driver BL LXT

**DLM432PT2**

18Vx2 LAWNMOWER 43CM LXT

**DTD154Z**

18V Impact Driver BL LXT

**DLM460PT2**

Twin 18V Lawn Mower 46cm BL LXT

**DTM50RT1J1**

18V MULTI TOOL LXT

**DLM462PT4**

18Vx2 LAWNMOWER 46cm BL LXT

**DTM50RT1J3**

18V MULTI TOOL LXT

**DLM530PT4**

18Vx2 LAWNMOWER 53cm BL LXT

**DTW1001RTJ**

18v LXT Brushless Impact Wrench

**DLM532PT4**

18Vx2 LAWNMOWER 53cm BL LXT

**DTW1001Z**

18v LXT Brushless Impact Wrench

**DLM533PT4**

18Vx2 LAWNMOWER 53cm BL LXT

**DTW1002RTJ**

18v LXT Brushless Impact Wrench

**DPB180RTE**

18V BAND SAW PORTABLE

**DTW1002Z**

18v LXT Brushless Impact Wrench

**DPB182RTE**

18V PORTABLE BAND SAW

**DTW300RTJ**

18V IMPACT WRENCH BL LXT

**DPJ180RTJ**

18V BISCUIT JOINTER LXT

**DTW450RTJ**

18V IMPACT WRENCH

**DPO600RTE**

18V Brushless Random Orbit Polisher

**DTW700RTJ**

18V IMPACT WRENCH BL LXT

**DPT353RTJ**

18V Pin Nailer LXT

**DTW701RTJ**

18V IMPACT WRENCH BL LXT

**DPT353Z**

18V Pin Nailer LXT

**DUB184RT**

18V Blower BL LXT

**DSS501RTJ**

18V CIRCULAR SAW 136MM LXT

**DUB185RT**

18V BLOWER LXT

**DSS610RTJ**

18V CIRCULAR SAW 165MM LXT

**DUB186RT**

18V BLOWER LXT

**DTD152RTJ**

18v LXT Impact Driver

**DUB363PT2V**

18Vx2 BLOWER BL LXT



DUC254RT

18V CHAINSAW 250mm BL LXT

**DUH502RT**

18V Hedge Trimmer 50cm BL LXT

**DUH523RT**

18V Hedge Trimmer LXT

**DUH601RT**

18V Hedge Trimmer 60cm BL LXT

**DUH604SRT**

18V HEDGETRIMMER 60CM BL LXT

**DUH751RT**

18V Hedge Trimmer 75cm BL LXT

**DUH754SRT**

18V HEDGETRIMMER 75CM BL LXT

**DUM604RTX**

18V Grass Shears LXT

**DUN500WRTE**

18V POLE HEDGETRIMMER 50CM

**DUN600LRTE**

18V POLE HEDGETRIMMER 60CM

**DUR181RT**

18V STRING TRIMMER

**DUR189RT**

18V Linetrimmer BL LXT

**DUR190LRT**

18V Linetrimmer BL LXT

**DUR190URT**

18V Brush Cutter BL LXT

**DUR191LRT**

18V Linetrimmer BL LXT

**DUR191URT**

18V Brush Cutter BL LXT

**DVR350RTE**

18V VIBRATING POKER

**OPTIONAL ACCESSORIES****821551-8**

MAKPAC CONNECTOR CASE (TYPE

**837634-4**

INNER TRAY

**OTHER - 197282-4****OTHER - 831279-0****OTHER - DC18RD****OTHER - DHP453Z****OTHER - DHR202Z****OTHER - DJV180Z****OTHER - DML802****OTHER - DSS611Z****OTHER - DTD152Z**