

18V 6PC COMBO KIT LXT

DLX6072PT



MODELS IN KIT



**Battery BL1850B 18v Li-ion
197282-4**



**LXT600 HEAVY DUTY TOOL
BAG
831279-0**



**Twin port charger
DC18RD**



**18V ANGLE GRINDER
115MM LXT
DGA452Z**



**18V COMBI DRILL LXT
DHP458Z**



**18V Reciprocating Saw LXT
DJR186Z**

MODELS IN KIT



CIRCULAR SAW 18V 165MM
DSS610Z



18v LXT Impact Driver
DTD152Z



Battery BL1850B 18v Li-ion

197282-4

18v 5.0Ah Li-ion Battery

- LED battery indicator.
- Unbeatable 45 minute charge time.
- Same weight as 3.0Ah battery.
- Works with your current Li-ion Chargers.
- Longer run time and battery life.

For Compatibility please [click here](#).

For notice on shipping of Li-ion batteries please [click here](#)



TECHNICAL SPECIFICATIONS

Voltage	18 v
Battery Ah	5.0 Ah
Battery Type	Li-ion
Battery ID	BL1850B

USER BENEFITS

- Lightweight and shock-absorbing. The Li-ion range delivers 430% more working capacity during it's lifetime compared to Ni-Cad and is 40% Lighter than Ni-MH. The Li-ion has minimal depletion of power during use or in storage over it's lifetime.

Link to product - www.makitauk.com





LXT600 HEAVY DUTY TOOL BAG

831279-0

70 x 36 x 38cm



TECHNICAL SPECIFICATIONS

Model	LXT600
Pack Quantity	1

USER BENEFITS

- Heavy duty tool bag
- Hard wearing nylon weave material
- Multiple internal and external pockets for storage
- Padding throughout with plastics skids on the base

[Link to product - www.makita.com](http://www.makita.com)





Twin port charger

DC18RD

The DC18RD Will charge 18v and 14.4v LXT slide battery's in the below times:

•3.0Ah - 22 minutes•4.0Ah - 36 minutes•5.0Ah - 45 minutes•6.0Ah - 55 minutes



■ TECHNICAL SPECIFICATIONS

Voltage	240 v
Battery Range	14.4 - 18 v
Battery Type	Twinport fast charger with USB
Pack Quantity	1

■ USER BENEFITS

- A USB port that provides 1.5A output for charging smart phones, tablets, etc.
- Available in 110v and 240v
- Full charge sound alert.
- LED charging display.
- x2 charging ports
- Forced cooling system
- Electronic current limiter for overload protection.

Link to product - www.makita.com





18V ANGLE GRINDER 115MM LXT DGA452Z

Model DGA452 have been developed as the first Angle grinder of the MAKSTAR series models.



TECHNICAL SPECIFICATIONS

Battery Type	Lithium-ion
Charging Time	22 min
Body only machine	✓
Voltage	18 v
Noise sound pressure	73 dB(A)
Noise K factor	3 dB(A)
Max Wheel Diameter	115 mm
No Load Speed	10,000 rpm
Vibration K factor	1.5 m/sec ²
Vibration: Artificial Wheel	8.5 m/sec ²
Net weight	2.06- 2.71 kg

USER BENEFITS

- 22 minute charge time with the air cooled Makstar Optimum Charging System.
- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time.
- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery.
- 4 pole motor.
- Anti-restart function with warning lamp.
- Capable of using wheels or discs for mains grinders.
- Easy grip body.
- Electronic current limiter with warning lamp.
- High comfort grips.

[Link to product - www.makita.com](http://www.makita.com)





18V COMBI DRILL LXT

DHP458Z

• Extremely compact tool size with an overall length of 225mm (8-7/8") • High power and productivity achieved with new DC motor (FD31-30) • Enhanced dust and drip-proof performance to ensure reliable operation even under bad weather.

18V COMBI DRILL LXT



TECHNICAL SPECIFICATIONS

Voltage	18 v
Max. in wood	65 mm
Max. in masonry	16 mm
Max. in steel	13 mm
Max Torque S/H	58 / 91 Nm
Torque Settings	21 + drill
Battery Type	Lithium-ion
Charging Time	22 min
Battery Quantity (3.0 Ah)	0
Vibration: Drilling	9.5 m/sec ²
Vibration K factor	1.5 m/sec ²
Body only machine	✓
Net weight	2.2 - 2.6 kg
Electric Brake	✓
Variable Speed Control	Trigger
Blows per Minute	0-30000/6000 bpm
No Load Speed	0-2000/400 rpm

USER BENEFITS

- Enhanced dust and drip-proof performance for use in outdoor applications or harsh environments.
- Single sleeve keyless chuck allows for easy bit installation/removal by one hand.
- Twin LED Job light with pre-glow and afterglow functions
- Battery fuel gauge The power remaining in the battery can be indicated in 3 stages simply by pushing a button; 3 lights on: more than 50% of full battery capacity. 2 lights on: 20% to 50% of full battery capacity. 1 light on: less than 20% of full battery capacity

[Link to product - www.makita.com](http://www.makita.com)



18V Reciprocating Saw LXT

DJR186Z

Model DJR186 is a cordless reciprocating saw powered by 18V Li-ion battery and has been developed for higher cutting efficiency and more durability.

18V Reciprocating Saw LXT



TECHNICAL SPECIFICATIONS

Battery Type	Lithium-ion
Body only machine	✓
Voltage	18 v
Battery quantity (4.0Ah)	0
Capacity in Wood	255 mm
Capacity in Mild Steel Pipe	130 mm
Strokes per Minute	0 - 2,800 spm
Stroke Length	32 mm
Noise sound pressure	84 dB(A)
Noise sound power	95 dB(A)
Noise K factor	3 dB(A)
Vibration K factor	1.5 m/sec ²
Vibration: Cutting Wood	12.5 m/sec ²
Vibration: Cutting Chipboard	13.0 m/sec ²
Net weight	3.5 - 3.8 kg

USER BENEFITS

- Tool-less blade change.
- Trigger switch with lock-off lever
- Electric brake
- Variable speed
- Ergonomically designed handle
- Newly designed crank mechanism for higher efficiency
- High power

[Link to product - www.makita.com](http://www.makita.com)



CIRCULAR SAW 18V 165MM

DSS610Z

Model DSS610 has been developed as our first cordless circular saw that is powered by 18V/3.0Ah Li-ion battery. Main features are: Powerful 360W maximum output, yet still with the extra-lightweight and compact design achieved by using Lithium-ion battery as power unit. Smooth and powerful cutting at the high rotational speed of 3,700 rpm delivered from enhanced motor. Easy to trace cutting line with: LED job light and built-in blow-off nozzle that directs sawdust away from cutting line.

CIRCULAR SAW 18V 165MM



TECHNICAL SPECIFICATIONS

Battery Type	Lithium-ion
Battery Quantity (3.0 Ah)	0
Body only machine	✓
Voltage	18 v
Depth of Cut @ 90°	57 mm
Blade Diameter	165 mm
Depth of Cut @ 45°	40 mm
Depth of Cut @ 50°	36 mm
Bore Diameter	20 mm
Noise sound pressure	91 dB(A)
Noise sound power	102 dB(A)
Noise K factor	3 dB(A)
No Load Speed	3700 rpm
Vibration K factor	1.5 m/sec ²
Vibration: Cutting Chipboard	2.5 m/sec ²
Net weight	3.0 - 3.4 kg

USER BENEFITS

- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time.
- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery.
- Double safety trigger.
- High comfort grips.
- Large lock off lever.
- LED job light that creates an easy to trace cutting line.
- Removable dust nozzle.
- Built in blow-off nozzle.

Link to product - www.makita.com





18v LXT Impact Driver

DTD152Z

Model DTD152 is a cordless impact driver powered by 18V Li-ion battery and developed for main applications such as tightening of self-drilling screws or light duty machine screws.

18v LXT Impact Driver



TECHNICAL SPECIFICATIONS

Voltage	18 v
Standard Bolt	M5-M16
High Tensile Bolt	M5-M12
Coarse thread (length)	22 - 125 mm
Max Fastening Torque	165 Nm
No Load Speed	0 - 2900 rpm
Battery Type	Lithium-ion
Vibration: Fastening Bolt	10.5 m/sec ²
Vibration K factor	1.5 m/sec ²
Noise sound pressure	93 dB(A)
Noise sound power	104 dB(A)
Noise K factor	3 dB(A)
Body only machine	✓
Net weight	1.3 - 1.6 kg
Battery quantity (4.0Ah)	0
Driving Shank	6.35mm (1/4") Hex
Machine Screw	M4-M8
Impacts per Minute	0 - 3,500 ipm

USER BENEFITS

- Electric brake
- Variable speed control by trigger
- Forward / reverse rotation
- Twin LED job light
- Ergonomic soft grip
- Compact and lightweight design
- Equipped with Battery protection circuit: designed to protect the battery from damages due to overdischarge, high temperature or overload current.
- High rotation speed

[Link to product - www.makita.com](http://www.makita.com)



RELATED COMBOKIT PRODUCTS

(Recom

STANDARD ACCESSORIES

DBN600RTJ

18V Finishing Nailer 16G LXT

DCE090T2X1

18V CORDLESS POWER CUTTER

DB0180RTJ

18V RANDOM ORBIT SANDER 5"

DGA700PT2

18Vx2 Angle Grinder 180mm BL LXT

DCE090T2X1

18V CORDLESS POWER CUTTER

DGA900PT2

18Vx2 Angle Grinder 230mm BL LXT

DCS552RTJ

18V Metal Saw 136mm LXT

DDA351RTJ

Angle Drill 18V LXT

DDF484RTJ

18V Drill Driver BL LXT

DDF484Z

18V Drill Driver BL LXT

DLM382PG2

18Vx2 LAWNMOWER 38CM LXT

DDF485RTJ

18V DRILL DRIVER BL LXT

DLM382PM2

18Vx2 LAWNMOWER 38CM LXT

DFR550RTJ

18V AUTO FEED SCREWDRIVER

DFS250RTJ

18V Brushless Screwdriver LXT

DFS250Z

18V Brushless Screwdriver LXT

DFS251RTJ

18V Brushless TEK Screwdriver LXT



DFS251Z

18V Brushless TEK Screwdriver LXT

DLM432PG2

18Vx2 LAWNMOWER 43CM LXT

DGA456Z

18V Brushless 115mm Angle Grinder

DLM432PT2

18Vx2 LAWNMOWER 43CM LXT

DLM460PG2

Twin 18V Lawn Mower 46cm BL LXT

DGA463RTJ

18V Angle Grinder 115mm BL LXT

DLM460PT2

Twin 18V Lawn Mower 46cm BL LXT

DGA467RTJ

18V Angle Grinder 115mm BL LXT

DLM462PG2

18Vx2 LAWNMOWER 46cm BL LXT

DGA506Z

18V Brushless 125mm Angle Grinder

DLM462PT4

18Vx2 LAWNMOWER 46cm BL LXT

DLM530PG2

18Vx2 LAWNMOWER 53cm BL LXT

DGA513RTJ

18V Angle Grinder 125mm BL LXT

DLM530PT4

18Vx2 LAWNMOWER 53cm BL LXT

DGA517RTJ

18V Angle Grinder 125mm BL LXT

DLM532PG2

18Vx2 LAWNMOWER 53cm BL LXT

DGD800RTJ

18V DIE GRINDER LXT

DLM532PT4

18Vx2 LAWNMOWER 53cm BL LXT



DHK180RTJ

18V POWER SCRAPER BL LXT

**DHR242RTJ**

18V ROTARY HAMMER SDS+ 24MM

**DLM533PG2**

18Vx2 LAWNMOWER 53cm BL LXT

**DUC353PG2**

18Vx2 Chainsaw 350mm BL LXT

**DHP481RTJ**

18V Brushless Combi Drill LXT

**DHR242RTJW**

18V ROTARY HAMMER SDS+ 24MM

**DLM533PT4**

18Vx2 LAWNMOWER 53cm BL LXT

**DUC355PG2**

18Vx2 Chainsaw 350mm BL LXT

**DHP482RTJ**

18v LXT Combi Drill

**DHS660RTJ**

18V Circular Saw 165mm BL LXT

**DHP482RTWJ**

18v LXT Combi Drill

**DUC405PG2**

18Vx2 Chainsaw 400mm BL LXT

**DUB362PG2**

18Vx2 BLOWER LXT

**DJN161RTJ**

18V NIBBLER 1.6MM LXT

**DHP484RTJ**

18V Combi Drill BL LXT

**DUH551PG2**

Twin 18V Hedge Trimmer LXT

**DHP484Z**

18V Combi Drill BL LXT

**DJR186RTE**

18V RECIPROCATING SAW LXT

**DUB363PG2V**

18VX2 BLOWER BL LXT

**DUH651PG2**

Twin 18V Hedge Trimmer LXT

**DHP485RTJ**

18V COMBI DRILL BL LXT

**DJR187RTE**

18V Brushless Reciprocating Saw

**DUB363PT2V**

18VX2 BLOWER BL LXT

**DJR187Z**

18V Brushless Reciprocating Saw

**DHR202RT1J**

18V ROTARY HAMMER SDS+ 20MM

**DUR364LPG2**

Twin 18V Brushless Linetrimmer LXT

**DUC256PG2**

TWIN 18V TOP HANDLE CHAIN SAW

**DJS161RTJ**

18V STRAIGHT SHEAR 1.6MM

**DHR202RTJ**

18V ROTARY HAMMER SDS+ 20MM

**DUR368APG2**

Twin 18V Brushless Brush Cutter LXT

**DUC305PG2**

18Vx2 Chainsaw 300mm BL LXT

**DKP180RTJ**

18V PLANER 82MM LXT

**DHR241RTJ**

18V ROTARY HAMMER SDS+

**DUR369APG2**

18Vx2 Brush Cutter BL LXT

**DUC306PG2**

TWIN 18V TOP HANDLE CHAIN SAW

**DKP181RTJ**

18V Brushless Planer 82mm LXT



DUR369LPG2

18Vx2 Linetrimmer BL LXT

**DTD153RTJ**

18V Impact Driver BL LXT

**DKP181RTJU**

18V Brushless Planer 82mm LXT

**DTD153Z**

18V Impact Driver BL LXT

**DUX60PG2**

18Vx2 Split-Shaft BL LXT

**DTD154RTJ**

18V Impact Driver BL LXT

**DLM432PT2**

18Vx2 LAWNMOWER 43CM LXT

**DTD154Z**

18V Impact Driver BL LXT

**DLM460PT2**

Twin 18V Lawn Mower 46cm BL LXT

**DTM50RT1J1**

18V MULTI TOOL LXT

**DLM462PT4**

18Vx2 LAWNMOWER 46cm BL LXT

**DTM50RT1J3**

18V MULTI TOOL LXT

**DLM530PT4**

18Vx2 LAWNMOWER 53cm BL LXT

**DTW1001RTJ**

18v LXT Brushless Impact Wrench

**DLM532PT4**

18Vx2 LAWNMOWER 53cm BL LXT

**DTW1001Z**

18v LXT Brushless Impact Wrench

**DLM533PT4**

18Vx2 LAWNMOWER 53cm BL LXT

**DTW1002RTJ**

18v LXT Brushless Impact Wrench

**DPB180RTE**

18V BAND SAW PORTABLE

**DTW1002Z**

18v LXT Brushless Impact Wrench

**DPB182RTE**

18V PORTABLE BAND SAW

**DTW300RTJ**

18V IMPACT WRENCH BL LXT

**DPJ180RTJ**

18V BISCUIT JOINTER LXT

**DTW450RTJ**

18V IMPACT WRENCH

**DPO600RTE**

18V Brushless Random Orbit Polisher

**DTW700RTJ**

18V IMPACT WRENCH BL LXT

**DPT353RTJ**

18V Pin Nailer LXT

**DTW701RTJ**

18V IMPACT WRENCH BL LXT

**DPT353Z**

18V Pin Nailer LXT

**DUB184RT**

18V Blower BL LXT

**DSS501RTJ**

18V CIRCULAR SAW 136MM LXT

**DUB185RT**

18V BLOWER LXT

**DSS610RTJ**

18V CIRCULAR SAW 165MM LXT

**DUB186RT**

18V BLOWER LXT

**DTD152RTJ**

18v LXT Impact Driver

**DUB363PT2V**

18Vx2 BLOWER BL LXT



DUC254RT

18V CHAINSAW 250mm BL LXT

■ **OTHER - 197282-4****DUH502RT**

18V Hedge Trimmer 50cm BL LXT

■ **OTHER - 831279-0****DUH523RT**

18V Hedge Trimmer LXT

■ **OTHER - DC18RD****DUH601RT**

18V Hedge Trimmer 60cm BL LXT

■ **OTHER - DGA452Z****DUH604SRT**

18V HEDGETRIMMER 60CM BL LXT

■ **OTHER - DHP458Z****DUH751RT**

18V Hedge Trimmer 75cm BL LXT

■ **OTHER - DJR186Z****DUH754SRT**

18V HEDGETRIMMER 75CM BL LXT

■ **OTHER - DSS610Z****DUM604RTX**

18V Grass Shears LXT

■ **OTHER - DTD152Z****DUN500WRTE**

18V POLE HEDGETRIMMER 50CM

**DUN600LRTE**

18V POLE HEDGETRIMMER 60CM

**DUR181RT**

18V STRING TRIMMER

**DUR189RT**

18V Linetrimmer BL LXT

**DUR190LRT**

18V Linetrimmer BL LXT

**DUR190URT**

18V Brush Cutter BL LXT

**DUR191LRT**

18V Linetrimmer BL LXT

**DUR191URT**

18V Brush Cutter BL LXT

**DVR350RTE**

18V VIBRATING POKER

