



7.2V Pencil Impact Driver

TD022DSE

Model TD022D is a cordless pencil impact driver and has been developed based on the model TD021D.

TECHNICAL SPECIFICATIONS

Vibration: Impact Fastening	7.0 m/sec ²
Battery Type	Lithium-ion
Battery Ah	1.5 Ah
Voltage	7.2 v
Electric Brake	✓
Driving Shank	6.35mm (1/4") Hex
Impacts per minute	0 - 3000 ipm
Machine Screw	M3-M8
Standard Bolt	M3-M8
High Tensile Bolt	M3-M6
Coarse thread (length)	22 - 45 mm
Noise sound pressure	85 dB(A)
Noise sound power	96 dB(A)
Noise K factor	3 dB(A)
No Load Speed	0 - 2450 rpm
Max Torque	25 Nm
Vibration K factor	1.5 m/sec ²
Net weight	0.56 kg

USER BENEFITS

- Variable speed
- Forward / reverse rotation
- LED job light
- Electric brake
- Ergonomic soft grip

Link to product - www.makita.com



RELATED PRODUCTS

(Recon

■ STANDARD ACCESSORIES

198000-3

7.2V Li-ion Battery



DC10WA

7.2V-10.8V BATTERY CHARGER



■ OTHER