


Plate Finish Rubber

Short Description

Plate finish rubber is an all purpose smooth surfaced sheeting, for a wide variety of applications, such as gaskets and waterproof seals. Available in two different thicknesses that is offered as rolls or cut to length pieces.

Product Images





Description

- General purpose grade smooth rubber, ideal for waterproof seals and gaskets
- 68 degrees shore A hardness
- Tensile strength at break 3.0 Mpa
- Available 6mm and 3mm thickness

Additional Information

Specifications

Wear Resistant	Wear resistant surface to Level 1
Impact Resistant	Impact resistant
Cut to Size	Mats can be cut to bespoke sizes
Cut to Length	Mats can be cut to length
Outdoor	Suitable for outdoor use
Wheeled Area	Suitable for use by wheeled trolleys
Dry Area	Suitable for use in dry areas
Wet Area	Suitable for use in wet areas

Environment

Dry Zone	Dry Zone
Wet Zone	Wet Zone

Tests

- Shore Hardness A +/-5, ISO 7619-1, 70°
- SG (g/cm²), ISO 2781, 1.5
- Tensile (N/mm²), ISO 37, 10.5
- Elongation %, ISO 37, 250
- Compression %, ISO 37, 43
- Tear Strength, ISO 34-1, 10.5
- Operating Temperature, -20 - +70 (°C)

Product Options

Length:	1m
	10m
Width:	1400mm
Thickness:	3mm
	6mm