




Baridi Toilet Flush Plate with Dual Flush



Models: DH406, DH407, DH408

Thank you for purchasing a Baridi product. Manufactured to a high standard, this product will, if used according to these instructions, and properly maintained, give you years of trouble free performance.

Important Information

Please read these instructions carefully. Note the safety requirements, warnings & cautions. Use the product correctly and with care for the purpose for which it is intended. Failure to do so may cause damage and/or personal injury and will invalidate the warranty. Keep these instructions safe for future use.



Refer to
instruction
manual

• Safety - Installation



- Keep children and pets away from work/installation area.

• Product Care


- To maintain the surface finish, the faceplate should be cleaned with a mild detergent with warm water and a soft, damp cloth.
- **DO NOT** use any abrasive cleaning products or abrasive cleaning tools.

• Installation Guidelines


- **IMPORTANT:** The following instructions are intended as a guide only as installation requirements and methods will vary.
- **IMPORTANT:** Check compatibility and dimensions with the cistern assembly and fittings before installation.




- Install the flush plate bracket using the supplied plastic bolts.
Note: If the bolts are too long they can be cut at the pre-notched sections.
- **DO NOT** overtighten as this may damage the bracket.




- Install the adjustment rods.



- The rods may need adjusting to correctly control the level of flush.
Note: If the length of each rod needs adjusting they can be cut at the pre-notched sections.



- Install the faceplate. Hook the right hand side of the face plate onto the frame, press against the frame and push the left hand side of the faceplate onto the frame until it clicks into place.



- The large and small circle buttons must be fitted to correspond with the cistern mechanism for full and half flush.



Environment Protection, Waste Electrical and Waste Electronic Equipment Regulations (WEEE)



Recycle unwanted packaging materials. When this product is no longer required, or has reached the end of its useful life, please dispose of in an environmentally friendly way. Drain any fluids (if applicable) into approved containers, in accordance with local waste regulations.



It is our policy to continually improve products and we reserve the right to alter data, specifications and parts without prior notice. No liability is accepted for incorrect use of this product. Guarantee is 12 months from purchase date, proof of which is required for any claim.

Jack Sealey Ltd t/a Baridi, Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk, IP32 7AR UK

Jack Sealey (EU) Ltd t/a Baridi, Farney Street, Carrickmacross, Co. Monaghan, A81 PK68 Ireland

Tel: 01284 757575 • **Email:** support@baridi.co.uk • **Web:** www.baridi.co.uk