

# GAS WELDING GOGGLES WITH FLIP-UP LENSES

MODEL NO: SSP6



Thank you for purchasing a Sealey product. Manufactured to a high standard, this product will, if used according to these instructions, and properly maintained, give you years of trouble free performance.



IMPORTANT: PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS & CAUTIONS. USE THE PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY. KEEP THESE INSTRUCTIONS SAFE FOR FUTURE USE.

# 1. INTRODUCTION

Clear polycarbonate safety lenses with Shade 5 flip-up lenses. Indirect ventilation in goggle frame. Conforms to BS EN 175.

# 2. SAFETY

- WARNING! This product is for eye protection against low impact only.
- **DO NOT** modify or alter the eye protector.
- ✓ DO NOT use if damaged, pitted or scratched.
- Always check with supervisory personnel to ensure you are being given the proper protection relative to working conditions,
- ✓ Use only EC-certified oculars.
- The materials which may come into contact with the wearer's skin could cause allergic reactions to susceptible individuals.
- If the symbols F, B and A are not common to both ocular and the frame then it is the lower level which shall be assigned to the complete eye-protector.
- ✓ Toughened mineral filter oculars shall only be used in conjunction with a suitable backing ocular.
- ✓ Wear the goggles for the duration of exposure to hazards.

# 3. APPLICATIONS


### 3.1. FIELD OF USE:

This welding goggle is designed to protect the user against eye injuries through mechanical impact. The goggle is marked on the ocular and the frame with a series of numbers and symbols to indicate the manufacturer, the field of use, the protection capabilities and performance characteristics of the eye-protector. The marking of the oculars and of the frame are signified as follows:

### 3.1.1. Cover Lens (dimension Ø50mm x 2mm) / (2"x41/4"x2mm)




### 3.1.2. Protective lens (dimension Ø50mm x 2mm) / (2"x41/4"x2mm)



### 3.1.3. Filters

The used filters must be EC/EU certified and their dimension must be Ø50mm. or 2"x4¼" The scale number must be adapted to the Relevant welding process. To know their characteristics of protection, consult the marking and the notice of use the filters.



# 3.1.4. Frame



#### **OCULAR INFORMATION** 3.2.

- 3.2.1. Filters In order to protect eyes when welding, the filters must have the function to against IR. The scale number of filters for the product is 5. Shade 5 welding goggles are a type of eye protection that blocks out harmful ultraviolet and infrared light when doing gas welding or oxygen cutting operations
- 3.2.2. Cover Oculars dangerous gases and spatter material will threat welders. The clear cover oculars can provide some protection.

#### 4. FITTING INSTRUCTIONS

- Clean the safety goggle before wearing it for the first time-using a clean, dry cloth, such as eyeglass cleaning cloth. 4.1.
- 4.2. Clean any debris from the packaging and smudges that may interfere with visibility.
- 4.3. Slide the goggle over your head, sit the arched portion between the welding goggle lenses on the bridge of your nose.
- Be sure the elastic band crosses the back of your head. Adjust the fit of the welding goggle by tightening the adjustable straps on each 4 4 side. Tighten or loosen the side straps until the goggle seals against your face.

### 5. **MAINTENANCE**

#### 5.1. **CLEANING**

- Use a soft cloth and mild soap to clean. Ensure hands are clean (without grease).
- DO NOT use abrasive materials.

#### 5.2. **STORAGE**

- Store in a bag or case out of direct sunlight.
- Keep the product away from chemicals and abrasive substances, in a clean dust free environment.
- DO NOT place heavy objects on top of the goggles.

#### 5.3. **OBSOLESCENCE**

Inspect for damage regularly. If the product shows any signs of damage, it must be replaced immediately. It is recommended to change the product every 1-2 years as necessary

This document has been drawn up according to Regulation (EU) 2016/425 as amended to apply to GB for Personal Protective Equipment. The declaration of conformity can be accessed at www.sealey.co.uk.



# **ENVIRONMENT PROTECTION**

Recycle unwanted materials instead of disposing of them as waste. All tools, accessories and packaging should be sorted, taken to a recycling centre and disposed of in a manner which is compatible with the environment. When the product becomes completely unserviceable and requires disposal, drain any fluids (if applicable) into approved containers and dispose of the product and fluids according to local regulations.



Note: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice. Important: No Liability is accepted for incorrect use of this product.

Warranty: Guarantee is 12 months from purchase date, proof of which is required for any claim.

EU | Sealey EU Ltd, Farney Street, Carrickmacross, Co. Monaghan, A81 PK68 Ireland UK | Sealey Group, Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk. IP32 7AR 🔚 01284 757500 🧖 sales@sealey.co.uk 🕥 www.sealey.co.uk