

## SAFETY SPECTACLES MODEL NO: SSP66, SSP67, SSP68, SSP69

(	6
UC	K

## Thank you for purchasing a Sealey product. Manufactured to a high standard, this product will, if used according to these instructions, and properly maintained, give you years of trouble free performance.



**IMPORTANT:** PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS & CAUTIONS. USE THE PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY. KEEP THESE INSTRUCTIONS SAFE FOR FUTURE USE.

## 1. INTRODUCTION

Conforms to CE standards - BS EN 166/F. Modern, lightweight wraparound design, with flexible TPR arms, offers added protection and increased user comfort. Polycarbonate anti-scratch lens.

MODEL NO.	DESCRIPTION
SSP66	Safety Spectacles - Clear Lens
SSP67	Safety Spectacles - Anti-Glare Lens
SSP68	Safety Spectacles with EVA Foam Lining - Clear Lens
SSP69	Safety Spectacles with EVA Foam Lining - Anti-Glare Lens

#### Notified Body: 2797

Type Examination Certificate number: CE 712096 Carried out by: BSI Group The Netherlands B.V

## 2. SAFETY

- WARNING! Safety glasses with polycarbonate lenses are impact resistant but may break under severe impact.
- **WARNING!** Eye protection worn over standard ophthalmic spectacles may transmit impact, thus creating a hazard to the wearer.
- WARNING! Materials which may come into contact with the wearer's skin could cause allergic reactions to susceptible individuals.
- □ WARNING! Scratched or damaged oculars should be replaced.
- Always perform a risk assessment and follow correct health and safety procedures before using this product.

DO NOT use tinted or clear lenses when welding or performing other operations which expose your eyes to harmful levels of radiation. IMPORTANT: if protection against high speed particles at extremes of temperature is required, then the selected eye-protector should be marked with the letter 'T' immediately after the impact letter, i.e. FT, BT or AT. If the impact letter is not followed by the letter 'T' then the eye protector shall only be used against high speed particles at room temperature.

## 3. APPLICATIONS

### 3.1. EN 166 CATEGORISATION

- Optical Class 1 suitable for work with high vision requirements for permanent use.
- 3.2. MECHANICAL STRENGTH
- FT High speed particle at extremes of temperature low energy impact
- 3.3. LENS MARKINGS
  - SSP66 & SSP68 2C-1.2EV1FT Clear lens
  - SSP67 & SSP69 5-3.1EV1FT Smoke lens
- 3.4. SUITABILITY
  - When worn tightly to the face, these safety goggles provide excellent protection by preventing:
  - · Impact hazards from chipping, grinding, machining, masonry work, riveting and sanding.
  - Chemical hazards against liquids, acid and chemical handling, degreasing, plating.
  - NOTE: frequent cleaning due to lens fog may be required in certain conditions.

## 4. MAINTENANCE

### 4.1. CLEANING

- ✓ Use a soft cloth and mild soap to clean. Ensure hands are clean (without grease).
- **× DO NOT** use abrasive materials.

### 4.2. STORAGE

- Store in a bag or case out of direct sunlight, away from chemicals and abrasive substances, in a clean dust free environment.
- Use original bag for transportation.

### 4.3. OBSOLESCENCE

Like all protective products, the life depends on the type of use, care and maintenance. If your frame is damaged, replace the entire article. In every case, the product must be replaced after a period of two years.

# This document has been drawn up according to Regulation (EU) 2016/425 as amended to apply to GB for Personal Protective Equipment. The declaration of conformity can be accessed at www.sealey.co.uk.



### ENVIRONMENT PROTECTION

Recycle unwanted materials instead of disposing of them as waste. All tools, accessories and packaging should be sorted, taken to a recycling centre and disposed of in a manner which is compatible with the environment. When the product becomes completely unserviceable and requires disposal, drain any fluids (if applicable) into approved containers and dispose of the product and fluids according to local regulations.



Note: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice. Important: No Liability is accepted for incorrect use of this product.

Warranty: Guarantee is 12 months from purchase date, proof of which is required for any claim.

EU | Sealey EU Ltd, Farney Street, Carrickmacross, Co. Monaghan, A81 PK68 Ireland UK | Sealey Group, Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk. IP32 7AR 01284 757500 @ sales@sealey.co.uk www.sealey.co.uk