

# Section 1. Product and Company Identification.

1.1 Model Number; SCS243 v1

**1.2 Description;** Nut Lock Medium Strength 50ml Pack of 12

Unique Formula Identifier (UFI): 7YCW-3UKX-J00V-MSYS

1.3 Manufacturer;

Sealey Group. Kempson Way, Bury St. Edmunds, Suffolk. IP32 7AR

**1.4 Emergency telephone number;** 44 (0) 1284 757 500 (Office Hours)

Date of source compilation; 10/02/2015

# Section 2. Hazards Identification.

**2.1** Classification of the substance or mixture.

Classification under CLP: Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317; STOT SE 3: H335; -: EUH208

**Most important adverse effects:** Irritating to eyes, respiratory system and skin. May cause sensitisation by skin contact. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### 2.2 Label elements.

## Hazard pictogram(s)





Signal Word. Warning

#### Hazard statements;

EUH208: Contains 1-acetyl-2-phenylhydrazine. May produce an allergic reaction.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects.

# SEALEY

#### Section 2. Hazards Identification, continued.

#### Precautionary statements;

P261: Avoid breathing vapours.

P264: Wash contaminated skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P321: Specific treatment (see information on this label).

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P332+313: If skin irritation occurs: Get medical advice/attention.

P337+313: If eye irritation persists: Get medical advice/attention.

P403+233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to comply with Local, National and International regulations.

#### 2.3 Other hazards.

This product is not identified as a PBT/vPvB substance.





			Classification		
3.1 Chemical Name (substance)	3.1 CAS No.	3.2 Concentration Weight	Hazard Class & Category Code	Hazard Statements <sup>1</sup>	
Polyglycol Dimethacrylate	109-16-0	30 - 50%	Not classified	-	
Bis(isopropyl)naphthalene	38640-62-9	10 - 30%	Not classified	-	
Hydroxyalkyl Methacrylate	27813-02-1	1 - 10%	Not classified	-	
Cumene Hydroperoxide	80-15-9	1 - 10%	Org. Perox. E	H242	
			Acute Tox. 3	H331	
			Acute Tox. 4	H312	
			Acute Tox. 4	H302	
			STOT RE 2	H373	
			Skin Corr. 1B	H314	
			Aquatic Chronic	H411	
			2		
Acrylic Acid	79-10-7	< 1%	Flam. Liq. 3	H226	
			Eye Irrit. 2	H319	
			STOT SE 3	H335	
			Skin Irrit. 2	H315	
			Skin Sens. 1	H317	
1-Acetyl-2-Phenylhydrazine	114-83-0	< 1%	Not classified	-	
2,6-Di-Tert-Butyl-P-Cresol	128-37-0	< 1%	Not classified	-	
N,N-Dimethyl-P-Toluidine	99-97-8	< 1%	Acute Tox. 3	H331	
			Acute Tox .3	H311	
			Acute Tox. 3	H301	
			STOT RE 2	H373	
			Aquatic Chronic	H412	
			3		

<sup>&</sup>lt;sup>1</sup>For full text of Statements, see Section 16.



# Section 4. First Aid Measures.

#### **4.1** Description of first aid measures

First Aid measures, general. Call a poison centre or a doctor if unwell. Quote UFI in Section 1.2.

#### **Inhalation**

Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

#### **Skin Contact**

Remove all contaminated clothes and footwear immediately unless stuck to skin.

Wash immediately with plenty of soap and water.

#### **Eye Contact**

Bathe the eye with running water for 15 minutes. Consult a doctor.

#### Ingestion

Wash out mouth with water. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

**Eye contact:** There may be irritation and redness. Eyes may water profusely. **Skin contact:** There may be irritation and redness at the site of contact. **Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause

coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**4.3.** Indication of any immediate medical attention and special treatment needed **Immediate / special treatment:** Eye bathing equipment should be available on the premises.

# **Section 5. Fire Fighting Measures.**

#### 5.1. Extinguishing media

Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

**5.2.** Special hazards arising from the substance or mixture

In combustion emits toxic fumes.

#### **5.3.** Advice for fire-fighters

Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.



## Section 6. Accidental Release Measures.

**6.1.** Personal precautions, protective equipment and emergency procedures If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

#### **6.2.** Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding.

# **6.3.** Methods and material for containment and cleaning up

Absorb into dry earth or sand.

Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### **6.4.** Reference to other sections

See Section 7 for information on Safe Handling

See Section 8 for information of Personal Protective Equipment.

See Section 13 for information on disposal.

# **Section 7. Handling and Storage.**

#### 7.1. Precautions for safe handling

Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

#### **7.2.** Conditions for safe storage, including any incompatibilities

Store in cool, well ventilated area. Keep container tightly closed.

The floor of the storage room must be impermeable to prevent the escape of liquids

#### 7.3. Specific end use(s)

Intended for use as a Nut Lock Medium Strength: Model Number identified in 1.1 with Description stated in 1.2.



# **Section 8. Exposure Controls/Personal Protection.**

#### 8.1. Control parameters

P261: Avoid breathing vapours.

P264: Wash contaminated skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P321: Specific treatment (see information on this label).

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P332+313: If skin irritation occurs: Get medical advice/attention.

P337+313: If eye irritation persists: Get medical advice/attention.

P403+233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to comply with Local, National and International regulations.

#### Workplace exposure limits.

		Workplace exposure limit.			
Substance	CAS number	Long term.		Short term.	
		ppm	mg.m <sup>3</sup>	ppm	mg.m <sup>3</sup>
2,6-Di-Tert-Butyl-P-Cresol	128-37-0	-	10	1	-

#### **8.2.** Exposure controls

#### **Appropriate Engineering Controls**

Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids

#### **Eye/Face Protection**

Safety glasses with side shields or chemical safety goggles.

Ensure eye bath is to hand.

#### **Skin Protection**

EN 374 Chemical resistant protective gloves.

Wear suitable protective clothing.

## **Respiratory Protection**

Self-contained breathing apparatus must be available in case of emergency.



# Section 9. Physical and Chemical Properties.

9.1. Information on basic physical and chemical properties

The following information is not a technical specification or sales specification.

(a) Appearance: Liquid, blue.(b) Odour: Perceptible.(c) Odour threshold; No data available.

(d) pH: No data available.

(e) Melting point/freezing point; >35°C

(f) Initial boiling point and boiling range; No data available.

(g) Flash point; >93°C

(h) Evaporation rate;
(i) Flammability (solid, gas);
(j) Upper/lower flammability or explosive limits;
(k) Vapour pressure;
(l) Vapour density;
No data available.
No data available.
No data available.

(m) Relative density; 1.07

(n) Solubility(ies);
(o) Partition coefficient: n-octanol/water;
(p) Auto-ignition temperature;
(q) Decomposition temperature;
(r) Viscosity;
(s) Explosive properties;
(t) Oxidising properties.
Insoluble in water.
No data available.
No data available.
No data available.
No data available.

**9.2** Other information -

# Section 10. Stability and Reactivity.

**10.1.** Reactivity Stable under recommended transport or storage conditions.

**10.2.** Chemical stability Stable under normal conditions.

**10.3.** Possibility of hazardous reactions Hazardous reactions will not occur under normal transport

or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

**10.4.** Conditions to avoid Heat.

10.5. Incompatible materials10.6. Hazardous decomposition productsStrong oxidising agents. Strong acids.In combustion emits toxic fumes.



# Section 11. Toxicological Information.

#### 11.1. Information on toxicological effects

Hazardous ingredients:

#### **CUMENE HYDROPEROXIDE**

ORL	MUS	LDLO	5	gm/kg
ORL	RAT	LD50	382	mg/kg
SCU	RAT	LD50	382	mg/kg

#### **ACRYLIC ACID**

IPR	RAT	LD50	22	mg/kg
ORL	MUS	LD50	830	mg/kg
ORL	RAT	LD50	1250	mg/kg
SCU	MUS	LD50	1590	mg/kg

## N,N-DIMETHYL-P-TOLUIDINE

IPR	MUS	LD50	212	mg/kg
				0/0

#### Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT INH DRM	Hazardous: calculated
Sensitisation	DRM	Hazardous: calculated

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

# Section 12. Ecological Information.

12.1. Toxicity No information available.

12.2. Persistence and degradability Not biodegradable.

12.3. Bioaccumulative potential No information available.

12.4. Mobility in soil Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects Toxic to aquatic organisms. Toxic to soil organisms.



# **Section 13. Disposal Considerations.**

#### 13.1. Waste treatment methods

Dispose of in accordance with local authority regulations.

# Section 14. Transport Information.

#### ADR. International Carriage of Dangerous Goods by Road.

**14.1.** UN number UN 3082

**14.2.** Name and Description Environmentally hazardous substance, liquid, n.o.s

(Bis(isopropyl)naphthalene)

**14.3.** Transport hazard class(es) 9 **14.4.** Packing group III

**14.5.** Environmental hazards Toxic to aquatic life with long lasting effects.

**14.6.** Special precautions for user No special precautions necessary.

## IATA. International Air Transport Association.

**14.1.** UN number UN 3082

**14.2.** UN Proper Shipping Name/Description Environmentally hazardous substance, liquid, n.o.s.

(Bis(isopropyl)naphthalene)

**14.3.** Transport hazard class(es) 9 **14.4.** Packing group III

**14.5.** Environmental hazards Toxic to aquatic life with long lasting effects.

**14.6.** Special precautions for user No special precautions necessary.

#### IMDG. International Maritime Dangerous Goods.

**14.1.** UN number UN 3082

**14.2.** UN proper shipping name Environmentally hazardous substance, liquid, n.o.s

(Bis(isopropyl)naphthalene)

**14.3.** Transport hazard class(es) 9 **14.4.** Packing group III

**14.5.** Environmental hazards Toxic to aquatic life with long lasting effects.

**14.6.** Special precautions for user No special precautions necessary.

**14.7.** Transport in bulk – Maritime only. Bulk transport is not applicable to this product



# **Section 15. Regulatory Information.**

**15.1.** Safety, health and environmental regulations/legislation specific for the substance or mixture No data available.

**15.2.** Chemical safety assessment No data available.

## Section 16. Additional Information.

Full text of Statements used in Section 3;

H226: Flammable liquid and vapour.

H242: Heating may cause a fire.

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H311: Toxic in contact with skin.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H335: May cause respiratory irritation.

H373: May cause damage to organs through prolonged or repeated exposure

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

The above information is believed to be accurate and represents the best information currently available.

No warranty is expressed or implied by the above information.

We assume no liability resulting from use of the above information.

The end user should conduct their own investigations to determine the suitability of the above information for their particular purpose.

Issue level	Date	Revisions
1	01/04/2016	First issue.
2	22/03/2017	Format only.
3	26/06/2017	Section 14.
4	14/01/2025	Section 1.2 Section 4 Section 8

End of Safety Data Sheet.