

NOTE: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice. There may be alternative versions of this product, please contact us should you require this information. **IMPORTANT**: No liability is accepted for incorrect use of product. Spare parts must be fitted by a competent person

MPORTANT: No liability is accepted for incorrect use of product. Spare parts must be fitted by a competent pe

WARRANTY: Guarantee is 12 months from purchase date, proof of which will be required for any claim.

Sealey Group, Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk. IP32 7AR 01284 757500 | R sales@sealey.co.uk | Www.sealey.co.uk

HPT1000.V2 Issue 1 3/01/25



| Item | Part No. | Description | Item | Part No. | Description |
|------|-------------|----------------------------------|------|-------------|-------------------------------------|
| 101 | HPT1000.101 | Handle Grip | 134 | HPT1000.134 | Bolt |
| 102 | HPT1000.102 | Control Handle | 135 | HPT1000.135 | Shaft |
| 103 | HPT1000.103 | Spring Pin M6.5 X 30 Zinc | 136 | LS1050V.24 | External Circlip 18.3mm ID. |
| 104 | SN8.S | Steel Nut M8 Zinc | 137 | HPT1000.137 | Wheel Axle: Solid, Circlip Fittings |
| 105 | HPT750.105 | Bolt With Hole M8x25 | | | (L:80mm D:20mm) |
| 106 | HPT1000.106 | Jacket | 138 | HPT1000.138 | Pump Unit |
| 107 | HPT1000.107 | Pull Rod | 139 | HPT1000.139 | Pin |
| 108 | HPT1000.108 | Spring Pin M4 X 20 Zinc | 140 | HPT1000.140 | Roller |
| 109 | HPT1000.109 | Shaft | 141 | ER1700PD.37 | External Circlip 9.2mm ID. |
| 110 | HPT1000.110 | Cam | 142 | HPT1000.142 | Pin |
| 111 | HPT1000.111 | Pedal | 143 | HPT1000.143 | Cylinder Washer |
| 112 | SCB816.S | Socket Cap Bolt M8 X 16mm | 145 | HPT1000.145 | Connecting Rod |
| 114 | FWM12.S | Flat Washer M12 Zinc | 146 | HPT1000.146 | Cushion |
| 115 | SWM12.S | Spring Washer M12 Zinc | 147 | SS825.S | Hex Head Set Screw M8 X 25 Zinc |
| 116 | HPT1000.116 | Bolt M12x40 | 148 | FWM8.S | Flat Washer M8 Zinc |
| 117 | SS1025.S | Hex Head Set Screw M10 X 25 Zinc | 149 | SWM8.S | Spring Washer M8 Zinc |
| 118 | SN10.S | Steel Nut M10 Zinc | 151 | HPT1000.151 | Protecting Cover |
| 119 | HPT1000.119 | Washer | 152 | HPT1000.152 | Pedal Bar |
| 120 | HPT1000.120 | Spring Dia 19.5mm | 153 | 604/RJ10N | External Circlip 20.2mm ID. |
| 121 | HPT1000.121 | Wheel, Seat | 154 | HPT1000.154 | Roller |
| 122 | HPT1000.122 | Skt. Hd Bolt M12x80 | 155 | HPT1000.155 | Roller |
| 123 | HPT1000.123 | Brake | 156 | HPT1000.156 | Table |
| 124 | HPT1000.124 | Washer | 157 | HPT1000.157 | Retaining Ring |
| 125 | B/6204-2RS | Bearing 6204-2rs | 158 | HPT1000.158 | Shaft |
| 126 | HPT1000.126 | Wheel,Fixed (D:150 W:50 B:40) | 159 | HPT1000.159 | Fork Arm |
| 127 | HPT1000.127 | Axle | 160 | HPT1000.160 | Washer, Elastic |
| 129 | SN12.S | Steel Nut M12 Zinc | 161 | HPT1000.161 | Screw |
| 130 | B/6205-2RS | Bearing 6205-2rs | 162 | HPT1000.162 | Screw |
| 131 | HPT1000.131 | Collar | 163 | HPT1000.163 | Nut |
| 132 | B/30205 | Bearing 30205 | 164 | HPT1000.164 | Support Plank |
| 133 | HPT1000.133 | Main Frame | | | |


NOTE: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice. There may be alternative versions of this product, please contact us should you require this information.

IMPORTANT: No liability is accepted for incorrect use of product. Spare parts must be fitted by a competent person

WARRANTY: Guarantee is 12 months from purchase date, proof of which will be required for any claim.

Sealey Group, Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk. IP32 7AR 01284 757500 sales@sealey.co.uk www.sealey.co.uk





NOTE: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice. There may be alternative versions of this product, please contact us should you require this information.

IMPORTANT: No liability is accepted for incorrect use of product. Spare parts must be fitted by a competent person

WARRANTY: Guarantee is 12 months from purchase date, proof of which will be required for any claim.

 Sealey Group, Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk. IP32 7AR

 Image: 01284 757500
 Image: 01284 757500

 Image: 01284 757500
 Image: 01284 757500



| Item Part No. Description 201 HPT1000.201 Washer, Seal 230 HPT1000.230 Spring 202 HPT1000.202 Pump Cylinder 231 HPT1000.230 Sprindle, Safety Valve 203 HPT1000.203 Dust Ring/Seal 232 HPT1000.232 Steel Ball 204 HPT1000.204 Seal 18*26*5 233 HPT1000.233 Pump Valve Seat 205 HPT1000.205 Pump Piston 234 HPT1000.235 Spring 206 ERT00PD.37 External Circlip 9.2mm ID. 236 HPT1000.239 Washer, Seal 209 HPT1000.210 Pin 233 HPT1000.239 Washer, Seal 211 HPT1000.210 Pin 234 HPT1000.239 Washer, Seal 212 HPT1000.212 Pin, Elastic 237 HPT1000.239 Washer, Seal 214 HPT1000.213 Spring 240 HPT1000.241 Housing 214 HPT1000.215 Seal 18*26*5 244 HPT1000.242 Bolt | |
|--|--------------|
| 202 HPT1000.202 Pump Cylinder 231 HPT1000.231 Spindle, Safety Valve 203 HPT1000.203 Dust Ring/Seal 232 HPT1000.232 Steel Ball 204 HPT1000.204 Seal 18*26*5 233 HPT1000.233 Pump Valve Seat 205 HPT1000.206 Spring 233 HPT1000.234 Spindle, Pump Valve 206 HPT1000.207 Spring Cap 236 HPT1000.235 Spring 207 HPT1000.207 Spring Cap 236 HPT1000.236 Washer, Seal 208 ERI700PD.37 External Circlip 9.2mm ID. 237 HPT1000.238 O-Ring, (Ex: 73.02 In: 74.2 210 HPT1000.210 Pin 238 HPT1000.239 Washer, Seal 211 HPT1000.211 Pump Body 240 HPT1000.244 Retaining Ring 213 HPT1000.213 Spring 242 HPT1000.243 Washer, Seal 214 HPT1000.216 Sleeve, Axle 243 HPT1000.244 Retaining Ring 215 HPT1000.216 <td></td> | |
| 203 HPT1000.203 Dust Ring/Seal 232 HPT1000.232 Steel Ball 204 HPT1000.204 Seal 18*26*5 233 HPT1000.233 Pump Valve Seat 205 HPT1000.205 Pump Piston 234 HPT1000.234 Spindle, Pump Valve 206 HPT1000.206 Spring 235 HPT1000.235 Spring 207 HPT1000.207 Spring Cap 236 HPT1000.236 Washer, Seal 208 ERI700PD.37 External Circlip 9.2mm ID. 237 HPT1000.238 O-Ring, (Ex: 79.02 In: 74.2 210 HPT1000.210 Pin 238 HPT1000.239 Washer, Seal 211 HPT1000.211 Pump Body 240 HPT1000.234 Gylinder 212 HPT1000.212 Pin, Elastic 241 HPT1000.240 Cylinder 213 HPT1000.213 Spring 242 HPT1000.243 Washer, Seal 214 HPT1000.216 Sleeve, Axle 244 HPT1000.244 Retaining Ring 215 HPT1000.216 Slee | |
| 205HPT1000.205Pump Piston234HPT1000.234Spindle, Pump Valve206HPT1000.206SpringSpring Cap235HPT1000.235Spring236207HPT1000.207Spring Cap236HPT1000.236Washer, Seal237208ER1700PD.37External Circlip 9.2mm ID.238HPT1000.237Plug209HPT1000.210Joint Plate238HPT1000.238O-Ring, (Ex: 79.02 In: 74.2210HPT1000.211Pump Body239HPT1000.240Cylinder211HPT1000.212Pin, Elastic240HPT1000.241Housing213HPT1000.213Spring241HPT1000.241Housing214HPT1000.214Pin, Strike243HPT1000.243Washer, Seal215HPT1000.215Seal 18*26*5244HPT1000.244Retaining Ring216HPT1000.216Sleeve, Axle245HPT1000.246Plastic U-Ring Seal217GSA08.09-4O-Ring, (Ex: 11.21 In: 7.65 Cs: 1.78)246HPT1000.248Plastic U-Ring Seal218HPT1000.218Nut246HPT1000.248Piston219HPT1000.219ScrewLever Plate240HPT1000.249O-Ring, (Ex: 49.84 In: 44.1220HPT1000.220Lever Plate246HPT1000.248Piston217GSA08.09-4O-Ring, (Ex: 11.21 In: 7.65 Cs: 1.78)246HPT1000.248Piston218HPT1000.219ScrewScrew246HPT1000.248Pis | |
| 206 HPT1000.206 Spring 207 HPT1000.207 Spring Cap 235 HPT1000.236 Washer, Seal 208 ER1700PD.37 External Circlip 9.2mm ID. 237 HPT1000.237 Plug 209 HPT1000.209 Joint Plate 238 HPT1000.237 Plug 210 HPT1000.210 Pin 239 HPT1000.239 Washer, Seal 211 HPT1000.212 Pin, Elastic 240 HPT1000.240 Cylinder 212 HPT1000.213 Spring 242 HPT1000.244 Housing 213 HPT1000.214 Pin, Strike 243 HPT1000.243 Washer, Seal 214 HPT1000.215 Seal 18*26*5 244 HPT1000.244 Retaining Ring 216 HPT1000.216 Sleeve, Axle 245 HPT1000.246 Plastic U-Ring Seal 219 HPT1000.219 Screw 246 HPT1000.248 Piston 219 HPT1000.220 Lever Plate 250 HPT1000.249 O-Ring, (Ex: 49.84 In: 44.1 | |
| 207 HPT1000.207 Spring Cap 236 HPT1000.237 Washer, Seal 208 ER1700PD.37 External Circlip 9.2mm ID. 237 HPT1000.237 Plug 209 HPT1000.209 Joint Plate 238 HPT1000.238 O-Ring, (Ex: 79.02 In: 74.2 210 HPT1000.210 Pin 238 HPT1000.239 Washer, Seal 211 HPT1000.211 Pump Body 240 HPT1000.240 Cylinder 212 HPT1000.213 Spring Spring 241 HPT1000.241 Housing 213 HPT1000.214 Pin, Strike 243 HPT1000.242 Bolt 214 HPT1000.215 Seal 18*26*5 244 HPT1000.244 Retaining Ring 216 HPT1000.216 Sleeve, Axle 245 HPT1000.245 Washer, Seal 218 HPT1000.218 Nut 248 HPT1000.248 Piston 219 HPT1000.221 Screw 249 HPT1000.248 Piston Rod 221 HPT1000.221 Nut <td< td=""><td></td></td<> | |
| 208 ER1700PD.37 External Circlip 9.2mm ID. 237 HPT1000.237 Plug 209 HPT1000.209 Joint Plate 238 HPT1000.238 O-Ring, (Ex: 79.02 In: 74.2 210 HPT1000.210 Pin 239 HPT1000.239 Washer, Seal 211 HPT1000.211 Pump Body 240 HPT1000.240 Cylinder 212 HPT1000.213 Spring 241 HPT1000.241 Housing 213 HPT1000.214 Pin, Elastic 241 HPT1000.243 Washer, Seal 214 HPT1000.215 Seal 18*26*5 244 HPT1000.244 Retaining Ring 216 HPT1000.216 Sleeve, Axle 245 HPT1000.245 Washer 217 GSA08.09-4 O-Ring, (Ex: 11.21 In: 7.65 Cs: 1.78) 246 HPT1000.246 Plastic U-Ring Seal 218 HPT1000.219 Screw 249 HPT1000.248 Piston 219 HPT1000.220 Lever Plate 250 HPT1000.250 Piston Rod 221 HPT1000.221 | |
| 209 HPT1000.209 Joint Plate 238 HPT1000.238 O-Ring, (Ex: 79.02 In: 74.2 210 HPT1000.210 Pin 239 HPT1000.239 Washer, Seal 211 HPT1000.211 Pump Body 240 HPT1000.240 Cylinder 212 HPT1000.212 Pin, Elastic 241 HPT1000.241 Housing 213 HPT1000.213 Spring 242 HPT1000.242 Bolt 214 HPT1000.214 Pin, Strike 243 HPT1000.243 Washer, Seal 216 HPT1000.216 Sleeve, Axle 245 HPT1000.245 Washer 217 GSA08.09-4 O-Ring, (Ex: 11.21 In: 7.65 Cs: 1.78) 246 HPT1000.246 Plastic U-Ring Seal 218 HPT1000.218 Nut 248 HPT1000.248 Piston 219 HPT1000.220 Lever Plate 250 HPT1000.249 O-Ring, (Ex: 49.84 In: 44.1 220 HPT1000.221 Nut 251 HPT1000.250 Piston Rod 221 HPT1000.222 Washer, Elast | |
| 210 HPT1000.210 Pin 239 HPT1000.239 Washer, Seal 211 HPT1000.211 Pump Body 240 HPT1000.240 Cylinder 212 HPT1000.212 Pin, Elastic 241 HPT1000.241 Housing 213 HPT1000.213 Spring 242 HPT1000.242 Bolt 214 HPT1000.214 Pin, Strike 243 HPT1000.243 Washer, Seal 215 HPT1000.215 Seal 18*26*5 244 HPT1000.244 Retaining Ring 216 HPT1000.216 Sleeve, Axle 245 HPT1000.245 Washer 217 GSA08.09-4 O-Ring, (Ex: 11.21 In: 7.65 Cs: 1.78) 246 HPT1000.246 Plastic U-Ring Seal 218 HPT1000.218 Nut 248 HPT1000.248 Piston 219 HPT1000.219 Screw 249 HPT1000.249 O-Ring, (Ex: 49.84 In: 44.14 220 HPT1000.221 Nut 250 HPT1000.250 Piston Rod 221 HPT1000.221 Nut 251 | |
| 211HPT1000.211Pump Body240HPT1000.240Cylinder212HPT1000.212Pin, Elastic241HPT1000.241Housing213HPT1000.213Spring242HPT1000.242Bolt214HPT1000.214Pin, Strike243HPT1000.243Washer, Seal215HPT1000.215Seal 18*26*5244HPT1000.244Retaining Ring216HPT1000.216Sleeve, Axle245HPT1000.245Washer217GSA08.09-4O-Ring, (Ex: 11.21 In: 7.65 Cs: 1.78)246HPT1000.246Plastic U-Ring Seal218HPT1000.219Screw248HPT1000.248Piston219HPT1000.219Screw249HPT1000.249O-Ring, (Ex: 49.84 In: 44.14)220HPT1000.220Lever Plate250HPT1000.250Piston Rod221HPT1000.221Nut251HPT1000.251Washer, Seal222HPT1000.223Washer, Elastic253SA36.V2-36O-Ring, (Ex: 47.93 In: 40.8 | 5 Cs: 2.89) |
| 212 HPT1000.212 Pin, Elastic 241 HPT1000.241 Housing 213 HPT1000.213 Spring 242 HPT1000.242 Bolt 214 HPT1000.214 Pin, Strike 243 HPT1000.243 Washer, Seal 215 HPT1000.215 Seal 18*26*5 244 HPT1000.244 Retaining Ring 216 HPT1000.216 Sleeve, Axle 245 HPT1000.245 Washer 217 GSA08.09-4 O-Ring, (Ex: 11.21 In: 7.65 Cs: 1.78) 246 HPT1000.248 Plastic U-Ring Seal 218 HPT1000.219 Screw 249 HPT1000.249 O-Ring, (Ex: 49.84 In: 44.14) 220 HPT1000.220 Lever Plate 250 HPT1000.250 Piston Rod 221 HPT1000.221 Nut 251 HPT1000.251 Washer, Seal 222 HPT1000.222 Washer, Elastic 252 HPT1000.252 Cylinder Cap 223 HPT1000.223 Washer, Elastic 253 SA36V2-36 O-Ring, (Ex: 47.93 In: 40.8 | |
| 213 HPT1000.213 Spring 242 HPT1000.242 Bolt 214 HPT1000.214 Pin, Strike 243 HPT1000.243 Washer, Seal 215 HPT1000.215 Seal 18*26*5 244 HPT1000.244 Retaining Ring 216 HPT1000.216 Sleeve, Axle 245 HPT1000.245 Washer 217 GSA08.09-4 O-Ring, (Ex: 11.21 In: 7.65 Cs: 1.78) 246 HPT1000.246 Plastic U-Ring Seal 218 HPT1000.219 Screw 248 HPT1000.248 Piston 219 HPT1000.219 Screw 249 HPT1000.249 O-Ring, (Ex: 49.84 In: 44.14) 220 HPT1000.220 Lever Plate 250 HPT1000.250 Piston Rod 221 HPT1000.221 Nut 251 HPT1000.251 Washer, Seal 222 HPT1000.222 Washer, Elastic 252 HPT1000.252 Cylinder Cap 223 HPT1000.223 Washer, Static 253 SA36.V2-36 O-Ring, (Ex: 47.93 In: 40.8 | |
| 214 HPT1000.214 Pin, Strike 243 HPT1000.243 Washer, Seal 215 HPT1000.215 Seal 18*26*5 244 HPT1000.244 Retaining Ring 216 HPT1000.216 Sleeve, Axle 245 HPT1000.245 Washer, Seal 217 GSA08.09-4 O-Ring, (Ex: 11.21 In: 7.65 Cs: 1.78) 246 HPT1000.246 Plastic U-Ring Seal 218 HPT1000.219 Screw 248 HPT1000.248 Piston 219 HPT1000.219 Screw 249 HPT1000.249 O-Ring, (Ex: 49.84 In: 44.14) 220 HPT1000.220 Lever Plate 250 HPT1000.250 Piston Rod 221 HPT1000.221 Nut 251 HPT1000.251 Washer, Seal 222 HPT1000.222 Washer, Elastic 252 HPT1000.252 Cylinder Cap 223 HPT1000.223 Washer, Seal 253 SA36.V2-36 O-Ring, (Ex: 47.93 In: 40.8 | |
| 215HPT1000.215Seal 18*26*5244HPT1000.244Retaining Ring216HPT1000.216Sleeve, Axle245HPT1000.245Washer217GSA08.09-4O-Ring, (Ex: 11.21 In: 7.65 Cs: 1.78)246HPT1000.246Plastic U-Ring Seal218HPT1000.218Nut248HPT1000.248Piston219HPT1000.219Screw249HPT1000.249O-Ring, (Ex: 49.84 In: 44.14220HPT1000.220Lever Plate250HPT1000.250Piston Rod221HPT1000.221Nut251HPT1000.251Washer, Seal222HPT1000.222Washer, Elastic252HPT1000.252Cylinder Cap223HPT1000.223WasherO-Ring, (Ex: 47.93 In: 40.8 | |
| 216 HPT1000.216 Sleeve, Axle 245 HPT1000.245 Washer 217 GSA08.09-4 O-Ring, (Ex: 11.21 In: 7.65 Cs: 1.78) 246 HPT1000.246 Plastic U-Ring Seal 218 HPT1000.218 Nut 248 HPT1000.248 Piston 219 HPT1000.219 Screw 249 HPT1000.249 O-Ring, (Ex: 49.84 In: 44.14 220 HPT1000.220 Lever Plate 250 HPT1000.250 Piston Rod 221 HPT1000.221 Nut 251 HPT1000.251 Washer, Seal 222 HPT1000.222 Washer, Elastic 252 HPT1000.252 Cylinder Cap 223 HPT1000.223 Washer 253 SA36.V2-36 O-Ring, (Ex: 47.93 In: 40.8) | |
| 217GSA08.09-4O-Ring, (Ex: 11.21 In: 7.65 Cs: 1.78)246HPT1000.246Plastic U-Ring Seal218HPT1000.218Nut248HPT1000.248Piston219HPT1000.219Screw249HPT1000.249O-Ring, (Ex: 49.84 In: 44.14)220HPT1000.220Lever Plate250HPT1000.250Piston Rod221HPT1000.221Nut251HPT1000.251Washer, Seal222HPT1000.222Washer, Elastic252HPT1000.252Cylinder Cap223HPT1000.223WasherVasher, Seal253SA36.V2-36O-Ring, (Ex: 47.93 In: 40.8) | |
| 218 HPT1000.218 Nut 248 HPT1000.248 Piston 219 HPT1000.219 Screw 249 HPT1000.249 O-Ring, (Ex: 49.84 In: 44.14) 220 HPT1000.220 Lever Plate 250 HPT1000.250 Piston Rod 221 HPT1000.221 Nut 251 HPT1000.251 Washer, Seal 222 HPT1000.222 Washer, Elastic 252 HPT1000.252 Cylinder Cap 223 HPT1000.223 Washer 253 SA36.V2-36 O-Ring, (Ex: 47.93 In: 40.8) | |
| 219 HPT1000.219 Screw 249 HPT1000.249 O-Ring, (Ex: 49.84 In: 44.14) 220 HPT1000.220 Lever Plate 250 HPT1000.250 Piston Rod 221 HPT1000.221 Nut 251 HPT1000.251 Washer, Seal 222 HPT1000.222 Washer, Elastic 252 HPT1000.252 Cylinder Cap 223 HPT1000.223 Washer Washer 253 SA36.V2-36 O-Ring, (Ex: 47.93 In: 40.8) | |
| 220 HPT1000.220 Lever Plate 250 HPT1000.250 Piston Rod 221 HPT1000.221 Nut 251 HPT1000.251 Washer, Seal 222 HPT1000.222 Washer, Elastic 252 HPT1000.252 Cylinder Cap 223 HPT1000.223 Washer Washer 253 SA36.V2-36 O-Ring, (Ex: 47.93 In: 40.8) | |
| 221 HPT1000.221 Nut 251 HPT1000.251 Washer, Seal 222 HPT1000.222 Washer, Elastic 252 HPT1000.252 Cylinder Cap 223 HPT1000.223 Washer 253 SA36.V2-36 O-Ring, (Ex: 47.93 In: 40.8) | 4 Cs: 2.85) |
| 222 HPT1000.222 Washer, Elastic 252 HPT1000.252 Cylinder Cap 223 HPT1000.223 Washer 253 SA36.V2-36 O-Ring, (Ex: 47.93 In: 40.8) | |
| 223 HPT1000.223 Washer 253 SA36.V2-36 O-Ring, (Ex: 47.93 In: 40.8) | |
| | |
| 224 HPT1000.224 Bolt c/w Hole 254 HPT1000.254 Dust Ring | 57 Cs: 3.53) |
| | |
| 225 HPT1000.225 Bolt c/w Hole 255 HPT1000.255 Plug | |
| 226 HPT1000.226 Nut 256 HPT1000.256 Liquid Throttle Sheath | |
| 227 HPT1000.227 Plug 257 HPT1000.257 Screw | |
| 228 HPT1000.228 O-Ring, (Ex: 18.55 In: 13.68 Cs: 2.44) 258 HPT1000.258 O-Ring, (Ex: 25 In: 20.37 C | Cs: 2.32) |
| 229 HPT1000.229 Bolt, Adjusting | |

NOTE: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice. There may be alternative versions of this product, please contact us should you require this information.

IMPORTANT: No liability is accepted for incorrect use of product. Spare parts must be fitted by a competent person

WARRANTY: Guarantee is 12 months from purchase date, proof of which will be required for any claim.

Sealey Group, Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk. IP32 7AR 01284 757500 sales@sealey.co.uk www.sealey.co.uk