

STANLEY®

WORKLIGHTS PRESENTER

www.STANLEYTOOLS.com

240V PROFESSIONAL AREA LIGHT

STANLEY

- 360° beam angle for shadow free illumination
- Tripod mountable
- Heavy duty shock proof rubber base with polycarbonate body and rubberised handle
- 5m H07RN-F 3G 1.5mm cable
- IP54
- 6000K
- 120W
- 8400 Lumens

SKU	Description	Colour
SXLS31324E	240V 120W Professional Area Light	White/Black



110V PROFESSIONAL AREA LIGHT

STANLEY

- 360° beam angle for shadow free illumination
- Tripod mountable
- Heavy duty shock proof rubber base with polycarbonate body and rubberised handle
- 5m H07RN-F 3G 1.5mm cable
- IP54
- 6000K
- 120W
- 8400 Lumens

SKU	Description	Colour
SXLS31324ES	110V 120W Professional Area Light	White/Black




STANLEY

110V PANEL WORKLIGHT

- Shockproof rubber housing with moulded carry handle
- IK10 impact resistance for tough working environments
- 5 metres of H07RN-F 3G 1.5mm cable
- 2 x 110V extension sockets on the lamp body rated to 2kw
- ABS/Polycarbonate body
- IP44
- 6000K
- 50W
- 4000 Lumens

SKU	Description	Colour
SXLS31325ES	110V Panel Worklight	Yellow/black




240V PANEL WORKLIGHT

STANLEY

- Shockproof rubber housing with moulded carry handle
- IK10 impact resistance for tough working environments
- 5 metres of H07RN-F 3G 1.5mm cable
- 2 x 240V extension sockets on the lamp body rated to 2kw
- ABS/Polycarbonate body
- IP44
- 6000K
- 50W
- 4000 Lumens

SKU	Description	Colour
SXLS31325E	240V Panel Worklight	Yellow/black



PLASTERERS WORKLIGHT

STANLEY

- 360° Illumination
- Foldable stand with carry strap for easy storage and transportation
- 1 x 240V BS extension socket
- 5m H07RN-F 3G 1.5mm cable
- ABS/Polycarbonate & Steel construction
- IP44
- 6000K
- 40W
- 3200 Lumens

SKU	Description	Colour
SXLS31324E	40W Plasterers Worklight	Yellow/Black



240V WORKLIGHT

STANLEY

- 1 x 240V BS extension socket outlet
- Folding carry handle that also acts as a stand and wall mountable fixture
- Heavy duty rubber surround with ABS/Polycarbonate body
- 5m H07RN-F 3G 1.5mm cable
- IP44
- 6000K
- 35W
- 2100 Lumens

SKU	Description	Colour
SXLS31326E	240V Worklight	Yellow/black



240V COB LED WORKLIGHT

STANLEY

- Floor standing or can be tripod mounted.
- Optional heavy duty tripod with clamp mount available seperately.
- Dimmable 100% / 50% Brightness Mode
- Die-cast aluminium body
- 2m H05RN-F cable
- IP65
- 33W
- 6000K
- 4000 Lumens

SKU	Description	Colour
SXLS31331E	Single 240V COB LED Worklight	Yellow/Black



TWIN 240V COB LED WORKLIGHT

STANLEY

- Floor standing or can be tripod mounted.
- Optional heavy duty tripod with clamp mount available seperately.
- Dimmable 100% / 50% Brightness Mode
- Die-cast aluminium body
- 2m H05RN-F cable
- IP65
- 2 x 33W
- 6000K
- 2 x 4000 Lumens

SKU	Description	Colour
SXLS31332E	Twin 240V COB LED Worklight	Yellow/Black



HEAVY DUTY TRIPOD

STANLEY

- Bar clamp for fast & secure light installation
- Height adjustable to 1.4M
- Tough powder coated finish to resist rust and corrosion
- Locking mechanism securely locks legs in position
- Collapsible for easy transportation
- Built in cord wrap function for easy storage

SKU	Description	Colour
SXLS31333E	Heavy Duty Tripod	Yellow/Black



RECHARGABLE WORKLIGHT

STANLEY

- Foldable carry handle/stand with integrated hanging hook
- LED charge indicator
- Dimmable 100%/50%/25% modes
- 2 hours run time at 100% brightness
- 5 hours run time at 50% brightness
- 8 hours run time at 25% brightness
- 7.4V Lithium-ion battery, 2200ma on 10W / 4400ma on 20W
- Comes with 1m H05RN-F 3G 1.0mm cable with IEC connector plug and BS plug for optional mains operation
- ABS body with rubber bumper protection
- IP54
- 6000K
- 10W = 800 Lumens
- 20W = 1500 Lumens

SKU	Description	Colour
SXLS31329E	10W Rechargeble Worklight	Yellow/Black
SXLS31330E	20W Rechargeble Worklight	Yellow/Black



RECHARGEABLE FOLDING 240V WORKLIGHT

STANLEY

- Foldable stand for easy storage and transportation
- Die-cast aluminium body with plastic protective bumpers and rubberised carry handle
- USB charging port
- LED charge indicator
- IP54
- 6000K
- 8W = 600 Lumens – 5 hours charge time, 3 hours run time
- 18W 1350 Lumens – 5 hours charge time, 4 hours run time
- 24W 1800 Lumens – 5 hours charge time, 4 hours run time

SKU	Description	Colour
SXLS31338E	8W Folding 240V Rechargeable Worklight	Yellow/Black
SXLS31339E	18W Folding 240V Rechargeable Worklight	Yellow/Black
SXLS31340E	24W Folding 240V Rechargeable Worklight	Yellow/Black



FOLDING 240V WORKLIGHT

STANLEY

- Foldable stand for easy storage and transportation
- Die-cast aluminium body with plastic protective bumpers and rubberised carry handle
- 1.8M H05RN-F 3G 1.0mm cable
- IP65
- 6000K
- 10W = 800 Lumens
- 20W = 1500 Lumens
- 30W = 2100 Lumens
- 50W = 3900 Lumens

SKU	Description	Colour
SXLS31334E	Folding 10W 240V Worklight	Yellow/Black
SXLS31335E	Folding 20W 240V Worklight	Yellow/Black
SXLS31336E	Folding 30W 240V Worklight	Yellow/Black
SXLS31337E	Folding 50W 240V Worklight	Yellow/Black




10 LIGHT 25M 110V E27 FESTOON LIGHT

STANLEY

- 25m hanging light with 10 x E27 lamp holders with guards
- ABD/Polycarbonate construction
- 25m H05RN-F 3G 1.0mm cable
- 10 x 10W LED GLS lamps included
- 2m lamp holder spacing
- IP44
- 6000K
- 800 Lumen per lamp

SKU	Description	Colour
SXLS31361E	110V E27 Festoon Worklight	Yellow/black



10 LIGHT 25M 110V 4W LED FESTOON LIGHT

STANLEY

- 25m hanging light with 10 x 4W LED lamp holders
- ABD/Polycarbonate construction
- 25m H05RN-F 3G 1.0mm cable
- 2m lamp holder spacing
- IP44
- 10 x 4W LED
- 6000K
- 2900 Lumen per lamp

SKU	Description	Colour
SXLS31362E	110V E27 Festoon Worklight	Yellow/black



STANLEY®

Stanley, The Stanley Logo, The Notched Rectangle and the Yellow and Black Diagonal Package Design are all trademarks of Stanley Black & Decker, Inc or an affiliate thereof and are used under license. Product manufactured and distributed by Cascade Holdings Ltd. Gorse Mill, Oldham, OL9 9RJ, UK.

Tel: +44 161 628 6622
Email: info@stanleylighting.com

FOR INTERNAL USE ONLY