# Section 1. Product and Company Identification.

1.1 Model Number; SCS015 v1

**1.2 Description;** Battery Terminal Protector 500ml Pack of 6



Sealey Group. Kempson Way, Bury St. Edmunds, Suffolk. IP32 7AR

1.4 Emergency telephone number; 44 (0) 1284 757 500 (Office Hours)

Date of source compilation; 1 December 2015

## Section 2. Hazards Identification.

**2.1** Classification of the substance or mixture.

Classification (EC 1272/2008)

Physical and Chemical Hazards Flam. Aerosol 1 - H222

Human health EUH066
Environment Not classified.

Classification (1999/45/EEC) F+; R12. R66.

### Risk phrases;

R12 Extremely flammable.

R10 Flammable.

R20/21 Harmful by inhalation and in contact with skin.

R11 Highly flammable

R36/38 Irritating to eyes and skin.

R36 Irritating to eyes.

R38 Irritating to skin.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

#### 2.2 Label elements.

Hazard pictogram(s)



Signal Word. Danger

#### Section 2. Hazards Identification, continued.



#### Hazard statements;

H222 Extremely flammable aerosol.

#### Precautionary statements;

P102 Keep out of reach of children.

P261 Avoid breathing vapour/spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves.

P501 Dispose of contents/container in accordance with local regulations.

#### **Supplementary Precautionary Statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Pressurized container: Do not pierce or burn, even after use.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+313 If skin irritation occurs: Get medical advice/attention.

P337+313 If eye irritation persists: Get medical advice/attention.

P410+412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

#### Supplemental label information

EUH066 Repeated exposure may cause skin dryness or cracking.

H229 Pressurised container: May burst if heated

#### 2.3 Other hazards.

No information available.



## Section 3. Substances.

<b>3.1 Chemical Name</b> (substance)	3.1 CAS No.	3.2 Concentration	Classification	
		Volume	Hazard Class & Category Code	Hazard Statements
Odourless Kerosene	64742-47-8	30 - 60%	Asp. Tox. 1	H304
Propane	74-98-6	10 - 30%	Flam. Gas 1 Press Gas	H220
Butane	106-97-8	5 - 10%	Flam. Gas 1 Press Gas	H220
1-Methoxy-2-Propanol	107-98-2	1 - 5%	Flam. Liq. 3	H226
Isobutane	75-28-5	1 - 5%	Flam. Gas 1 Press Gas	H220
Sodium Nitrite	7632-00-0	< 1%	Ox. Sol. 3 Acute Tox. 3	H272 H301
			Aquatic Acute 1	H400

For full text of Phrases and Statements, see Section 16.



## Section 4. First Aid Measures.

#### General information

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

#### **4.1** Description of first aid measures

#### **Eye Contact**

Make sure to remove any contact lenses from the eyes before rinsing.

Promptly wash eyes with plenty of water while lifting the eye lids.

Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

#### **Skin Contact**

Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

#### Ingestion

DO NOT INDUCE VOMITING! Rinse mouth thoroughly with water and give large amounts of milk or water to people not unconscious. Get medical attention if any discomfort continues.

#### **Inhalation**

Move the exposed person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Keep the affected person warm and at rest. Get prompt medical attention.

- **4.2.** Most important symptoms and effects, both acute and delayed No information available.
- **4.3.** Indication of any immediate medical attention and special treatment needed No information available.

## Section 5. Fire Fighting Measures.

#### **5.1.** Extinguishing media

Powder. Dry chemicals, sand, dolomite etc. Water spray, fog or mist.

- **5.2.** Special hazards arising from the substance or mixture Aerosol cans may explode in a fire.
- **5.3.** Advice for fire-fighters

Containers close to fire should be removed or cooled with water.

Use water to keep fire exposed containers cool and disperse vapours.



#### Section 6. Accidental Release Measures.

**6.1.** Personal precautions, protective equipment and emergency procedures No information available.

#### **6.2.** Environmental precautions

No information available.

#### 6.3. Methods and material for containment and cleaning up

Wear necessary protective equipment. Extinguish all ignition sources.

Avoid sparks, flames, heat and smoking.

Ventilate.

Let evaporate.

Keep out of confined spaces because of explosion risk.

If leakage cannot be stopped, evacuate area.

#### 6.4. Reference to other sections

See Section 7 for information on Safe Handling

See Section 8 for information of Personal Protective Equipment.

See Section 13 for information on disposal. See Section 13 for information on disposal.

## **Section 7. Handling and Storage.**

#### 7.1. Precautions for safe handling

Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact.

Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

## **7.2.** Conditions for safe storage, including any incompatibilities

Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.

#### **7.3.** Specific end use(s)

Intended for use as a Battery Terminal Protector, Model Number identified in 1.1 with Description stated in 1.2.



# Section 8. Exposure Controls/Personal Protection.

#### **8.1.** Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min	
1-Methoxy-2-Propanol	WEL	100 ppm (Sk)	375 mg/m <sup>3</sup>	150 ppm (Sk)	560 mg/m <sup>3</sup>
Butane	WEL	600 ppm	1450 mg/m <sup>3</sup>	750 ppm	1810 mg/m <sup>3</sup>
Odourless Kerosene		165 ppm	1200 mg/m <sup>3</sup>		
Propane		Asphyxiating	Asphyxiating	Asphyxiating	Asphyxiating

#### **8.2.** Exposure controls

Protective equipment



#### **Appropriate Engineering Controls**

#### Ventilation

Provide adequate general and local exhaust ventilation.

Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

#### **Eye/Face Protection Eye Protection**

Use approved safety goggles or face shield.

#### **Skin Protection**

Use solvent resisting protective gloves.

Other Protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

#### **Respiratory Protection**

No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit. Use chemical cartridge protection with appropriate cartridge.



## Section 9. Physical and Chemical Properties.

9.1. Information on basic physical and chemical properties

The following information is not a technical specification or sales specification.

(a) Appearance: Aerosol.
(b) Odour: Characteristic.

(c) Odour threshold; No information available.
(d) pH: No information available.

(e) Melting point/freezing point;
No information available.
(f) Initial boiling point and boiling range;
No information available.
(g) Flash point;
No information available.
(h) Evaporation rate;
No information available.
(i) Flammability (solid, gas);
No information available.
(j) Upper/lower flammability;
Lower; 0.8% Upper; 9.0%

(I) Vapour density; No information available. (m) Relative density; No information available.

(n) Solubility(ies); Insoluble in water.

(o) Partition coefficient: n-octanol/water;
(p) Auto-ignition temperature;
(q) Decomposition temperature;
(r) Viscosity;
(s) Explosive properties;
(t) Oxidising properties.

No information available.
No information available.
No information available.
No information available.

## Section 10. Stability and Reactivity.

(k) Vapour pressure;

**10.1.** Reactivity No information available.

**10.2.** Chemical stability Stable under normal temperature conditions.

**10.3.** Possibility of hazardous reactions 
No information available.

**10.4.** Conditions to avoid Avoid heat, flames and other sources of ignition. Avoid

contact with: Strong oxidising agents. Strong alkalis.

Strong mineral acids.

No information available.

**10.5.** Incompatible materials No information available.

**10.6.** Hazardous decomposition products Fire creates: Vapours/gases/fumes of:

Carbon monoxide (CO). Carbon dioxide (CO2).



# Section 11. Toxicological Information.

- 11.1. Information on toxicological effects
- 11.1. Information on toxicological effects

#### Inhalation

May cause irritation to the respiratory system. Vapours may cause headache, fatigue, dizziness and nausea. Prolonged inhalation of high concentrations may damage respiratory system.

#### Ingestion

May cause discomfort if swallowed. May cause stomach pain or vomiting. Gastrointestinal symptoms, including upset stomach.

#### **Skin contact**

Prolonged or repeated exposure may cause severe irritation.

Acts as a defatting agent on skin. May cause cracking of skin, and eczema.

#### Eye contact

Irritating to eyes. May cause chemical eye burns.

Route of entry

Inhalation. Skin and/or eye contact.

## Section 12. Ecological Information.

Dangerous for the environment if discharged into watercourses.

<b>12.1.</b> Toxicity	No information available.
12.2. Persistence and degradability	No information available.
<b>12.3.</b> Bioaccumulative potential	No information available.
<b>12.4.</b> Mobility in soil	No information available.
<b>12.5.</b> Results of PBT and vPvB assessment	No information available.
<b>12.6.</b> Other adverse effects	No information available.

# Section 13. Disposal Considerations.

#### 13.1. Waste treatment methods

Empty containers must not be burned because of explosion hazard.

Dispose of waste and residues in accordance with local authority requirements.



## Section 14. Transport Information.

ADR. International Carriage of Dangerous Goods by Road.

**14.1.** UN number UN 1950

AEROSOLS, flammable 14.2. Name and Description

2.1

190 344 625 **Special Provisions** 

**Limited Quantities** 1 L **Excepted Quantities** E0

**Packing Instructions** P207, LP02 **Special Packaging Provisions** RR6 L2

**14.3.** Transport hazard class(es) Class 2

> **Classification Code** 5F **Transport Category** 2 Tunnel restriction code D

14.4. Packing group

Avoid release to the environment **14.5.** Environmental hazards

**14.6.** Special precautions for user Refer to Section 2.2 Precautionary Statements

IATA. International Air Transport Association.

**14.1.** UN number UN 1950

**14.2.** UN Proper Shipping Name/Description AEROSOLS, flammable

> Hazard Label. Flamm. gas

**Excepted Quantity** E0 Packaging Instructions Passenger 203

> Y203 Ltd Qty Cargo 203 **ERG Code** 10L A167

**Special Provisions** 

### Special Provision A802.

Notwithstanding the absence of a packing group in column E, substances and article assigned to these entries must be packed in UN Specification packaging that meet packing group II performance standards. This does not apply when aerosols are prepared for transport in accordance with the limited quantity provisions.

**14.3.** Transport hazard class(es) Class or Division 2.1

14.4. Packing group

14.5. Environmental hazards Avoid release to the environment

**14.6.** Special precautions for user Refer to Section 2.2 Precautionary Statements

IMDG. International Maritime Dangerous Goods.

**14.1.** UN number UN 1950

14.2. UN proper shipping name AEROSOLS, flammable

> **Special Provisions** 63, 190 277, 327, 344, 959 See Special Provision 277 **Limited Quantities**

**Excepted Quantities** E0

**Packaging Instructions** P207, LP02 **Packaging Provisions** PP87, L2

**14.3.** Transport hazard class(es) Class or Division

> Subsidiary Risk(s) See Special Provision 63

**14.4.** Packing group

14.5. Environmental hazards Avoid release to the environment

**14.6.** Special precautions for user Refer to Section 2.2 Precautionary Statements **14.7.** Transport in bulk – Maritime only. Bulk transport is not applicable to this product

MASTER v7 Page **9** of **10** SCS015 v1 Issue 2 14/09/16



## Section 15. Regulatory Information.

**15.1.** Safety, health and environmental regulations/legislation specific for the substance or mixture No information available.

**15.2.** Chemical safety assessment No information available.

## Section 16. Additional Information.

Full text of Phrases and Statements used in Section 3;

The above information is believed to be accurate and represents the best information currently available.

No warranty is expressed or implied by the above information.

We assume no liability resulting from use of the above information.

The end user should conduct their own investigations to determine the suitability of the above information for their particular purpose.

Issue level	Date	Revisions	
1	12/02/16	First issue.	
2	14/09/16	Sections 3, 14, 15 & 16.	

End of Safety Data Sheet.